986/1

READEX FICHE best copy available

# Poultry Slaughter

Crop Reporting Board
Statistical Reporting Service

United States Department of Agriculture
Washington, D.C. 20250

NEWARK PUBLIC LIBRARY
APR 1 1986
U. S. GOVT. PUBS.
DEPOSITORY 375

RELEASED: March 26, 1986
3:00 P.M. ET

January 1986

The preliminary total of LIVE WEIGHT POULTRY INSPECTIONS was 1.95 billion pounds (887 thousand metric tons) for January 1986. Inspections included 1.64 billion pounds (743 thousand metric tons) of young chickens, 73.7 million pounds (33.5 thousand metric tons) of mature chickens, 231 million pounds (105 thousand metric tons) of turkeys and 11.7 million pounds (5310 metric tons) of ducks.

POULTRY CERTIFIED WHOLESOME during January 1986 was 1.42 billion pounds (646 thousand metric tons) ready-to-cook weight. Updated totals show that 1.36 billion pounds (615 thousand metric tons) were certified in December 1985.

ANTE-MORTEM CONDEMNATIONS during January 1986 totaled 7.49 million pounds (3400 metric tons). Condemnations were 0.38 percent of the live weight inspected, compared with 0.44 percent during January a year ago. POST-MORTEM CONDEMNATIONS, at 36.7 million pounds (16.6 thousand metric tons) (N.Y. Dressed Weight), were 2.09 percent of the quantities inspected compared with 1.90 percent during January 1985.

**********
* NOTICE *
*
* Information by State, which has been unavailable in recent issues, is again available and shown on pages 4 through 7.
*
* The data presented in this report were compiled by the Meat and Poultry Inspection Program, Food Safety Inspection Service. Data for January 1986 include reports available for summary in early March 1986. The degree of incompleteness due to late reports will vary from month to month.
*
* Requests for a subscription form covering all available reports should be directed to Crop Reporting Board Publications, Room 5829 - South Building, USDA, Washington, D.C. 20250 (Phone (202) 447-4021).
**********



For Information Call: (202) 447-2123

A 92.9/5:

## POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, JANUARY 1986 WITH COMPARISONS

| | CHICKENS | | | TURKEY | | | | DUCKS | OTHER POULTRY | TOTAL POULTRY |
|---|---|---|---|---|---|---|---|---|---|---|
| | YOUNG | MATURE 1/ | TOTAL | FRYER-ROASTERS | YOUNG 2/ | OLD | TOTAL | | | |
| | THOUSANDS | | | | | | | | | |
| NUMBER INSPECTED | | | | | | | | | | |
| DECEMBER 1985 | 352,589 | 15,831 | 368,420 | 386 | 12,576 | 42 | 13,004 | 1,743 | --- | --- |
| JANUARY 1985 | 375,131 | 22,100 | 397,231 | 168 | 8,979 | 110 | 9,257 | 1,700 | --- | --- |
| JANUARY 1986 | 380,957 | 16,613 | 397,570 | 234 | 10,565 | 100 | 10,899 | 1,722 | --- | --- |
| JAN 1985 | 375,131 | 22,100 | 397,231 | 168 | 8,979 | 110 | 9,257 | 1,700 | --- | --- |
| JAN 1986 | 380,957 | 16,613 | 397,570 | 234 | 10,565 | 100 | 10,899 | 1,722 | --- | --- |
| POUNDS INSPECTED | | | | | | | | | | |
| DECEMBER 1985 | 1,510,728 | 69,973 | 1,580,701 | 3,827 | 259,847 | 940 | 264,614 | 11,476 | 241 | 1,857,032 |
| JANUARY 1985 | 1,586,631 | 93,638 | 1,680,269 | 1,468 | 195,541 | 2,491 | 199,500 | 11,097 | 258 | 1,891,124 |
| JANUARY 1986 | 1,637,491 | 73,738 | 1,711,229 | 2,256 | 226,859 | 2,354 | 231,469 | 11,716 | 214 | 1,954,628 |
| JAN 1985 | 1,586,631 | 93,638 | 1,680,269 | 1,468 | 195,541 | 2,491 | 199,500 | 11,097 | 258 | 1,891,124 |
| JAN 1986 | 1,637,491 | 73,738 | 1,711,229 | 2,256 | 226,859 | 2,354 | 231,469 | 11,716 | 214 | 1,954,628 |
| AVERAGE LIVEWEIGHT | POUNDS | | | | | | | | | |
| DECEMBER 1985 | 4.28 | 4.41 | 4.29 | 9.90 | 20.66 | 22.19 | 20.34 | 6.58 | --- | --- |
| JANUARY 1985 | 4.22 | 4.23 | 4.22 | 8.71 | 21.77 | 22.57 | 21.54 | 6.52 | --- | --- |
| JANUARY 1986 | 4.29 | 4.43 | 4.30 | 9.63 | 21.47 | 23.31 | 21.23 | 6.80 | --- | --- |
| JAN 1985 | 4.22 | 4.23 | 4.22 | 8.71 | 21.77 | 22.57 | 21.54 | 6.52 | --- | --- |
| JAN 1986 | 4.29 | 4.43 | 4.30 | 9.63 | 21.47 | 23.31 | 21.23 | 6.80 | --- | --- |

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:
JANUARY 1985: 3,172 JANUARY 1986: 3,132

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:
JANUARY 1985: 081 JANUARY 1986: 056



## POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), JANUARY 1986 WITH COMPARISONS

| | CHICKENS | | | TURKEY | | | | DUCKS | OTHER POULTRY | TOTAL POULTRY |
|---|---|---|---|---|---|---|---|---|---|---|
| | YOUNG | MATURE | TOTAL | FRYER-ROASTERS | YOUNG | OLD | TOTAL | | | |
| | THOUSANDS | | | | | | | | | |
| DECEMBER 1985 | | | | | | | | | | |
| CHILLED | 1,014,256 | 39,614 | 1,053,870 | 1,994 | 91,791 | 506 | 94,291 | 2,250 | 008 | 1,150,419 |
| FROZEN | 79,819 | 3,477 | 83,296 | 971 | 115,235 | 218 | 116,424 | 5,748 | 122 | 205,590 |
| TOTAL | 1,094,075 | 43,091 | 1,137,166 | 2,965 | 207,026 | 724 | 210,715 | 7,998 | 130 | 1,356,009 |
| JANUARY 1985 | | | | | | | | | | |
| CHILLED | 1,078,490 | 51,730 | 1,130,220 | 327 | 61,372 | 1,138 | 62,837 | 2,134 | 003 | 1,195,194 |
| FROZEN | 76,418 | 5,555 | 81,973 | 786 | 93,321 | 780 | 94,887 | 5,535 | 133 | 182,528 |
| TOTAL | 1,154,908 | 57,285 | 1,212,193 | 1,113 | 154,693 | 1,918 | 157,724 | 7,669 | 136 | 1,377,722 |
| JANUARY 1986 | | | | | | | | | | |
| CHILLED | 1,105,540 | 40,926 | 1,146,466 | 119 | 81,652 | 1,397 | 83,168 | 1,961 | 001 | 1,231,596 |
| FROZEN | 79,332 | 4,657 | 83,989 | 1,612 | 99,641 | 419 | 101,672 | 6,100 | 113 | 191,874 |
| TOTAL | 1,184,872 | 45,583 | 1,230,455 | 1,731 | 181,293 | 1,816 | 184,840 | 8,061 | 114 | 1,423,470 |
| JAN 1985 | | | | | | | | | | |
| CHILLED | 1,078,490 | 51,730 | 1,130,220 | 327 | 61,372 | 1,138 | 62,837 | 2,134 | 003 | 1,195,194 |
| FROZEN | 76,418 | 5,555 | 81,973 | 786 | 93,321 | 780 | 94,887 | 5,535 | 133 | 182,528 |
| TOTAL | 1,154,908 | 57,285 | 1,212,193 | 1,113 | 154,693 | 1,918 | 157,724 | 7,669 | 136 | 1,377,722 |
| JAN 1986 | | | | | | | | | | |
| CHILLED | 1,105,540 | 40,926 | 1,146,466 | 119 | 81,652 | 1,397 | 83,168 | 1,961 | 001 | 1,231,596 |
| FROZEN | 79,332 | 4,657 | 83,989 | 1,612 | 99,641 | 419 | 101,672 | 6,100 | 113 | 191,874 |
| TOTAL | 1,184,872 | 45,583 | 1,230,455 | 1,731 | 181,293 | 1,816 | 184,840 | 8,061 | 114 | 1,423,470 |

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, JANUARY 1986 WITH COMPARISONS

| | | CHICKENS | | | TURKEY | | | | DUCKS | OTHER POULTRY | TOTAL POULTRY |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | YOUNG | MATURE | TOTAL | FRYER-ROASTERS | YOUNG | OLD | TOTAL | | | |
| ANTE-MORTEM | | | | | | | | | | | |
| 1,000 POUNDS (LIVEWEIGHT) | | | | | | | | | | | |
| DECEMBER | 1985 | 5,488 | 1,032 | 6,520 | 21 | 751 | 4 | 776 | 14 | | 7,310 |
| JANUARY | 1985 | 6,284 | 1,520 | 7,804 | 20 | 573 | 20 | 613 | 19 | | 8,436 |
| JANUARY | 1986 | 5,743 | 1,051 | 6,794 | 10 | 655 | 14 | 679 | 18 | | 7,491 |
| JAN | 1985 | 6,284 | 1,520 | 7,804 | 20 | 573 | 20 | 613 | 19 | | 8,436 |
| JAN | 1986 | 5,743 | 1,051 | 6,794 | 10 | 655 | 14 | 679 | 18 | | 7,491 |
| PERCENT 1/ | | | | | | | | | | | |
| JANUARY | 1985 | .39 | 1.62 | .46 | 1.37 | .29 | .80 | .30 | .17 | .11 | .44 |
| JANUARY | 1986 | .35 | 1.42 | .39 | .47 | .28 | .62 | .29 | .15 | .25 | .38 |
| POST-MORTEM | | | | | | | | | | | |
| 1,000 POUNDS (N.Y. DRESSED) | | | | | | | | | | | |
| DECEMBER | 1985 | 26,583 | 2,403 | 28,986 | 56 | 4,320 | 41 | 4,417 | 165 | 1 | 33,569 |
| JANUARY | 1985 | 25,119 | 3,507 | 28,626 | 20 | 3,292 | 97 | 3,409 | 163 | 2 | 32,200 |
| JANUARY | 1986 | 29,983 | 2,643 | 32,626 | 24 | 3,769 | 119 | 3,912 | 148 | 2 | 36,688 |
| JAN | 1985 | 25,119 | 3,507 | 28,626 | 20 | 3,292 | 97 | 3,409 | 163 | 2 | 32,200 |
| JAN | 1986 | 29,983 | 2,643 | 32,626 | 24 | 3,769 | 119 | 3,912 | 148 | 2 | 36,688 |
| PERCENT 2/ | | | | | | | | | | | |
| JANUARY | 1985 | 1.76 | 4.23 | 1.90 | 1.57 | 1.87 | 4.42 | 1.90 | 1.63 | 1.43 | 1.90 |
| JANUARY | 1986 | 2.04 | 4.04 | 2.12 | 1.27 | 1.85 | 5.70 | 1.88 | 1.41 | 1.49 | 2.09 |

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: FURTHER PROCESSED AND CUT-UP (READY-TO-COOK) UNDER FEDERAL INSPECTION, JANUARY 1986 WITH COMPARISONS

| | | YOUNG CHICKENS | | MATURE CHICKENS | | TURKEYS | | | OTHER POULTRY 1/ | | TOTAL POULTRY | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | FURTHER PROCESSED | CUT-UP | FURTHER PROCESSED | CUT-UP | WHOLE CARCASS 2/ | FURTHER PROCESSED | CUT-UP | FURTHER PROCESSED | CUT-UP | FURTHER PROCESSED | CUT-UP |
| | | THOUSANDS | | | | | | | | | | |
| READY-TO-COOK WEIGHT | | | | | | | | | | | | |
| POUNDS USED | | | | | | | | | | | | |
| DECEMBER | 1985 | 207,718 | 579,794 | 39,178 | 1,604 | 34,051 | 85,473 | 57,611 | 24,775 | 958 | 391,195 | 639,967 |
| JANUARY | 1985 | 192,179 | 621,714 | 49,104 | 2,729 | 37,268 | 95,582 | 60,157 | 34,973 | 747 | 409,106 | 685,347 |
| JANUARY | 1986 | 233,923 | 691,540 | 46,936 | 1,714 | 27,456 | 99,375 | 77,894 | 29,402 | 1,372 | 437,092 | 772,520 |
| JAN | 1985 | 192,179 | 621,714 | 49,104 | 2,729 | 37,268 | 95,582 | 60,157 | 34,973 | 747 | 409,106 | 685,347 |
| JAN | 1986 | 233,923 | 691,540 | 46,936 | 1,714 | 27,456 | 99,375 | 77,894 | 29,402 | 1,372 | 437,092 | 772,520 |
| POUNDS CONDEMNED | | | | | | | | | | | | |
| DECEMBER | 1985 | 2,203 | 4,300 | 61 | 4 | 9 | 150 | 406 | 477 | 1 | 2,900 | 4,711 |
| JANUARY | 1985 | 2,124 | 5,253 | 120 | 2 | 10 | 165 | 462 | 527 | 4 | 2,946 | 5,721 |
| JANUARY | 1986 | 2,985 | 4,800 | 44 | 5 | 3 | 124 | 679 | 155 | --- | 3,311 | 5,484 |
| JAN | 1985 | 2,124 | 5,253 | 120 | 2 | 10 | 165 | 462 | 527 | 4 | 2,946 | 5,721 |
| JAN | 1986 | 2,985 | 4,800 | 44 | 5 | 3 | 124 | 679 | 155 | --- | 3,311 | 5,484 |

1/ POULTRY PARTS AND FATS USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN 'OTHER POULTRY'.
2/ WHOLE CARCASS TURKEYS WHICH HAVE BEEN INJECTED, BASTED, MARINATED, SMOKED, BARBECUED, ETC., AND PACKED AS SUCH.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL AND SELECTED STATE(S), JANUARY 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS POUNDS (NYD) | | POST-MORTEM CONDEMNATIONS PERCENT 2/ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | | | POUNDS | | THOUSANDS | | | | PERCENT | |
| UNITED STATES | 375,131 | 380,957 | 1,586,631 | 1,637,491 | 4.22 | 4.29 | 1,154,908 | 1,184,872 | 25,119 | 29,983 | 1.76 | 2.04 |
| ALABAMA | 47,091 | 49,258 | 187,696 | 195,047 | 3.98 | 3.95 | 138,590 | 140,516 | 3,436 | 3,859 | 2.04 | 2.19 |
| ARKANSAS | 65,582 | 61,515 | 268,091 | 255,006 | 4.08 | 4.14 | 193,013 | 182,394 | 4,208 | 4,368 | 1.75 | 1.90 |
| CALIFORNIA | 15,362 | 15,046 | 72,962 | 71,587 | 4.74 | 4.75 | 54,420 | 52,994 | 1,345 | 1,286 | 2.05 | 2.00 |
| DELAWARE | 14,930 | 17,940 | 86,167 | 90,708 | 5.08 | 5.05 | 62,457 | 65,483 | 1,630 | 2,220 | 2.11 | 2.73 |
| FLORIDA | 7,901 | 8,145 | 32,147 | 33,068 | 4.06 | 4.05 | 23,477 | 23,627 | 355 | 630 | 1.23 | 2.12 |
| GEORGIA | 54,718 | 55,197 | 229,627 | 235,555 | 4.19 | 4.26 | 168,258 | 173,574 | 3,604 | 3,695 | 1.75 | 1.74 |
| INDIANA 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| LOUISIANA 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MARYLAND | 13,927 | 15,583 | 56,056 | 63,846 | 4.02 | 4.09 | 38,415 | 44,347 | 962 | 1,803 | 1.91 | 3.15 |
| MASSACHUSETTS 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MISSISSIPPI | 27,714 | 26,959 | 114,689 | 114,129 | 4.13 | 4.23 | 85,541 | 85,411 | 1,274 | 1,880 | 1.23 | 1.83 |
| MISSOURI | 6,856 | 7,803 | 28,620 | 33,992 | 4.17 | 4.35 | 20,895 | 24,897 | 418 | 614 | 1.63 | 2.01 |
| NEW YORK | 855 | 742 | 3,884 | 3,385 | 4.54 | 4.55 | 2,423 | 2,109 | 59 | 69 | 1.73 | 2.32 |
| NORTH CAROLINA | 39,310 | 36,874 | 172,402 | 169,286 | 4.38 | 4.59 | 124,870 | 124,166 | 3,003 | 3,193 | 1.94 | 2.10 |
| OREGON 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| PENNSYLVANIA | 6,633 | 6,598 | 28,490 | 28,080 | 4.29 | 4.25 | 19,950 | 19,778 | 537 | 633 | 2.11 | 2.51 |
| SOUTH CAROLINA | 7,184 | 7,708 | 27,182 | 29,305 | 3.78 | 3.80 | 18,845 | 19,945 | 411 | 677 | 1.69 | 2.58 |
| TENNESSEE | 6,581 | 7,653 | 28,152 | 31,087 | 4.27 | 4.06 | 20,791 | 22,184 | 308 | 357 | 1.22 | 1.28 |
| TEXAS | 18,972 | 19,900 | 83,593 | 89,931 | 4.40 | 4.51 | 62,159 | 65,057 | 980 | 1,274 | 1.30 | 1.58 |
| VIRGINIA | 19,549 | 19,760 | 84,753 | 92,886 | 4.33 | 4.70 | 60,574 | 64,515 | 1,280 | 1,865 | 1.68 | 2.24 |
| WASHINGTON | 1,823 | 2,079 | 8,087 | 9,564 | 4.43 | 4.59 | 6,011 | 7,137 | 130 | 179 | 1.81 | 2.09 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA
3/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.



YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL AND SELECTED STATE(S), JANUARY 1986

| STATE | TUBER-CULOSIS | LEU-KOSIS | SEPTI-CEMIA | ATRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | 116,891 | 2,013,162 | 1,677,554 | 22,066 | 183,893 | 64,987 | 160,469 | 217,195 | 42,719 | 222,377 | 4,721,313 |
| ALABAMA | --- | 3,229 | 254,908 | 265,011 | 1,727 | 28,973 | 8,898 | 21,185 | 24,965 | 1,677 | 10,994 | 621,567 |
| ARKANSAS | --- | 16,246 | 257,041 | 227,359 | 8,128 | 23,513 | 9,536 | 18,570 | 28,711 | 3,834 | 19,557 | 612,495 |
| CALIFORNIA | --- | 2,319 | 125,880 | 46,016 | 765 | 6,588 | 826 | 7,087 | 3,899 | 1,981 | 2,498 | 197,859 |
| DELAWARE | --- | 11,870 | 138,847 | 115,903 | 534 | 6,391 | 3,165 | 12,926 | 13,632 | 4,671 | 26,926 | 334,905 |
| FLORIDA | --- | 266 | 58,692 | 50,222 | 429 | 6,800 | 1,281 | 3,086 | 5,075 | 67 | 170 | 126,088 |
| GEORGIA | --- | 9,227 | 213,211 | 226,849 | 1,072 | 31,342 | 9,646 | 25,824 | 39,080 | 8,962 | 14,371 | 579,584 |
| LOUISIANA 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MARYLAND | --- | 16,227 | 95,943 | 132,710 | 527 | 5,800 | 1,885 | 5,124 | 12,300 | 1,328 | 26,427 | 298,271 |
| MISSISSIPPI | --- | 7,710 | 126,334 | 125,769 | 642 | 8,773 | 4,144 | 6,205 | 12,577 | 3,672 | 11,085 | 306,711 |
| MISSOURI | --- | 11,891 | 38,052 | 72,419 | 2,483 | 2,789 | 1,247 | 2,896 | 3,104 | 3,471 | 197 | 138,549 |
| NEW YORK | --- | --- | 5,147 | 2,167 | 20 | 161 | 370 | 46 | 1,411 | --- | 3,222 | 10,544 |
| NORTH CAROLINA | --- | 3,763 | 261,969 | 174,522 | 571 | 26,744 | 5,614 | 16,760 | 16,527 | 3,319 | 23,575 | 533,364 |
| OREGON 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| PENNSYLVANIA | --- | 1,493 | 29,904 | 33,543 | 233 | 4,113 | 1,771 | 1,748 | 10,849 | 991 | 14,633 | 99,278 |
| SOUTH CAROLINA | --- | 217 | 64,470 | 51,488 | 274 | 4,886 | 2,342 | 6,754 | 9,302 | 3,159 | 13,972 | 156,864 |
| TENNESSEE | --- | 1,585 | 30,953 | 6,707 | 205 | 4,874 | 932 | 8,329 | 4,591 | 1,473 | 2,832 | 62,481 |
| TEXAS | --- | 9,570 | 76,958 | 37,348 | 670 | 6,460 | 2,823 | 8,230 | 9,420 | 1,618 | 990 | 154,087 |
| VIRGINIA | --- | 18,455 | 109,659 | 71,040 | 159 | 4,969 | 3,226 | 5,718 | 7,612 | 1,359 | 39,843 | 262,240 |
| WASHINGTON | --- | 302 | 14,824 | 1,036 | 389 | 1,734 | 632 | 559 | 230 | 12 | --- | 19,718 |

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL AND SELECTED STATE(S), JANUARY 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | POUNDS (NYD) | | PERCENT 2/ | |
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | -- POUNDS --- | | | | THOUSANDS | | | | -- PERCENT --- | |
| UNITED STATES | 22,100 | 16,613 | 93,638 | 73,738 | 4.23 | 4.43 | 57,285 | 45,583 | 3,507 | 2,643 | 4.23 | 4.04 |
| ARKANSAS 3/ | --- | --- | --- | --- | -- | -- | --- | --- | --- | --- | -- | -- |
| CALIFORNIA | 2,571 | 1,658 | 9,644 | 6,788 | 3.75 | 4.09 | 5,709 | 4,104 | 420 | 232 | 4.90 | 3.84 |
| GEORGIA | 4,503 | 2,792 | 21,813 | 15,036 | 4.84 | 5.38 | 13,251 | 9,399 | 724 | 450 | 3.75 | 3.37 |
| NEW YORK 3/ | --- | --- | --- | --- | -- | -- | --- | --- | --- | --- | -- | -- |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA
3/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL AND SELECTED STATE(S), JANUARY 1986

| STATE | TUBER-CULOSIS | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | 29 | 16,855 | 184,715 | 4,916 | 844 | 186,018 | 28,565 | 29,061 | 53,954 | 2,774 | 44,605 | 552,336 |
| CALIFORNIA | --- | 319 | 18,507 | 189 | --- | 20,387 | 1,111 | 527 | 1,678 | 137 | 2,681 | 45,536 |
| GEORGIA | --- | 246 | 40,925 | 451 | 56 | 22,114 | 2,286 | 5,636 | 11,726 | 401 | 1,700 | 85,541 |

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL AND SELECTED STATE(S), JANUARY 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS POUNDS (NYD) | | POST-MORTEM CONDEMNATIONS PERCENT 2/ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | -- POUNDS --- | | | | THOUSANDS | | | | -- PERCENT --- | |
| UNITED STATES | 8,979 | 10,565 | 195,541 | 226,859 | 21.77 | 21.47 | 154,693 | 181,293 | 3,292 | 3,769 | 1.87 | 1.85 |
| ARKANSAS 3/ | 663 | 656 | 12,724 | 13,229 | 19.17 | 20.17 | 10,519 | 10,992 | 198 | 207 | 1.74 | 1.74 |
| CALIFORNIA | 1,126 | 1,176 | 26,047 | 24,647 | 23.12 | 20.94 | 20,843 | 20,107 | 341 | 358 | 1.46 | 1.61 |
| INDIANA 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| IOWA | 739 | 541 | 19,301 | 14,080 | 26.11 | 25.98 | 15,111 | 10,856 | 567 | 383 | 3.28 | 3.04 |
| MINNESOTA | 960 | 1,315 | 16,479 | 22,782 | 17.15 | 17.31 | 13,097 | 18,265 | 310 | 448 | 2.10 | 2.19 |
| MISSOURI | 618 | 647 | 14,422 | 14,392 | 23.30 | 22.22 | 11,608 | 11,431 | 292 | 228 | 2.26 | 1.77 |
| NEW YORK 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| NORTH CAROLINA | 1,349 | 1,784 | 25,896 | 37,221 | 19.19 | 20.86 | 21,040 | 30,329 | 183 | 336 | .79 | 1.00 |
| OHIO 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| PENNSYLVANIA | 322 | 382 | 6,519 | 8,633 | 20.22 | 22.56 | 5,123 | 6,835 | 107 | 161 | 1.83 | 2.09 |
| VIRGINIA | 1,514 | 1,795 | 29,104 | 35,021 | 19.21 | 19.49 | 22,447 | 27,553 | 436 | 491 | 1.67 | 1.56 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA
3/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.



YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL AND SELECTED STATE(S), JANUARY 1986

| STATE | TUBERCULOSIS | LEUKOSIS | SEPTICEMIA | AIRSACCULITIS | SYNOVITIS | TUMORS | BRUISES | CADAVER | CONTAMINATION | OVERSCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | 72 | 72,899 | 24,312 | 5,466 | 169 | 1,144 | 2,263 | 5,125 | 225 | 3,796 | 113,471 |
| CALIFORNIA | --- | --- | 7,411 | 158 | 157 | 23 | 7 | --- | 77 | --- | --- | 7,833 |
| INDIANA 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| IOWA | --- | --- | 3,104 | 6,913 | 1,656 | --- | 25 | 74 | 212 | --- | 410 | 12,394 |
| MINNESOTA | --- | --- | 9,875 | 3,664 | 1,342 | --- | 220 | 402 | 719 | 58 | 358 | 16,638 |
| MISSOURI | --- | --- | 5,503 | 567 | 30 | --- | 51 | 146 | 314 | --- | --- | 6,611 |
| NORTH CAROLINA | --- | --- | 6,372 | 885 | --- | 25 | 140 | 128 | 286 | --- | --- | 7,836 |
| OHIO 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| PENNSYLVANIA | --- | --- | 3,816 | 395 | 39 | --- | 44 | 100 | 108 | --- | --- | 4,502 |
| VIRGINIA | --- | 13 | 10,653 | 2,250 | 60 | --- | 55 | 873 | 261 | 19 | 291 | 14,475 |

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL AND SELECTED STATE(S), JANUARY 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | POUNDS (NYD) | | PERCENT 2/ | |
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | -- POUNDS --- | | | | THOUSANDS | | | | -- PERCENT --- | |
| UNITED STATES | 168 | 234 | 1,468 | 2,256 | 8.71 | 9.63 | --- | 1,731 | 20 | 24 | 1.57 | 1.27 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA
3/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL AND SELECTED STATE(S), JANUARY 1986

| STATE | TUBER-CULOSIS | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | --- | 1,177 | 31 | --- | --- | 19 | 137 | 114 | --- | 147 | 1,625 |



OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL AND SELECTED STATE(S), JANUARY 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | POUNDS (NYD) | | PERCENT 2/ | |
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | -- POUNDS --- | | | | THOUSANDS | | | | -- PERCENT --- | |
| UNITED STATES | 110 | 100 | 2,491 | 2,358 | 22.57 | 23.31 | 1,918 | 1,816 | 97 | 119 | 4.42 | 5.70 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL AND SELECTED STATE(S), JANUARY 1986

| STATE | TUBER-CULOSIS | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | --- | 2,268 | 306 | --- | 62 | 179 | 16 | 21 | --- | --- | 2,852 |

DEFINITIONS USED TO REPORT FEDERALLY INSPECTED SLAUGHTER

YOUNG CHICKENS - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

MATURE CHICKENS - Fowl from breeder and market egg flocks and stags and cocks.

FRYER-ROASTER TURKEYS - Young immature birds, usually under 16 weeks of age.

YOUNG TURKEYS (MATURE) - Young birds grown to a matured market age, about 5 months.

OLD TURKEYS (BREEDERS) - Fully matured birds held for egg production, usually over 15 months of age.

DUCKS - Includes all ducks regardless of age and weight.

OTHER POULTRY - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

*U.S. GOVERNMENT PRINTING OFFICE: 1986-490-916:40220/SRS

986/2

# Poultry Slaughter

Crop Reporting Board
Statistical Reporting Service

United States Department of Agriculture
Washington, D.C. 20250

RELEASED: April 1, 1986
3:00 P.M. ET

APR 16 1986
U. S. GOVT. PUBS.
DEPOSITORY 375

The preliminary total of LIVE WEIGHT POULTRY INSPECTIONS was 1.68 billion pounds (760 thousand metric tons) for February 1986.

Inspections included 1.39 billion pounds (631 thousand metric tons) of young chickens, 64.0 million pounds (29.0 thousand metric tons) of mature chickens, 210 million pounds (95.4 thousand metric tons) of turkeys and 10.6 million pounds (4830 metric tons) of ducks.

POULTRY CERTIFIED WHOLESOME during February 1986 was 1.22 billion pounds (554 thousand metric tons) ready-to-cook weight. Updated totals for January 1986 show that 1.44 billion pounds (654 thousand metric tons) were certified.

ANTE-MORTEM CONDEMNATIONS during February 1986 totaled 6.39 million pounds (2900 metric tons). Condemnations were 0.38 percent of the live weight inspected, compared with 0.45 percent during February a year ago. POST-MORTEM CONDEMNATIONS, at 31.0 million pounds (14.1 thousand metric tons) (N.Y. Dressed Weight), were 2.06 percent of the quantities inspected compared with 2.00 percent a year earlier.

FURTHER PROCESSED poultry totaled 411 million pounds (187 thousand metric tons) ready-to-cook weight. CUT-UP poultry totaled 659 million pounds (299 thousand metric tons).

**********
* NOTICE *
*
* The data presented in this report were compiled by the Meat and *
* Poultry Inspection Program, Food Safety Inspection Service. Data for *
* February 1986 include reports available for summary in late March *
* 1986. The degree of incompleteness due to late reports will vary *
* from month to month. *
*
* Request for a subscription form covering all available reports should *
* be directed to Crop Reporting Board Publications, Room 5829-South *
* Building, USDA, Washington, D.C. 20250 (Phone: (202) 447-4021). *
**********



For Information Call: (202) 447-2123

A92.9/5:

## POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, FEBRUARY 1986 WITH COMPARISONS

| | CHICKENS | | | TURKEY | | | | DUCKS | OTHER POULTRY | TOTAL POULTRY |
|---|---|---|---|---|---|---|---|---|---|---|
| | YOUNG | MATURE 1/ | TOTAL | FRYER-ROASTERS | YOUNG 2/ | OLD | TOTAL | | | |
| NUMBER INSPECTED | | | | | THOUSANDS | | | | | |
| JANUARY 1986 | 585,439 | 16,708 | 602,147 | 234 | 10,701 | 100 | 11,035 | 1,724 | --- | --- |
| FEBRUARY 1985 | 325,431 | 16,429 | 341,860 | 198 | 8,895 | 74 | 9,167 | 1,501 | --- | --- |
| FEBRUARY 1986 | 323,560 | 14,447 | 338,007 | 310 | 9,695 | 51 | 10,256 | 1,583 | --- | --- |
| JAN-FEB 1985 | 700,562 | 38,530 | 739,092 | 367 | 17,874 | 184 | 18,425 | 3,202 | --- | --- |
| JAN-FEB 1986 | 709,000 | 31,156 | 740,156 | 544 | 20,596 | 152 | 21,292 | 3,308 | --- | --- |
| POUNDS INSPECTED | | | | | | | | | | |
| JANUARY 1986 | 1,657,561 | 74,173 | 1,731,734 | 2,256 | 229,907 | 2,354 | 234,517 | 11,728 | 235 | 1,978,214 |
| FEBRUARY 1985 | 1,365,384 | 70,842 | 1,436,226 | 1,977 | 183,399 | 1,607 | 186,983 | 9,861 | 190 | 1,633,260 |
| FEBRUARY 1986 | 1,391,069 | 63,982 | 1,455,051 | 3,098 | 206,025 | 1,167 | 210,290 | 10,648 | 200 | 1,676,189 |
| JAN-FEB 1985 | 2,952,015 | 164,481 | 3,116,496 | 3,445 | 378,941 | 4,098 | 386,484 | 20,958 | 449 | 3,524,387 |
| JAN-FEB 1986 | 3,048,631 | 138,155 | 3,186,786 | 5,354 | 435,932 | 3,521 | 444,807 | 22,376 | 437 | 3,654,406 |
| AVERAGE LIVEWEIGHT | | | | | POUNDS | | | | | |
| JANUARY 1986 | 4.30 | 4.43 | 4.30 | 9.63 | 21.48 | 23.31 | 21.24 | 6.80 | --- | --- |
| FEBRUARY 1985 | 4.19 | 4.31 | 4.20 | 9.93 | 20.61 | 21.63 | 20.39 | 6.56 | --- | --- |
| FEBRUARY 1986 | 4.29 | 4.42 | 4.30 | 9.97 | 20.82 | 22.57 | 20.50 | 6.72 | --- | --- |
| JAN-FEB 1985 | 4.21 | 4.26 | 4.21 | 9.37 | 21.19 | 22.19 | 20.97 | 6.54 | --- | --- |
| JAN-FEB 1986 | 4.29 | 4.43 | 4.30 | 9.83 | 21.16 | 23.06 | 20.88 | 6.76 | --- | --- |

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:
FEBRUARY 1985: 2,755 FEBRUARY 1986: 2,598

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:
FEBRUARY 1985: 071 FEBRUARY 1986: 052





## POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), FEBRUARY 1986 WITH COMPARISONS

| | | CHICKENS | | | TURKEY | | | | DUCKS | OTHER POULTRY | TOTAL POULTRY |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | YOUNG | MATURE | TOTAL | FRYER-ROASTERS | YOUNG | OLD | TOTAL | | | |
| | | | | | | THOUSANDS | | | | | |
| JANUARY | 1986 | | | | | | | | | | |
| | CHILLED | 1,118,245 | 41,141 | 1,159,386 | 119 | 82,794 | 1,397 | 84,310 | 1,969 | 001 | 1,245,666 |
| | FROZEN | 81,244 | 4,723 | 85,967 | 1,612 | 100,988 | 419 | 103,019 | 6,100 | 124 | 195,210 |
| | TOTAL | 1,199,489 | 45,864 | 1,245,353 | 1,731 | 183,782 | 1,816 | 187,329 | 8,069 | 125 | 1,440,876 |
| FEBRUARY | 1985 | | | | | | | | | | |
| | CHILLED | 926,298 | 38,511 | 964,809 | 902 | 57,606 | 1,163 | 59,671 | 2,086 | 000 | 1,026,566 |
| | FROZEN | 65,181 | 4,581 | 69,762 | 617 | 87,578 | 096 | 88,291 | 4,784 | 101 | 162,938 |
| | TOTAL | 991,479 | 43,092 | 1,034,571 | 1,519 | 145,184 | 1,259 | 147,962 | 6,870 | 101 | 1,189,504 |
| FEBRUARY | 1986 | | | | | | | | | | |
| | CHILLED | 942,773 | 35,249 | 978,022 | 136 | 78,565 | 480 | 79,181 | 1,900 | 002 | 1,059,105 |
| | FROZEN | 63,101 | 4,124 | 67,225 | 2,261 | 85,818 | 437 | 88,516 | 5,635 | 105 | 161,481 |
| | TOTAL | 1,005,874 | 39,373 | 1,045,247 | 2,397 | 164,383 | 917 | 167,697 | 7,535 | 107 | 1,220,586 |
| JAN-FEB | 1985 | | | | | | | | | | |
| | CHILLED | 2,004,788 | 90,242 | 2,095,030 | 1,229 | 118,978 | 2,302 | 122,509 | 4,220 | 003 | 2,221,762 |
| | FROZEN | 141,600 | 10,136 | 151,736 | 1,404 | 180,900 | 876 | 183,180 | 10,319 | 234 | 345,469 |
| | TOTAL | 2,146,388 | 100,378 | 2,246,766 | 2,633 | 299,878 | 3,178 | 305,689 | 14,539 | 237 | 2,567,231 |
| JAN-FEB | 1986 | | | | | | | | | | |
| | CHILLED | 2,061,018 | 76,390 | 2,137,408 | 256 | 161,359 | 1,877 | 163,492 | 3,870 | 004 | 2,304,774 |
| | FROZEN | 144,346 | 8,847 | 153,193 | 3,874 | 186,807 | 857 | 191,538 | 11,736 | 230 | 356,697 |
| | TOTAL | 2,205,364 | 85,237 | 2,290,601 | 4,130 | 348,166 | 2,734 | 355,030 | 15,606 | 234 | 2,661,471 |

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, FEBRUARY 1986 WITH COMPARISONS

| | | CHICKENS | | | TURKEY | | | | | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | YOUNG | MATURE | TOTAL | FRYER-ROASTERS | YOUNG | OLD | TOTAL | DUCKS | POULTRY | POULTRY |
| ANTE-MORTEM | | | | | | | | | | | |
| 1,000 POUNDS (LIVEWEIGHT) | | | | | | | | | | | |
| JANUARY | 1986 | 5,802 | 1,055 | 6,857 | 10 | 663 | 14 | 687 | 18 | | 7,562 |
| FEBRUARY | 1985 | 5,638 | 1,191 | 6,829 | 4 | 628 | 5 | 637 | 9 | | 7,475 |
| FEBRUARY | 1986 | 4,819 | 833 | 5,652 | 21 | 689 | 7 | 717 | 17 | | 6,386 |
| JAN-FEB | 1985 | 11,923 | 2,711 | 14,634 | 25 | 1,202 | 25 | 1,252 | 28 | | 15,914 |
| JAN-FEB | 1986 | 10,621 | 1,889 | 12,510 | 32 | 1,353 | 21 | 1,406 | 35 | | 13,951 |
| PERCENT 1/ | | | | | | | | | | | |
| FEBRUARY | 1985 | .41 | 1.68 | .47 | .24 | .34 | .35 | .34 | .09 | .15 | .45 |
| FEBRUARY | 1986 | .34 | 1.30 | .38 | .70 | .33 | .62 | .34 | .16 | .15 | .38 |
| POST-MORTEM | | | | | | | | | | | |
| 1,000 POUNDS (N.Y. DRESSED) | | | | | | | | | | | |
| JANUARY | 1986 | 30,279 | 2,661 | 32,940 | 24 | 3,837 | 119 | 3,980 | 148 | 2 | 37,070 |
| FEBRUARY | 1985 | 22,795 | 2,732 | 25,527 | 35 | 3,533 | 65 | 3,633 | 134 | 1 | 29,295 |
| FEBRUARY | 1986 | 24,996 | 2,297 | 27,293 | 38 | 3,538 | 54 | 3,630 | 125 | 1 | 31,049 |
| JAN-FEB | 1985 | 47,915 | 6,240 | 54,155 | 56 | 6,826 | 164 | 7,046 | 298 | 5 | 61,504 |
| JAN-FEB | 1986 | 55,277 | 4,959 | 60,236 | 64 | 7,375 | 175 | 7,614 | 275 | 5 | 68,130 |
| PERCENT 2/ | | | | | | | | | | | |
| FEBRUARY | 1985 | 1.86 | 4.36 | 1.98 | 2.03 | 2.14 | 4.62 | 2.16 | 1.53 | 1.29 | 2.00 |
| FEBRUARY | 1986 | 2.00 | 4.04 | 2.09 | 1.41 | 1.91 | 5.28 | 1.92 | 1.32 | 1.42 | 2.06 |

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.





POULTRY: FURTHER PROCESSED AND CUT-UP (READY-TO-COOK) UNDER FEDERAL INSPECTION, FEBRUARY 1986 WITH COMPARISONS

| | | YOUNG CHICKENS | | MATURE CHICKENS | | TURKEYS | | | OTHER POULTRY 1/ | | TOTAL POULTRY | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | FURTHER PROCESSED | CUT-UP | FURTHER PROCESSED | CUT-UP | WHOLE CARCASS 2/ | FURTHER PROCESSED | CUT-UP | FURTHER PROCESSED | CUT-UP | FURTHER PROCESSED | CUT-UP |
| | | THOUSANDS | | | | | | | | | | |
| READY-TO-COOK WEIGHT | | | | | | | | | | | | |
| POUNDS USED | | | | | | | | | | | | |
| JANUARY | 1986 | 235,161 | 697,375 | 47,202 | 1,714 | 28,054 | 99,415 | 77,894 | 29,950 | 1,372 | 439,782 | 778,355 |
| FEBRUARY | 1985 | 176,214 | 538,592 | 45,007 | 537 | 29,578 | 84,993 | 55,095 | 30,024 | 614 | 365,816 | 594,838 |
| FEBRUARY | 1986 | 208,570 | 582,939 | 45,621 | 1,304 | 29,791 | 103,718 | 73,877 | 23,662 | 1,251 | 411,362 | 659,371 |
| JAN-FEB | 1985 | 368,394 | 1,160,306 | 94,112 | 3,267 | 66,846 | 180,575 | 115,252 | 64,998 | 1,361 | 774,925 | 1,280,186 |
| JAN-FEB | 1986 | 443,732 | 1,280,315 | 92,824 | 3,019 | 57,845 | 203,133 | 151,772 | 53,613 | 2,624 | 851,147 | 1,437,730 |
| POUNDS CONDEMNED | | | | | | | | | | | | |
| JANUARY | 1986 | 2,985 | 4,806 | 44 | 5 | 8 | 124 | 679 | 155 | --- | 3,316 | 5,490 |
| FEBRUARY | 1985 | 2,229 | 3,409 | 66 | --- | 8 | 189 | 453 | 433 | 1 | 2,925 | 3,863 |
| FEBRUARY | 1986 | 2,481 | 4,393 | 57 | 6 | 10 | 208 | 443 | 462 | 1 | 3,198 | 4,843 |
| JAN-FEB | 1985 | 4,354 | 8,662 | 186 | 2 | 19 | 355 | 915 | 961 | 5 | 5,875 | 9,584 |
| JAN-FEB | 1986 | 5,466 | 9,199 | 82 | 11 | 18 | 333 | 1,122 | 618 | 2 | 6,517 | 10,334 |

1/ POULTRY PARTS AND FATS USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN 'OTHER POULTRY'.
2/ WHOLE CARCASS TURKEYS WHICH HAVE BEEN INJECTED, BASTED, MARINATED, SMOKED, BARBECUED, ETC., AND PACKED AS SUCH.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL AND SELECTED STATE(S), FEBRUARY 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED 1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS: POUNDS (NYD) | | POST-MORTEM CONDEMNATIONS: PERCENT 2/ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | | | POUNDS | | | | THOUSANDS | | PERCENT | |
| UNITED STATES | 325,431 | 323,560 | 1,365,384 | 1,391,069 | 4.19 | 4.29 | 991,479 | 1,005,874 | 22,795 | 24,996 | 1.86 | 2.00 |
| ALABAMA | 42,242 | 42,444 | 166,552 | 170,327 | 3.94 | 4.01 | 121,876 | 122,750 | 3,377 | 3,077 | 2.26 | 2.01 |
| ARKANSAS | 56,136 | 52,396 | 228,742 | 216,620 | 4.07 | 4.13 | 165,469 | 153,202 | 3,455 | 3,692 | 1.68 | 1.90 |
| CALIFORNIA | 11,983 | 13,308 | 54,520 | 63,663 | 4.54 | 4.78 | 39,741 | 46,118 | 950 | 1,398 | 1.94 | 2.44 |
| DELAWARE | 14,352 | 15,176 | 70,996 | 72,602 | 4.94 | 4.78 | 50,671 | 52,611 | 1,489 | 1,916 | 2.34 | 2.94 |
| FLORIDA | 6,559 | 6,258 | 26,742 | 25,569 | 4.07 | 4.08 | 19,453 | 18,716 | 257 | 374 | 1.07 | 1.63 |
| GEORGIA | 50,284 | 46,279 | 212,471 | 197,810 | 4.22 | 4.27 | 157,065 | 146,116 | 3,476 | 2,999 | 1.82 | 1.68 |
| LOUISIANA 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MARYLAND | 12,067 | 12,933 | 47,863 | 53,493 | 3.96 | 4.13 | 33,778 | 36,909 | 932 | 1,656 | 2.17 | 3.46 |
| MISSISSIPPI | 24,405 | 20,803 | 100,212 | 87,516 | 4.10 | 4.20 | 74,339 | 65,757 | 1,343 | 1,162 | 1.49 | 1.48 |
| MISSOURI | 5,745 | 5,969 | 23,802 | 25,090 | 4.14 | 4.20 | 17,612 | 18,479 | 325 | 472 | 1.52 | 2.10 |
| NEW YORK | 734 | 643 | 3,331 | 2,891 | 4.53 | 4.49 | 2,013 | 1,809 | 50 | 45 | 1.74 | 1.77 |
| NORTH CAROLINA | 31,240 | 34,677 | 138,497 | 161,857 | 4.43 | 4.66 | 99,366 | 117,773 | 2,542 | 2,958 | 2.04 | 2.03 |
| OREGON 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| PENNSYLVANIA | 5,862 | 5,704 | 24,171 | 24,133 | 4.12 | 4.23 | 16,930 | 16,869 | 464 | 616 | 2.14 | 2.85 |
| SOUTH CAROLINA | 6,376 | 7,022 | 24,502 | 27,352 | 3.84 | 3.89 | 17,019 | 18,930 | 418 | 529 | 1.91 | 2.16 |
| TENNESSEE | 5,773 | 5,628 | 23,898 | 23,575 | 4.13 | 4.18 | 17,753 | 17,440 | 304 | 271 | 1.42 | 1.28 |
| TEXAS | 17,812 | 17,547 | 76,685 | 78,395 | 4.30 | 4.46 | 56,431 | 56,977 | 1,027 | 1,043 | 1.49 | 1.48 |
| VIRGINIA | 16,757 | 15,926 | 72,150 | 73,425 | 4.30 | 4.61 | 50,805 | 51,828 | 1,195 | 1,401 | 1.84 | 2.12 |
| WASHINGTON | 1,703 | 1,897 | 7,633 | 8,588 | 4.48 | 4.52 | 5,685 | 6,503 | 138 | 158 | 2.02 | 2.07 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA
3/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.



YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL AND SELECTED STATE(S), FEBRUARY 1986

| STATE | TUBER-CULOSIS | LEU-KOSIS | SEPTI-CEMIA | ATRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | 226,862 | 1,560,993 | 1,348,348 | 20,660 | 134,118 | 51,236 | 122,745 | 190,228 | 35,109 | 157,226 | 3,847,525 |
| ALABAMA | --- | 7,704 | 188,851 | 210,609 | 1,456 | 22,109 | 7,212 | 16,772 | 20,096 | 3,329 | 7,540 | 485,678 |
| ARKANSAS | --- | 24,834 | 209,735 | 202,603 | 7,243 | 15,441 | 8,303 | 18,560 | 23,839 | 2,788 | 13,835 | 527,181 |
| CALIFORNIA | --- | 2,159 | 114,693 | 62,534 | 810 | 4,431 | 494 | 5,863 | 3,194 | 5,063 | 2,347 | 201,588 |
| DELAWARE | --- | 53,048 | 113,210 | 96,465 | 395 | 5,758 | 2,524 | 9,979 | 12,223 | 2,123 | 15,242 | 311,367 |
| FLORIDA | --- | 112 | 31,800 | 21,640 | 397 | 4,628 | 810 | 1,598 | 2,770 | 31 | 38 | 63,824 |
| GEORGIA | --- | 11,665 | 163,775 | 163,721 | 1,071 | 21,470 | 7,178 | 18,357 | 27,638 | 4,749 | 10,319 | 429,943 |
| LOUISIANA 1/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MARYLAND | --- | 32,314 | 85,278 | 137,002 | 1,075 | 5,057 | 1,645 | 4,417 | 8,342 | 1,925 | 27,298 | 304,353 |
| MISSISSIPPI | --- | 11,663 | 67,091 | 72,791 | 841 | 6,673 | 2,965 | 5,530 | 9,063 | 2,365 | 2,714 | 181,696 |
| MISSOURI | --- | 12,841 | 27,426 | 41,203 | 1,893 | 2,088 | 780 | 2,255 | 2,673 | 885 | 267 | 92,311 |
| NEW YORK | --- | --- | 2,135 | 1,297 | 35 | 146 | 280 | 34 | 819 | --- | 2,985 | 7,731 |
| NORTH CAROLINA | --- | 12,005 | 212,260 | 153,023 | 169 | 21,865 | 5,142 | 11,333 | 14,090 | 3,065 | 24,414 | 457,366 |
| OREGON 1/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| PENNSYLVANIA | --- | 604 | 25,428 | 26,432 | 336 | 2,684 | 1,429 | 1,414 | 25,390 | 390 | 10,934 | 95,041 |
| SOUTH CAROLINA | --- | 448 | 47,058 | 37,975 | 163 | 3,301 | 1,930 | 4,919 | 10,092 | 1,223 | 9,401 | 116,510 |
| TENNESSEE | --- | 2,257 | 21,095 | 3,254 | 126 | 3,316 | 645 | 3,862 | 5,704 | 831 | 1,901 | 42,991 |
| TEXAS | --- | 11,919 | 62,373 | 29,869 | 759 | 4,829 | 2,056 | 5,652 | 7,240 | 2,639 | 963 | 128,299 |
| VIRGINIA | --- | 36,615 | 86,362 | 47,691 | 108 | 3,141 | 2,028 | 4,324 | 5,131 | 979 | 15,212 | 201,591 |
| WASHINGTON | --- | 77 | 13,284 | 1,848 | 461 | 1,366 | 652 | 511 | 205 | 7 | --- | 18,411 |

1/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL AND SELECTED STATE(S), FEBRUARY 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED 1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS POUNDS (NYD) | | PERCENT 2/ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | POUNDS | | | | THOUSANDS | | | | PERCENT | |
| UNITED STATES | 16,429 | 14,447 | 70,842 | 63,982 | 4.31 | 4.42 | 43,092 | 39,373 | 2,732 | 2,297 | 4.36 | 4.04 |
| CALIFORNIA | 1,941 | 1,409 | 8,056 | 5,550 | 4.15 | 3.93 | 4,892 | 3,245 | 378 | 193 | 5.27 | 3.92 |
| GEORGIA | 3,396 | 2,694 | 16,852 | 14,305 | 4.96 | 5.30 | 10,288 | 8,811 | 508 | 447 | 3.40 | 3.50 |
| NEW YORK 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA
3/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL AND SELECTED STATE(S), FEBRUARY 1986

| STATE | TUBER-CULOSIS | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | 25 | 12,883 | 164,124 | 4,935 | 476 | 165,244 | 29,148 | 18,892 | 43,708 | 2,602 | 33,162 | 475,199 |
| CALIFORNIA | --- | 247 | 16,085 | 66 | 35 | 22,865 | 417 | 296 | 1,596 | 195 | 1,585 | 43,407 |
| GEORGIA | --- | 352 | 40,707 | 479 | 86 | 17,159 | 2,061 | 5,140 | 11,335 | 1,178 | 1,337 | 79,834 |
| NEW YORK 1/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

1/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL AND SELECTED STATE(S), FEBRUARY 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED 1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | POUNDS (NYD) | | PERCENT 2/ | |
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | -- POUNDS --- | | | | THOUSANDS | | -- PERCENT --- | | | |
| UNITED STATES | 8,895 | 9,895 | 183,394 | 206,025 | 20.61 | 20.82 | 145,184 | 164,383 | 3,533 | 3,538 | 2.14 | 1.91 |
| ARKANSAS 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| CALIFORNIA | 1,013 | 949 | 22,479 | 20,918 | 22.17 | 22.03 | 18,094 | 17,005 | 309 | 345 | 1.53 | 1.84 |
| INDIANA 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| IOWA | 543 | 576 | 13,921 | 14,886 | 25.63 | 25.82 | 10,658 | 11,631 | 478 | 324 | 3.84 | 2.43 |
| MINNESOTA | 1,149 | 1,196 | 20,182 | 21,778 | 17.55 | 18.20 | 15,986 | 17,474 | 457 | 477 | 2.53 | 2.45 |
| MISSOURI | 765 | 746 | 15,795 | 14,998 | 20.64 | 20.07 | 12,777 | 12,033 | 296 | 323 | 2.09 | 2.40 |
| NEW YORK 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| NORTH CAROLINA | 1,277 | 1,912 | 24,525 | 35,341 | 19.19 | 18.48 | 20,145 | 28,862 | 187 | 322 | .85 | 1.01 |
| OHIO 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| PENNSYLVANIA | 326 | 319 | 6,148 | 6,566 | 18.85 | 20.55 | 4,873 | 5,181 | 100 | 136 | 1.81 | 2.31 |
| VIRGINIA | 1,536 | 1,612 | 28,679 | 31,268 | 18.66 | 19.39 | 22,469 | 24,465 | 516 | 473 | 2.01 | 1.69 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA
3/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL AND SELECTED STATE(S), FEBRUARY 1986

| STATE | TUBERCULOSIS | LEUKOSIS | SEPTICEMIA | AIRSACCULITIS | SYNOVITIS | TUMORS | BRUISES | CADAVER | CONTAMINATION | OVERSCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | 341 | 72,176 | 22,098 | 5,745 | 276 | 1,164 | 2,447 | 3,390 | 519 | 3,876 | 112,032 |
| ARKANSAS | --- | --- | 2,686 | 788 | 436 | --- | 19 | --- | 142 | --- | --- | 4,071 |
| CALIFORNIA | --- | --- | 8,460 | --- | 257 | 73 | 18 | 110 | 82 | --- | --- | 9,000 |
| IOWA | --- | --- | 2,990 | 4,889 | 1,564 | --- | 22 | 61 | 289 | --- | 242 | 10,057 |
| MINNESOTA | --- | --- | 9,058 | 4,522 | 1,404 | 123 | 200 | 637 | 698 | 90 | 470 | 17,202 |
| MISSOURI | --- | --- | 9,223 | 669 | 162 | --- | 83 | 170 | 281 | --- | 91 | 10,679 |
| NORTH CAROLINA | --- | --- | 6,603 | 597 | --- | 19 | 196 | 150 | 465 | --- | --- | 8,030 |
| OHIO 1/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| PENNSYLVANIA | --- | --- | 3,297 | 1,187 | --- | --- | --- | 81 | 127 | --- | 31 | 4,723 |
| VIRGINIA | --- | --- | 12,050 | 1,755 | 119 | --- | 105 | 949 | 264 | 39 | 284 | 15,565 |

1/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL FEBRUARY 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | POUNDS (NYD) | | PERCENT 2/ | |
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | | | POUNDS | | THOUSANDS | | | | PERCENT | |
| UNITED STATES | 198 | 310 | 1,977 | 3,098 | 9.95 | 9.97 | 1,519 | 2,397 | 35 | 38 | 2.05 | 1.41 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL FEBRUARY 1986

| STATE | TUBER-CULOSIS | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | --- | 1,505 | 52 | --- | --- | 29 | 129 | 145 | --- | 157 | 2,017 |

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL FEBRUARY 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | POUNDS (NYD) | | PERCENT 2/ | |
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | | | POUNDS | | THOUSANDS | | | | PERCENT | |
| UNITED STATES | 74 | 51 | 1,607 | 1,167 | 21.63 | 22.57 | 1,259 | 917 | 65 | 54 | 4.62 | 5.28 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL FEBRUARY 1986

| STATE | TUBER-CULOSIS | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | --- | 1,090 | 118 | --- | 121 | 55 | 4 | 35 | --- | 38 | 1,461 |





*U.S. GOVERNMENT PRINTING OFFICE: 1986-491-016/40228/RS

March 1985

Crop Reporting Board
Statistical Reporting Service

# ORDER FORM
# CROP REPORTING BOARD REPORTS

| Report Title | Subscription Fee Domestic | Foreign |
|---|---|---|
| **FIELD CROP SERIES** | | |
| ☐ Crop Production (monthly/annual) Plus single copy of Prospective Plantings | $30.00 | $37.50 |
| ☐ Peanut Stocks & Processing (Monthly) | 18.00 | 22.50 |
| ☐ Grain Stocks Four issues plus copy of: Soybean Stocks | 12.00 | 15.00 |
| ☐ Potatoes & Sweetpotatoes One issue plus 6 copies of: Potato Stocks | 9.50 | 11.90 |
| ☐ Rice Stocks (4 issues) | 6.00 | 7.50 |
| **FRUIT & VEGETABLE SERIES** | | |
| ☐ Celery (monthly) | 17.00 | 21.25 |
| ☐ Noncitrus Fruits & Nuts (midyear/annual) | 8.50 | 10.65 |
| ☐ Vegetables Twelve seasonal-issues plus an Annual | 18.00 | 22.50 |
| **LIVESTOCK SERIES** | | |
| ☐ Cattle Two issues plus monthly issues of: Cattle on Feed | 22.00 | 27.50 |
| ☐ Hogs & Pigs (4 issues) | 10.00 | 12.50 |
| ☐ Livestock Slaughter (monthly/annual) | 20.00 | 25.00 |
| **POULTRY SERIES** | | |
| ☐ Egg Products (monthly) | 18.00 | 22.50 |
| ☐ Eggs, Chickens & Turkeys Monthly issues plus single copies of: Hatchery Production Annual Layers & Egg Prod. Annual Poultry-Prod., Disposition, & Income Turkeys | $25.00 | $31.25 |
| ☐ Poultry Slaughter (monthly) | 18.00 | 22.50 |
| **DAIRY SERIES** | | |
| ☐ Dairy Products (monthly/annual) | 20.00 | 25.00 |
| ☐ Milk Production Monthly issues plus single copy of: Milk-Prod., Disposition, & Income | 19.00 | 23.75 |
| **OTHER REPORTS** | | |
| ☐ Agricultural Prices (monthly) | 27.00 | 33.75 |
| ☐ Catfish (monthly) | 17.00 | 21.25 |
| ☐ Cold Storage (monthly/annual) | 22.00 | 27.50 |
| **SPECIAL SINGLE COPY REPORTS** | | |
| ☐ Scope & Methods of the Statistical Reporting Service SN: 001-000-04369-2 | 5.00 * | 6.25 * |
| ☐ Agricultural Statistics, 1984 | | |
| ☐ Usual Planting and Harvesting Dates for U.S. Field Crops SN: 001-000-04416-8 | 3.00 | 3.75 |

**Note:** For your convenience in ordering, we have grouped several publications together in packages. For example, when you subscribe to the Crop Production series you will receive 12 monthly copies and an annual summary of that report plus single copies of Prospective Plantings. If you have any questions about ordering, please call (202) 447-4021.

* Price not yet determined — Call (202) 447-4021.

---

Mail order form to: Superintendent of Documents
Government Printing Office
Washington, DC 20402

Write check payable to Superintendent of Documents.
Add 25% for foreign address.

Enclosed is $ _____

☐ Check
☐ Money order
☐ Charge to my Deposit Account No. _____

NAME _____

ADDRESS _____

CITY, STATE, ZIP _____

Credit card order only: ☐ VISA ☐ Mastercard

Total charges $ _____
Credit card no. _____
Expiration date: month/year _____

**For Office Use Only**

| Quantity | Charges | Quantity | Charges |
|---|---|---|---|
| ____ Enclosed | ____ | MMOB | ____ |
| ____ To be mailed | ____ | OPNR | ____ |
| ____ Subscriptions | ____ | ____ | UPNS |
| Postage | ____ | ____ | DISCOUNT |
| Foreign handling | ____ | ____ | REFUND |

986/3

# Poultry Slaughter

Agricultural Statistics Board
National Agricultural Statistics Service
United States Department of Agriculture
Washington, D.C. 20250

NEWARK PUBLIC LIBRARY
MAY 20 1986
U. S. GOVT. PUBS.
DEPOSITORY 376

RELEASED: May 1, 1986
3:00 P.M. ET

The preliminary total of LIVE WEIGHT POULTRY INSPECTIONS was 1.86 billion pounds (841 thousand metric tons) for March 1986.

Inspections included 1.53 billion pounds (693 thousand metric tons) of young chickens, 78.4 million pounds (35.5 thousand metric tons) of mature chickens, 238 million pounds (108 thousand metric tons) of turkeys and 10.2 million pounds (4640 metric tons) of ducks.

POULTRY CERTIFIED WHOLESOME during March 1986 was 1.35 billion pounds (611 thousand metric tons) ready to-cook weight. Updated totals for February 1986 show that 1.31 billion pounds (594 thousand metric tons) were certified.

ANTE-MORTEM CONDEMNATIONS during March 1986 totaled 5.83 million pounds (2650 metric tons). Condemnations were 0.31 percent of the live weight inspected, compared with 0.30 percent during March a year ago. POST-MORTEM CONDEMNATIONS, at 34.1 million pounds (15.5 thousand metric tons) (N.Y. Dressed Weight), were 2.04 percent of quantities inspected compared with 1.78 percent a year earlier.

FURTHER PROCESSED poultry totaled 443 million pounds (201 thousand metric tons) ready-to-cook weight. CUT-UP poultry totaled 682 million pounds (309 thousand metric tons).

**********

NOTICE

1985 data was retabulated to provide information unavailable throughout much of the year and is presented on pages 8 through 22 of this issue.

AGENCY NAME CHANGE

The Statistical Reporting Service staff has been active during the past 3 years examining virtually every aspect of its work. One phase dealt with the Agency's identity within the agricultural and statistical communities. As a result of this study, the name of the Statistical Reporting Service has been changed to National Agricultural Statistics Service. This name more accurately reflects the purpose of the Agency, its broad agricultural focus, and the service aspect of its responsibility. In line with this change, the Agency's Crop Reporting Board has been renamed the Agricultural Statistics Board to better describe the scope of its output.

**********

Pou 2-1 (5-86)

For Information Call: (202) 447-2123

A92. 9/5:

## POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, MARCH 1986 WITH COMPARISONS

| | | CHICKENS | | | TURKEY | | | | | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | YOUNG | MATURE 1/ | TOTAL | FRYER-ROASTERS | YOUNG 2/ | OLD | TOTAL | DUCKS | POULTRY | POULTRY |
| | | | | | | THOUSANDS | | | | | |
| NUMBER INSPECTED | | | | | | | | | | | |
| FEBRUARY | 1986 | 349,477 | 14,956 | 364,433 | 310 | 10,290 | 51 | 10,651 | 1,594 | --- | --- |
| MARCH | 1985 | 355,018 | 16,585 | 371,603 | 255 | 10,872 | 104 | 11,231 | 1,439 | --- | --- |
| MARCH | 1986 | 355,221 | 17,426 | 372,647 | 355 | 11,761 | 47 | 12,163 | 1,516 | --- | --- |
| JAN-MAR | 1985 | 1,055,581 | 55,116 | 1,110,697 | 622 | 28,747 | 289 | 29,658 | 4,642 | --- | --- |
| JAN-MAR | 1986 | 1,094,196 | 49,427 | 1,143,623 | 900 | 32,762 | 199 | 33,861 | 4,851 | --- | --- |
| POUNDS INSPECTED | | | | | | | | | | | |
| FEBRUARY | 1986 | 1,500,747 | 66,395 | 1,567,142 | 3,098 | 214,274 | 1,167 | 218,539 | 10,711 | 200 | 1,796,592 |
| MARCH | 1985 | 1,487,885 | 74,156 | 1,562,041 | 2,513 | 216,106 | 2,270 | 220,891 | 9,441 | 178 | 1,792,551 |
| MARCH | 1986 | 1,528,781 | 78,355 | 1,607,136 | 3,644 | 232,892 | 1,097 | 237,633 | 10,234 | 170 | 1,855,173 |
| JAN-MAR | 1985 | 4,439,900 | 238,637 | 4,678,537 | 5,958 | 595,049 | 6,369 | 607,376 | 30,400 | 628 | 5,316,941 |
| JAN-MAR | 1986 | 4,703,758 | 220,140 | 4,923,898 | 8,999 | 677,271 | 4,619 | 690,889 | 32,761 | 608 | 5,648,156 |
| AVERAGE LIVEWEIGHT | | | | | | POUNDS | | | | | |
| FEBRUARY | 1986 | 4.29 | 4.43 | 4.30 | 9.97 | 20.82 | 22.57 | 20.51 | 6.71 | --- | --- |
| MARCH | 1985 | 4.19 | 4.47 | 4.20 | 9.83 | 19.87 | 21.67 | 19.66 | 6.55 | --- | --- |
| MARCH | 1986 | 4.30 | 4.49 | 4.31 | 10.25 | 19.80 | 23.27 | 19.53 | 6.74 | --- | --- |
| JAN-MAR | 1985 | 4.20 | 4.32 | 4.21 | 9.56 | 20.69 | 22.00 | 20.47 | 6.54 | --- | --- |
| JAN-MAR | 1986 | 4.29 | 4.45 | 4.30 | 9.99 | 20.67 | 23.11 | 20.40 | 6.75 | --- | --- |

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:
MARCH 1985: 3,274 MARCH 1986: 3,296
2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:
MARCH 1985: 060 MARCH 1986: 090

## POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), MARCH 1986 WITH COMPARISONS

| | | CHICKENS | | | TURKEY | | | | | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | YOUNG | MATURE | TOTAL | FRYER-ROASTERS | YOUNG | OLD | TOTAL | DUCKS | POULTRY | POULTRY |
| | | | | | | THOUSANDS | | | | | |
| FEBRUARY | 1986 | | | | | | | | | | |
| | CHILLED | 1,014,691 | 36,535 | 1,051,226 | 136 | 82,438 | 480 | 83,054 | 1,936 | 002 | 1,136,218 |
| | FROZEN | 72,287 | 4,332 | 76,619 | 2,261 | 88,816 | 437 | 91,514 | 5,635 | 105 | 173,873 |
| | TOTAL | 1,086,978 | 40,867 | 1,127,845 | 2,397 | 171,254 | 917 | 174,568 | 7,571 | 107 | 1,310,091 |
| MARCH | 1985 | | | | | | | | | | |
| | CHILLED | 1,010,688 | 41,026 | 1,051,714 | 1,580 | 74,906 | 1,137 | 77,623 | 1,815 | 000 | 1,131,152 |
| | FROZEN | 71,806 | 5,216 | 77,022 | 377 | 97,768 | 614 | 98,759 | 4,678 | 094 | 180,553 |
| | TOTAL | 1,082,494 | 46,242 | 1,128,736 | 1,957 | 172,674 | 1,751 | 176,382 | 6,493 | 094 | 1,311,705 |
| MARCH | 1986 | | | | | | | | | | |
| | CHILLED | 1,031,914 | 43,222 | 1,075,136 | 249 | 87,290 | 517 | 88,056 | 1,991 | 000 | 1,165,183 |
| | FROZEN | 70,523 | 5,485 | 76,008 | 2,606 | 97,880 | 307 | 100,793 | 5,173 | 090 | 182,064 |
| | TOTAL | 1,102,437 | 48,707 | 1,151,144 | 2,855 | 185,170 | 824 | 188,849 | 7,164 | 090 | 1,347,247 |
| JAN-MAR | 1985 | | | | | | | | | | |
| | CHILLED | 3,015,477 | 131,269 | 3,146,7[illegible] | 2,810 | 193,884 | 3,440 | 200,134 | 6,036 | 003 | 3,352,919 |
| | FROZEN | 213,406 | 15,352 | 228,[illegible] | 1,781 | 278,668 | 1,490 | 281,939 | 14,997 | 329 | 526,023 |
| | TOTAL | 3,228,883 | 146,621 | 3,375,504 | 4,591 | 472,552 | 4,930 | 482,073 | 21,033 | 332 | 3,878,942 |
| JAN-MAR | 1986 | | | | | | | | | | |
| | CHILLED | 3,176,811 | 121,598 | 3,298,409 | 505 | 252,593 | 2,395 | 255,493 | 5,969 | 005 | 3,559,876 |
| | FROZEN | 223,955 | 14,540 | 238,495 | 6,481 | 287,769 | 1,164 | 295,414 | 16,909 | 320 | 551,138 |
| | TOTAL | 3,400,766 | 136,138 | 3,536,904 | 6,986 | 540,362 | 3,559 | 550,907 | 22,878 | 325 | 4,111,014 |

## POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, MARCH 1986 WITH COMPARISONS

| | | CHICKENS | | | TURKEY | | | | DUCKS | OTHER POULTRY | TOTAL POULTRY |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | YOUNG | MATURE | TOTAL | FRYER-ROASTERS | YOUNG | OLD | TOTAL | | | |
| ANTE-MORTEM | | | | | | | | | | | |
| 1,000 POUNDS (LIVEWEIGHT) | | | | | | | | | | | |
| FEBRUARY | 1986 | 5,138 | 877 | 6,015 | 21 | 713 | 7 | 741 | 17 | | 6,773 |
| MARCH | 1985 | 4,182 | 818 | 5,000 | 4 | 506 | 12 | 522 | 12 | | 5,534 |
| MARCH | 1986 | 4,302 | 824 | 5,126 | 9 | 666 | 19 | 694 | 13 | | 5,833 |
| JAN-MAR | 1985 | 16,106 | 3,530 | 19,636 | 29 | 1,708 | 37 | 1,774 | 40 | 1 | 21,451 |
| JAN-MAR | 1986 | 15,307 | 2,832 | 18,139 | 42 | 2,043 | 41 | 2,126 | 49 | | 20,314 |
| PERCENT 1/ | | | | | | | | | | | |
| MARCH | 1985 | .28 | 1.10 | .32 | .17 | .23 | .53 | .23 | .12 | .26 | .30 |
| MARCH | 1986 | .28 | 1.05 | .31 | .26 | .28 | 1.82 | .29 | .13 | .03 | .31 |
| POST-MORTEM | | | | | | | | | | | |
| 1,000 POUNDS (N.Y. DRESSED) | | | | | | | | | | | |
| FEBRUARY | 1986 | 27,131 | 2,403 | 29,534 | 38 | 3,704 | 54 | 3,796 | 127 | 1 | 33,458 |
| MARCH | 1985 | 22,041 | 2,573 | 24,614 | 33 | 3,830 | 95 | 3,958 | 130 | 1 | 28,703 |
| MARCH | 1986 | 26,681 | 2,876 | 29,557 | 42 | 4,310 | 80 | 4,432 | 119 | 1 | 34,109 |
| JAN-MAR | 1985 | 69,957 | 8,813 | 78,770 | 90 | 10,657 | 260 | 11,007 | 429 | 7 | 90,213 |
| JAN-MAR | 1986 | 84,449 | 7,975 | 92,424 | 108 | 11,857 | 255 | 12,220 | 396 | 6 | 105,046 |
| PERCENT 2/ | | | | | | | | | | | |
| MARCH | 1985 | 1.65 | 3.89 | 1.75 | 1.50 | 1.97 | 4.71 | 1.99 | 1.55 | 1.22 | 1.78 |
| MARCH | 1986 | 1.94 | 4.12 | 2.05 | 1.33 | 2.06 | 8.27 | 2.07 | 1.29 | 1.22 | 2.04 |

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

## POULTRY: FURTHER PROCESSED AND CUT-UP (READY-TO-COOK) UNDER FEDERAL INSPECTION, MARCH 1986 WITH COMPARISONS

| | | YOUNG CHICKENS | | MATURE CHICKENS | | TURKEYS | | | OTHER POULTRY 1/ | | TOTAL POULTRY | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | FURTHER PROCESSED | CUT-UP | FURTHER PROCESSED | CUT-UP | WHOLE CARCASS 2/ | FURTHER PROCESSED | CUT-UP | FURTHER PROCESSED | CUT-UP | FURTHER PROCESSED | CUT-UP |
| | | THOUSANDS | | | | | | | | | | |
| READY-TO-COOK WEIGHT | | | | | | | | | | | | |
| POUNDS USED | | | | | | | | | | | | |
| FEBRUARY | 1986 | 208,871 | 577,962 | 47,863 | 1,310 | 36,886 | 104,963 | 80,298 | 25,841 | 1,257 | 424,424 | 660,827 |
| MARCH | 1985 | 180,579 | 553,383 | 51,765 | 5,398 | 37,699 | 95,136 | 61,331 | 31,613 | 661 | 396,792 | 620,773 |
| MARCH | 1986 | 223,562 | 608,127 | 42,688 | 920 | 39,482 | 113,267 | 69,580 | 23,887 | 3,049 | 442,886 | 681,676 |
| JAN-MAR | 1985 | 548,974 | 1,713,690 | 145,879 | 8,665 | 104,546 | 275,711 | 176,584 | 96,612 | 2,023 | 1,171,722 | 1,900,962 |
| JAN-MAR | 1986 | 669,181 | 1,892,019 | 142,330 | 3,946 | 109,560 | 319,923 | 235,158 | 80,197 | 5,679 | 1,321,191 | 2,136,802 |
| POUNDS CONDEMNED | | | | | | | | | | | | |
| FEBRUARY | 1986 | 3,864 | 4,475 | 38 | 6 | 10 | 212 | 577 | 509 | 1 | 4,633 | 5,059 |
| MARCH | 1985 | 2,280 | 3,557 | 89 | --- | 22 | 195 | 358 | 518 | 13 | 3,104 | 3,928 |
| MARCH | 1986 | 1,697 | 3,162 | 73 | --- | 29 | 171 | 655 | 200 | --- | 2,170 | 3,817 |
| JAN-MAR | 1985 | 6,634 | 12,220 | 275 | 3 | 42 | 550 | 1,274 | 1,480 | 19 | 8,961 | 13,516 |
| JAN-MAR | 1986 | 8,864 | 12,473 | 156 | 11 | 48 | 509 | 1,911 | 865 | 2 | 10,442 | 14,397 |

1/ POULTRY PARTS AND FATS USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN 'OTHER POULTRY'.
2/ WHOLE CARCASS TURKEYS WHICH HAVE BEEN INJECTED, BASTED, MARINATED, SMOKED, BARBECUED, ETC., AND PACKED AS SUCH.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL AND SELECTED STATE(S), MARCH 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS: POUNDS (NYD) | | POST-MORTEM CONDEMNATIONS: PERCENT 2/ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | | | POUNDS | | | | THOUSANDS | | PERCENT | |
| UNITED STATES | 355,018 | 355,221 | 1,487,885 | 1,528,781 | 4.19 | 4.30 | 1,082,494 | 1,102,437 | 22,041 | 26,681 | 1.65 | 1.94 |
| ALABAMA | 45,441 | 45,983 | 178,573 | 190,108 | 3.92 | 4.13 | 131,044 | 136,214 | 3,319 | 3,337 | 2.07 | 1.95 |
| ARKANSAS | 59,175 | 55,596 | 241,919 | 232,714 | 4.08 | 4.19 | 176,718 | 162,938 | 3,259 | 3,541 | 1.50 | 1.69 |
| CALIFORNIA | 12,899 | 13,799 | 61,732 | 63,280 | 4.78 | 4.58 | 43,983 | 45,967 | 899 | 1,314 | 1.62 | 2.31 |
| DELAWARE | 15,603 | 15,156 | 77,255 | 74,147 | 4.95 | 4.89 | 55,615 | 53,627 | 1,408 | 2,206 | 2.03 | 3.32 |
| FLORIDA | 7,270 | 7,331 | 30,512 | 29,252 | 4.19 | 3.98 | 22,476 | 20,954 | 294 | 426 | 1.07 | 1.62 |
| GEORGIA | 54,069 | 53,524 | 227,322 | 226,777 | 4.20 | 4.23 | 165,909 | 167,382 | 3,314 | 3,349 | 1.62 | 1.64 |
| MARYLAND | 13,594 | 13,679 | 55,042 | 55,889 | 4.04 | 4.08 | 37,892 | 38,280 | 953 | 1,714 | 1.93 | 3.42 |
| MISSISSIPPI | 24,055 | 24,432 | 98,613 | 104,185 | 4.09 | 4.26 | 74,913 | 78,441 | 1,237 | 1,654 | 1.39 | 1.76 |
| MISSOURI | 6,405 | 7,137 | 27,453 | 31,917 | 4.28 | 4.47 | 20,219 | 23,078 | 299 | 708 | 1.21 | 2.47 |
| NEW YORK | 790 | 671 | 3,626 | 3,074 | 4.58 | 4.57 | 2,232 | 1,919 | 52 | 54 | 1.65 | 2.00 |
| NORTH CAROLINA | 35,655 | 35,362 | 156,239 | 164,036 | 4.38 | 4.63 | 112,915 | 119,816 | 2,409 | 2,932 | 1.71 | 1.99 |
| OREGON | 1,209 | 1,266 | 5,247 | 5,995 | 4.33 | 4.73 | 3,676 | 4,204 | 127 | 137 | 2.72 | 2.58 |
| PENNSYLVANIA | 6,374 | 6,217 | 26,812 | 26,073 | 4.20 | 4.19 | 19,073 | 18,320 | 471 | 647 | 1.96 | 2.77 |
| SOUTH CAROLINA | 7,272 | 7,104 | 27,906 | 27,348 | 3.83 | 3.84 | 18,682 | 18,904 | 396 | 513 | 1.58 | 2.09 |
| TENNESSEE | 6,900 | 6,487 | 28,195 | 27,564 | 4.08 | 4.24 | 20,422 | 19,559 | 305 | 316 | 1.20 | 1.28 |
| TEXAS | 19,485 | 20,961 | 83,289 | 92,827 | 4.27 | 4.42 | 62,396 | 67,632 | 898 | 1,090 | 1.20 | 1.30 |
| VIRGINIA | 17,161 | 17,981 | 74,807 | 81,718 | 4.35 | 4.54 | 53,107 | 57,237 | 1,247 | 1,444 | 1.85 | 1.96 |
| WASHINGTON | 1,833 | 1,703 | 8,196 | 7,779 | 4.46 | 4.56 | 6,088 | 5,793 | 141 | 140 | 1.93 | 2.02 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA
3/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL AND SELECTED STATE(S), MARCH 1986

| STATE | TUBERCULOSIS | LEUKOSIS | SEPTICEMIA | AIRSACCULITIS | SYNOVITIS | TUMORS | BRUISES | CADAVER | CONTAMINATION | OVERSCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | 317,766 | 1,493,205 | 1,529,840 | 22,355 | 129,873 | 47,801 | 123,534 | 201,052 | 27,227 | 173,487 | 4,066,140 |
| ALABAMA | --- | 6,283 | 153,123 | 282,490 | 1,706 | 20,069 | 6,361 | 17,274 | 17,121 | 2,633 | 9,651 | 516,711 |
| ARKANSAS | --- | 24,769 | 191,802 | 163,553 | 8,284 | 15,385 | 7,545 | 16,486 | 20,869 | 2,744 | 15,353 | 466,790 |
| CALIFORNIA | --- | 4,195 | 109,640 | 58,748 | 831 | 4,653 | 337 | 5,155 | 3,208 | 1,646 | 2,798 | 191,211 |
| DELAWARE | --- | 100,893 | 99,881 | 126,446 | 671 | 5,799 | 2,586 | 9,376 | 10,660 | 2,654 | 14,387 | 373,353 |
| FLORIDA | --- | 184 | 37,946 | 27,845 | 449 | 5,255 | 816 | 1,858 | 2,943 | 88 | 12 | 77,396 |
| GEORGIA | --- | 27,125 | 163,609 | 187,312 | 921 | 21,824 | 7,122 | 20,343 | 24,445 | 2,518 | 9,991 | 465,210 |
| MARYLAND | --- | 47,476 | 67,801 | 152,068 | 360 | 3,368 | 1,602 | 4,063 | 10,149 | 461 | 35,212 | 322,560 |
| MISSISSIPPI | --- | 9,461 | 74,384 | 137,109 | 943 | 6,349 | 2,539 | 6,603 | 11,866 | 5,336 | 6,263 | 260,853 |
| MISSOURI | --- | 12,957 | 29,909 | 58,052 | 2,236 | 1,934 | 765 | 2,725 | 3,488 | 775 | 4,456 | 117,297 |
| NEW YORK | --- | --- | 2,572 | 2,414 | --- | 139 | 328 | --- | 1,348 | --- | 3,049 | 9,850 |
| NORTH CAROLINA | --- | 7,910 | 229,874 | 155,725 | 215 | 21,585 | 4,141 | 10,183 | 13,802 | 2,409 | 22,472 | 468,316 |
| OREGON | --- | --- | 9,606 | 638 | 342 | 1,206 | 766 | 1,013 | 808 | --- | --- | 14,379 |
| PENNSYLVANIA | --- | 2,787 | 22,387 | 11,955 | 294 | 2,495 | 1,666 | 1,853 | 41,547 | 873 | 6,308 | 92,165 |
| SOUTH CAROLINA | --- | 184 | 42,042 | 36,601 | 195 | 3,465 | 2,357 | 3,592 | 8,833 | 868 | 7,761 | 105,898 |
| TENNESSEE | --- | 3,156 | 20,816 | 3,486 | 83 | 3,616 | 664 | 4,613 | 5,887 | 1,329 | 1,420 | 45,070 |
| TEXAS | --- | 13,737 | 65,756 | 22,095 | 748 | 4,988 | 2,097 | 6,011 | 7,318 | 1,450 | 3,532 | 127,732 |
| VIRGINIA | --- | 48,816 | 84,907 | 55,029 | 135 | 3,369 | 1,836 | 4,752 | 4,627 | 840 | 13,430 | 217,741 |
| WASHINGTON | --- | --- | 9,875 | 670 | 459 | 894 | 491 | 335 | 162 | 16 | --- | 12,902 |

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL AND SELECTED STATE(S), MARCH 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED 1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS: POUNDS (NYD) | | POST-MORTEM CONDEMNATIONS: PERCENT 2/ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | | | POUNDS | | | | THOUSANDS | | PERCENT | |
| UNITED STATES | 16,585 | 17,426 | 74,156 | 78,355 | 4.47 | 4.49 | 46,242 | 48,707 | 2,573 | 2,876 | 3.89 | 4.12 |
| CALIFORNIA | 2,103 | 1,579 | 8,336 | 6,317 | 3.96 | 3.99 | 5,059 | 3,829 | 383 | 267 | 5.14 | 4.74 |
| GEORGIA | 3,037 | 3,431 | 16,124 | 18,219 | 5.30 | 5.31 | 10,025 | 11,003 | 425 | 530 | 2.96 | 3.26 |
| NEW YORK 3/ | --- | --- | --- | --- | -- | -- | --- | --- | --- | --- | -- | -- |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA
3/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL AND SELECTED STATE(S), MARCH 1986

| STATE | TUBER-CULOSIS | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | 17,760 | 193,732 | 4,879 | 934 | 218,275 | 32,719 | 22,475 | 57,052 | 3,424 | 45,526 | 596,776 |
| CALIFORNIA | --- | 343 | 14,330 | 191 | 294 | 33,733 | 521 | 517 | 1,748 | 76 | 2,768 | 54,521 |
| GEORGIA | --- | 279 | 43,838 | 645 | 110 | 19,453 | 2,449 | 3,520 | 13,555 | 446 | 2,789 | 87,084 |

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL AND SELECTED STATE(S), MARCH 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED 1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS: POUNDS (NYD) | | POST-MORTEM CONDEMNATIONS: PERCENT 2/ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | -- POUNDS --- | | | | THOUSANDS | | | | -- PERCENT --- | |
| UNITED STATES | 10,872 | 11,761 | 216,108 | 232,892 | 19.87 | 19.80 | 172,674 | 185,170 | 3,830 | 4,310 | 1.97 | 2.06 |
| ARKANSAS | 813 | 1,029 | 14,178 | 19,229 | 17.42 | 18.69 | 12,323 | 15,573 | 395 | 433 | 3.11 | 2.50 |
| CALIFORNIA | 1,118 | 1,315 | 21,986 | 26,421 | 19.66 | 20.09 | 17,898 | 21,547 | 316 | 397 | 1.60 | 1.67 |
| INDIANA | 475 | 542 | 9,794 | 10,937 | 20.61 | 20.14 | 7,809 | 8,705 | 144 | 152 | 1.64 | 1.54 |
| IOWA | 682 | 522 | 15,873 | 13,953 | 23.25 | 26.71 | 12,467 | 10,774 | 401 | 373 | 2.82 | 2.99 |
| MASSACHUSETTS 3/ | --- | --- | --- | --- | -- | -- | --- | --- | --- | --- | 1.02 | -- |
| MINNESOTA | 1,472 | 1,340 | 26,284 | 23,676 | 17.85 | 17.66 | 20,881 | 18,865 | 548 | 508 | 2.32 | 2.39 |
| MISSOURI | 1,098 | 1,035 | 20,903 | 20,064 | 19.03 | 19.38 | 16,908 | 16,137 | 421 | 430 | 2.25 | 2.39 |
| NEW YORK 3/ | --- | --- | --- | --- | -- | -- | --- | --- | --- | --- | -- | -- |
| NORTH CAROLINA | 1,635 | 2,127 | 30,733 | 37,248 | 18.78 | 17.51 | 25,201 | 30,163 | 255 | 459 | .92 | 1.37 |
| OHIO 3/ | --- | --- | --- | --- | -- | -- | --- | --- | --- | --- | -- | -- |
| PENNSYLVANIA | 416 | 433 | 7,569 | 8,593 | 18.19 | 19.80 | 6,029 | 6,759 | 132 | 171 | 1.94 | 2.22 |
| VIRGINIA | 1,655 | 1,736 | 30,372 | 31,577 | 18.34 | 18.18 | 23,289 | 24,741 | 375 | 436 | 1.38 | 1.54 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA
3/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL AND SELECTED STATE(S), MARCH 1986

| STATE | TUBERCULOSIS | LEUKOSIS | SEPTICEMIA | AIRSACCULITIS | SYNOVITIS | TUMORS | BRUISES | CADAVER | CONTAMINATION | OVERSCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | 431 | 91,990 | 21,642 | 8,781 | 224 | 1,348 | 2,918 | 4,074 | 638 | 3,668 | 135,714 |
| ARKANSAS | --- | --- | 7,997 | 1,744 | 650 | --- | 243 | 194 | 1,050 | --- | --- | 13,848 |
| CALIFORNIA | --- | 5 | 10,717 | 106 | 176 | 43 | 21 | 141 | 110 | --- | --- | 11,319 |
| INDIANA | --- | --- | 2,239 | 714 | 632 | --- | 20 | 10 | 40 | --- | --- | 3,655 |
| IOWA | --- | --- | 4,143 | 4,379 | 3,191 | --- | 25 | 53 | 428 | --- | 300 | 12,519 |
| MINNESOTA | --- | --- | 6,731 | 5,047 | 2,000 | 7 | 143 | 810 | 670 | 115 | 286 | 15,809 |
| MISSOURI | --- | --- | 12,966 | 895 | --- | 8 | 117 | 241 | 369 | 13 | 76 | 14,685 |
| NORTH CAROLINA | --- | --- | 11,405 | 525 | --- | 30 | 253 | 324 | 455 | --- | 53 | 13,145 |
| OHIO | --- | --- | 2,167 | --- | --- | --- | 15 | --- | --- | --- | --- | 2,182 |
| PENNSYLVANIA | --- | --- | 5,806 | 1,014 | 24 | --- | --- | --- | 139 | --- | --- | 6,983 |
| VIRGINIA | --- | --- | 10,936 | 1,157 | 47 | --- | 107 | 824 | 275 | 229 | 317 | 13,892 |

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL, MARCH 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS: POUNDS (NYD) | | POST-MORTEM CONDEMNATIONS: PERCENT 2/ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | -- POUNDS --- | | | | THOUSANDS | | | | -- PERCENT --- | |
| UNITED STATES | 255 | 355 | 2,513 | 3,644 | 9.83 | 10.25 | --- | 2,855 | 33 | 42 | 1.50 | 1.33 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL, MARCH 1986

| STATE | TUBERCULOSIS | LEUKOSIS | SEPTICEMIA | AIRSACCULITIS | SYNOVITIS | TUMORS | BRUISES | CADAVER | CONTAMINATION | OVERSCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | --- | 1,819 | 118 | --- | --- | --- | 132 | 308 | --- | 107 | 2,484 |



OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL, MARCH 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS: POUNDS (NYD) | | POST-MORTEM CONDEMNATIONS: PERCENT 2/ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | -- POUNDS --- | | | | THOUSANDS | | | | -- PERCENT --- | |
| UNITED STATES | 104 | 47 | 2,270 | 1,097 | 21.67 | 23.27 | 1,751 | 824 | 95 | 80 | 4.71 | 8.27 |
| MINNESOTA 3/ | --- | --- | --- | --- | -- | -- | --- | --- | --- | --- | -- | -- |
| NORTH CAROLINA 3/ | --- | --- | --- | --- | -- | -- | --- | --- | --- | --- | -- | -- |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA
3/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL, MARCH 1986

| STATE | TUBERCULOSIS | LEUKOSIS | SEPTICEMIA | AIRSACCULITIS | SYNOVITIS | TUMORS | BRUISES | CADAVER | CONTAMINATION | OVERSCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | --- | 1,825 | 266 | 23 | --- | 25 | --- | 24 | --- | --- | 2,163 |

## POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION BY MONTHS, UNITED STATES 1985

| TYPE AND MONTH | CHICKENS | | | TURKEYS | | | | DUCKS | OTHER POULTRY | TOTAL POULTRY |
|---|---|---|---|---|---|---|---|---|---|---|
| | YOUNG | MATURE | TOTAL | FR-ROST | YOUNG | OLD | TOTAL | | | |
| NUMBER INSPECTED: | THOUSANDS | | | | | | | | | |
| JAN | 375,131 | 22,100 | 397,231 | 168 | 8,979 | 110 | 9,257 | 1,700 | | |
| FEB | 325,431 | 16,429 | 341,860 | 198 | 8,895 | 74 | 9,167 | 1,501 | | |
| MAR | 355,018 | 16,585 | 371,603 | 255 | 10,872 | 104 | 11,231 | 1,439 | | |
| APR | 387,763 | 17,334 | 405,097 | 331 | 10,744 | 93 | 11,168 | 1,821 | | |
| MAY | 396,518 | 15,630 | 412,148 | 339 | 13,153 | 127 | 13,619 | 1,826 | | |
| JUN | 361,451 | 11,873 | 373,324 | 453 | 14,640 | 111 | 15,204 | 1,820 | | |
| JUL | 399,428 | 12,954 | 412,382 | 466 | 16,508 | 299 | 17,273 | 2,116 | | |
| AUG | 398,826 | 13,079 | 411,905 | 623 | 17,878 | 89 | 18,590 | 1,996 | | |
| SEP | 354,690 | 12,336 | 367,026 | 391 | 17,643 | 104 | 18,138 | 1,841 | | |
| OCT | 406,178 | 12,747 | 418,925 | 319 | 20,435 | 77 | 20,831 | 2,145 | | |
| NOV | 325,845 | 11,326 | 337,171 | 357 | 17,270 | 55 | 17,682 | 1,655 | | |
| DEC | 352,589 | 15,831 | 368,420 | 386 | 12,576 | 42 | 13,004 | 1,743 | | |
| TOTAL 1/: | 4,438,874 | 178,229 | 4,617,103 | 4,292 | 169,598 | 1,291 | 175,181 | 21,608 | | |
| LIVE WT POUNDS | THOUSANDS | | | | | | | | | |
| JAN | 1,586,631 | 93,638 | 1,680,269 | 1,468 | 195,541 | 2,491 | 199,500 | 11,097 | 258 | 1,891,124 |
| FEB | 1,365,384 | 70,842 | 1,436,226 | 1,977 | 183,399 | 1,607 | 186,983 | 9,861 | 190 | 1,633,260 |
| MAR | 1,487,885 | 74,156 | 1,562,041 | 2,513 | 216,108 | 2,270 | 220,891 | 9,441 | 178 | 1,792,551 |
| APR | 1,646,251 | 78,113 | 1,724,364 | 3,126 | 216,306 | 2,051 | 221,483 | 12,160 | 197 | 1,958,204 |
| MAY | 1,671,545 | 71,378 | 1,742,923 | 3,191 | 260,745 | 2,828 | 266,764 | 11,978 | 258 | 2,021,923 |
| JUN | 1,502,013 | 55,948 | 1,557,961 | 4,264 | 294,451 | 2,445 | 301,160 | 11,781 | 286 | 1,871,188 |
| JUL | 1,649,370 | 61,903 | 1,711,273 | 4,367 | 331,820 | 6,408 | 342,595 | 13,285 | 342 | 2,067,495 |
| AUG | 1,638,604 | 60,649 | 1,699,253 | 5,925 | 360,696 | 1,893 | 368,514 | 12,662 | 468 | 2,080,897 |
| SEP | 1,482,566 | 58,879 | 1,541,445 | 3,783 | 355,134 | 2,277 | 361,194 | 11,590 | 535 | 1,914,764 |
| OCT | 1,713,617 | 62,624 | 1,776,241 | 3,219 | 421,910 | 1,662 | 426,791 | 13,972 | 2,031 | 2,219,035 |
| NOV | 1,368,188 | 50,660 | 1,418,848 | 3,464 | 348,069 | 1,135 | 352,668 | 10,964 | 431 | 1,782,911 |
| DEC | 1,510,728 | 69,973 | 1,580,701 | 3,827 | 259,847 | 940 | 264,614 | 11,476 | 241 | 1,857,032 |
| TOTAL 1/: | 18,622,787 | 808,769 | 19,431,556 | 41,128 | 3,444,031 | 28,012 | 3,513,171 | 140,272 | 5,428 | 23,090,427 |
| AVERAGE LIVE-WT | POUNDS 2/ | | | | | | | | | |
| JAN | 4.22 | 4.23 | 4.22 | 8.71 | 21.77 | 22.57 | 21.54 | 6.52 | | |
| FEB | 4.19 | 4.31 | 4.20 | 9.93 | 20.61 | 21.63 | 20.39 | 6.56 | | |
| MAR | 4.19 | 4.47 | 4.20 | 9.83 | 19.87 | 21.67 | 19.66 | 6.55 | | |
| APR | 4.24 | 4.50 | 4.25 | 9.43 | 20.13 | 21.93 | 19.83 | 6.67 | | |
| MAY | 4.21 | 4.56 | 4.22 | 9.39 | 19.82 | 22.14 | 19.58 | 6.55 | | |
| JUN | 4.15 | 4.71 | 4.17 | 9.40 | 20.11 | 21.95 | 19.80 | 6.47 | | |
| JUL | 4.12 | 4.77 | 4.14 | 9.35 | 20.09 | 21.42 | 19.83 | 6.27 | | |
| AUG | 4.10 | 4.63 | 4.12 | 9.50 | 20.17 | 21.11 | 19.82 | 6.34 | | |
| SEP | 4.17 | 4.77 | 4.19 | 9.67 | 20.12 | 21.81 | 19.91 | 6.29 | | |
| OCT | 4.21 | 4.91 | 4.23 | 10.06 | 20.64 | 21.45 | 20.48 | 6.51 | | |
| NOV | 4.19 | 4.47 | 4.20 | 9.70 | 20.15 | 20.29 | 19.94 | 6.62 | | |
| DEC | 4.28 | 4.41 | 4.29 | 9.90 | 20.66 | 22.19 | 20.34 | 6.58 | | |
| TOTAL 1/: | 4.19 | 4.53 | 4.20 | 9.58 | 20.30 | 21.69 | 20.05 | 6.49 | | |

1/ INDIVIDUAL MONTHS MAY NOT ADD TO TOTAL DUE TO ROUNDING OF MONTHLY DATA.
2/ AVERAGES CALCULATED FROM UNROUNDED DATA.

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHT), BY MONTHS, UNITED STATES, 1985

| TYPE AND MONTH | CHICKENS | | | TURKEYS | | | | DUCKS | OTHER POULTRY | TOTAL POULTRY |
|---|---|---|---|---|---|---|---|---|---|---|
| | YOUNG | MATURE | TOTAL | FR-ROST | YOUNG | OLD | TOTAL | | | |
| CHILLED INSPECTED: | THOUSANDS | | | | | | | | | |
| JAN | 1,078,490 | 51,730 | 1,130,220 | 327 | 61,372 | 1,138 | 62,837 | 2,134 | 3 | 1,195,194 |
| FEB | 926,298 | 38,511 | 964,809 | 902 | 57,606 | 1,163 | 59,671 | 2,086 | 0 | 1,026,566 |
| MAR | 1,010,688 | 41,026 | 1,051,714 | 1,580 | 74,906 | 1,137 | 77,623 | 1,815 | 0 | 1,131,152 |
| APR | 1,117,467 | 43,613 | 1,161,080 | 1,931 | 71,964 | 1,305 | 75,200 | 1,803 | 0 | 1,238,083 |
| MAY | 1,149,624 | 38,739 | 1,188,363 | 2,007 | 77,868 | 1,362 | 81,237 | 1,750 | 6 | 1,271,356 |
| JUN | 1,029,336 | 29,738 | 1,059,074 | 2,485 | 80,079 | 1,444 | 84,008 | 1,422 | 6 | 1,144,510 |
| JUL | 1,127,004 | 33,334 | 1,160,338 | 2,386 | 84,205 | 3,550 | 90,141 | 1,762 | 3 | 1,252,244 |
| AUG | 1,117,211 | 33,245 | 1,150,456 | 3,675 | 88,931 | 919 | 93,525 | 1,841 | 9 | 1,245,831 |
| SEP | 1,007,995 | 33,229 | 1,041,224 | 2,531 | 86,793 | 1,378 | 90,702 | 1,829 | 0 | 1,133,755 |
| OCT | 1,162,687 | 34,936 | 1,197,623 | 2,121 | 106,934 | 855 | 109,910 | 2,010 | 13 | 1,309,556 |
| NOV | 921,732 | 28,498 | 950,230 | 1,593 | 115,977 | 356 | 117,926 | 2,276 | 8 | 1,070,440 |
| DEC | 1,014,256 | 39,614 | 1,053,870 | 1,994 | 91,791 | 506 | 94,291 | 2,250 | 8 | 1,150,419 |
| TOTAL 1/: | 12,662,794 | 446,220 | 13,109,014 | 23,537 | 998,431 | 15,120 | 1,037,088 | 22,983 | 60 | 14,169,145 |
| FROZEN | | | | | | | | | | |
| JAN | 76,418 | 5,555 | 81,973 | 786 | 93,321 | 780 | 94,887 | 5,535 | 133 | 182,528 |
| FEB | 65,181 | 4,581 | 69,762 | 617 | 87,578 | 96 | 88,291 | 4,784 | 101 | 162,938 |
| MAR | 71,806 | 5,216 | 77,022 | 377 | 97,768 | 614 | 98,759 | 4,678 | 94 | 180,553 |
| APR | 79,157 | 5,059 | 84,216 | 540 | 101,300 | 230 | 102,070 | 6,636 | 104 | 193,026 |
| MAY | 71,880 | 5,507 | 77,387 | 482 | 129,970 | 812 | 131,264 | 6,553 | 132 | 215,336 |
| JUN | 65,494 | 4,942 | 70,436 | 862 | 153,215 | 407 | 154,484 | 6,692 | 150 | 231,762 |
| JUL | 76,263 | 5,289 | 81,552 | 1,060 | 178,591 | 1,329 | 180,980 | 7,570 | 180 | 270,282 |
| AUG | 81,195 | 4,705 | 85,900 | 933 | 200,163 | 578 | 201,674 | 6,790 | 257 | 294,621 |
| SEP | 73,903 | 3,643 | 77,546 | 466 | 196,676 | 414 | 197,556 | 6,259 | 315 | 281,676 |
| OCT | 89,248 | 4,877 | 94,125 | 411 | 230,766 | 441 | 231,618 | 7,618 | 1,305 | 334,666 |
| NOV | 76,041 | 2,793 | 78,834 | 1,104 | 162,992 | 517 | 164,613 | 5,503 | 244 | 249,194 |
| DEC | 79,819 | 3,477 | 83,296 | 971 | 115,235 | 218 | 116,424 | 5,748 | 122 | 205,590 |
| TOTAL 1/: | 906,410 | 55,648 | 962,058 | 8,615 | 1,747,581 | 6,439 | 1,762,635 | 74,371 | 3,145 | 2,802,209 |
| TOTAL (CHILLED PLUS FRO): | | | | | | | | | | |
| JAN | 1,154,908 | 57,285 | 1,212,193 | 1,113 | 154,693 | 1,918 | 157,724 | 7,669 | 136 | 1,377,722 |
| FEB | 991,479 | 43,092 | 1,034,571 | 1,519 | 145,184 | 1,259 | 147,962 | 6,870 | 101 | 1,189,504 |
| MAR | 1,082,494 | 46,242 | 1,128,736 | 1,957 | 172,674 | 1,751 | 175,382 | 6,493 | 94 | 1,311,705 |
| APR | 1,196,624 | 48,672 | 1,245,296 | 2,471 | 173,264 | 1,535 | 177,270 | 8,439 | 104 | 1,431,109 |
| MAY | 1,221,504 | 44,246 | 1,265,750 | 2,489 | 207,838 | 2,174 | 212,501 | 8,303 | 138 | 1,486,692 |
| JUN | 1,094,830 | 34,680 | 1,129,510 | 3,347 | 233,294 | 1,851 | 238,492 | 8,114 | 156 | 1,376,272 |
| JUL | 1,203,267 | 38,623 | 1,241,890 | 3,446 | 262,796 | 4,879 | 271,121 | 9,332 | 183 | 1,522,526 |
| AUG | 1,198,406 | 37,950 | 1,236,356 | 4,608 | 289,094 | 1,497 | 295,199 | 8,631 | 266 | 1,540,452 |
| SEP | 1,081,898 | 36,872 | 1,118,770 | 2,997 | 283,469 | 1,792 | 288,258 | 8,088 | 315 | 1,415,431 |
| OCT | 1,251,935 | 39,813 | 1,291,748 | 2,532 | 337,700 | 1,296 | 341,528 | 9,628 | 1,318 | 1,644,222 |
| NOV | 997,773 | 31,291 | 1,029,064 | 2,697 | 278,969 | 873 | 282,539 | 7,779 | 252 | 1,319,634 |
| DEC | 1,094,075 | 43,091 | 1,137,166 | 2,965 | 207,026 | 724 | 210,715 | 7,998 | 130 | 1,356,009 |
| TOTAL 1/: | 13,569,204 | 501,868 | 14,071,072 | 32,152 | 2,746,012 | 21,559 | 2,799,723 | 97,354 | 3,205 | 16,971,354 |

1/ INDIVIDUAL MONTHS MAY NOT ADD TO TOTAL DUE TO ROUNDING OF MONTHLY DATA.

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION BY MONTHS, UNITED STATES, 1985

| TYPE AND MONTH | CHICKENS | | | TURKEYS | | | | DUCKS | OTHER POULTRY | TOTAL POULTRY |
|---|---|---|---|---|---|---|---|---|---|---|
| | YOUNG | MATURE | TOTAL | FR-ROST | YOUNG | OLD | TOTAL | | | |
| ANTE-MORTEM (LIVEWEIGHT) | THOUSAND POUNDS | | | | | | | | | |
| JAN | 6,284 | 1,520 | 7,804 | 20 | 573 | 20 | 613 | 19 | 0 | 8,436 |
| FEB | 5,638 | 1,191 | 6,829 | 4 | 628 | 5 | 637 | 9 | 0 | 7,475 |
| MAR | 4,182 | 818 | 5,000 | 4 | 506 | 12 | 522 | 12 | 0 | 5,534 |
| APR | 4,181 | 820 | 5,001 | 3 | 552 | 20 | 575 | 14 | 0 | 5,590 |
| MAY | 4,427 | 776 | 5,203 | 4 | 560 | 36 | 600 | 11 | 0 | 5,814 |
| JUN | 5,249 | 715 | 5,964 | 5 | 758 | 26 | 789 | 8 | 0 | 6,761 |
| JUL | 6,388 | 674 | 7,062 | 3 | 1,248 | 66 | 1,317 | 12 | 1 | 8,392 |
| AUG | 6,011 | 694 | 6,705 | 7 | 1,132 | 11 | 1,150 | 11 | 2 | 7,868 |
| SEP | 4,576 | 557 | 5,133 | 2 | 1,002 | 18 | 1,022 | 13 | 0 | 6,168 |
| OCT | 4,366 | 538 | 4,904 | 4 | 929 | 13 | 946 | 15 | 4 | 5,869 |
| NOV | 3,737 | 739 | 4,476 | 8 | 810 | 4 | 822 | 11 | 0 | 5,309 |
| DEC | 5,488 | 1,032 | 6,520 | 21 | 751 | 4 | 776 | 14 | 0 | 7,310 |
| TOTAL 1/ | 60,533 | 10,078 | 70,611 | 90 | 9,454 | 239 | 9,783 | 156 | 13 | 80,563 |
| POST-MORTEM (N Y DRESSED) | | | | | | | | | | |
| JAN | 25,119 | 3,507 | 28,626 | 20 | 3,292 | 97 | 3,409 | 163 | 2 | 32,200 |
| FEB | 22,795 | 2,732 | 25,527 | 35 | 3,533 | 65 | 3,633 | 134 | 1 | 29,295 |
| MAR | 22,041 | 2,573 | 24,614 | 33 | 3,830 | 95 | 3,958 | 130 | 1 | 28,703 |
| APR | 24,108 | 2,651 | 26,759 | 33 | 3,654 | 92 | 3,779 | 204 | 1 | 30,743 |
| MAY | 22,216 | 2,222 | 24,438 | 34 | 3,948 | 130 | 4,112 | 157 | 1 | 28,708 |
| JUN | 19,943 | 1,675 | 21,618 | 42 | 4,238 | 103 | 4,383 | 163 | 1 | 26,165 |
| JUL | 22,937 | 1,775 | 24,712 | 44 | 5,200 | 219 | 5,463 | 196 | 3 | 30,374 |
| AUG | 23,827 | 1,874 | 25,701 | 118 | 5,579 | 49 | 5,746 | 188 | 5 | 31,640 |
| SEP | 22,115 | 1,854 | 23,969 | 68 | 5,455 | 80 | 5,603 | 174 | 13 | 29,759 |
| OCT | 25,383 | 1,955 | 27,338 | 34 | 6,266 | 70 | 6,370 | 205 | 24 | 33,937 |
| NOV | 21,605 | 1,791 | 23,396 | 53 | 5,197 | 47 | 5,297 | 165 | 3 | 28,861 |
| DEC | 26,583 | 2,403 | 28,986 | 56 | 4,320 | 41 | 4,417 | 165 | 1 | 33,569 |
| TOTAL 1/ | 278,682 | 27,024 | 305,706 | 581 | 54,520 | 1,100 | 56,201 | 2,056 | 72 | 364,035 |

1/ INDIVIDUAL MONTHS MAY NOT ADD DUE TO ROUNDING OF MONTHLY DATA.

POULTRY: FURTHER PROCESSED AND CUT-UP(READY TO COOK WEIGHT)UNDER FEDERAL INSPECTION BY MONTHS, UNITED STATES, 1985

| TYPE AND MONTH | CHICKENS | | MATURE CHICKENS | | TURKEYS | | | OTHER POULTRY 1/ | | TOTAL POULTRY | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | FURTHER PROCESSED | CUT-UP | FURTHER PROCESSED | CUT-UP | WHOLE CARCASS2/ | FURTHER PROCESSED | CUT-UP | FURTHER PROCESSED | CUT-UP | FURTHER 3/ PROCESSED | CUT-UP |
| | THOUSAND POUNDS | | | | | | | | | | |
| POUNDS USED: | | | | | | | | | | | |
| JAN | 192,179 | 621,714 | 49,104 | 2,729 | 37,268 | 95,582 | 60,157 | 34,973 | 747 | 409,106 | 685,347 |
| FEB | 176,214 | 538,592 | 45,007 | 537 | 29,578 | 84,993 | 55,095 | 30,024 | 614 | 365,816 | 594,838 |
| MAR | 180,579 | 551,083 | 51,765 | 5,398 | 37,699 | 95,136 | 61,331 | 31,613 | 661 | 396,792 | 618,473 |
| APR | 205,564 | 615,296 | 46,804 | 2,791 | 38,282 | 101,679 | 62,179 | 32,984 | 748 | 425,313 | 681,014 |
| MAY | 203,997 | 650,508 | 48,474 | 1,505 | 50,302 | 111,538 | 63,480 | 33,493 | 856 | 447,804 | 716,349 |
| JUN | 193,187 | 593,999 | 37,412 | 1,939 | 63,807 | 112,990 | 74,069 | 27,789 | 706 | 435,185 | 670,713 |
| JUL | 206,320 | 643,457 | 36,682 | 415 | 70,175 | 113,201 | 83,836 | 28,813 | 802 | 455,191 | 728,510 |
| AUG | 203,743 | 636,737 | 44,630 | 1,323 | 74,813 | 128,423 | 83,469 | 32,824 | 844 | 484,433 | 722,373 |
| SEP | 183,634 | 586,429 | 42,154 | 6,075 | 85,232 | 117,296 | 77,220 | 26,919 | 1,222 | 455,235 | 670,946 |
| OCT | 228,033 | 687,837 | 49,870 | 1,934 | 108,114 | 127,026 | 88,219 | 30,270 | 1,880 | 543,313 | 779,870 |
| NOV | 196,358 | 542,084 | 38,289 | 2,966 | 54,095 | 116,611 | 70,608 | 25,032 | 1,198 | 430,385 | 616,856 |
| DEC | 207,719 | 579,794 | 39,178 | 1,604 | 34,051 | 85,479 | 57,611 | 24,790 | 958 | 391,217 | 639,967 |
| TOTAL 4/: | 2,377,537 | 7,247,536 | 529,378 | 29,223 | 683,423 | 1,289,960 | 837,278 | 359,534 | 11,241 | 5,239,832 | 8,125,278 |
| POUNDS CONDEMNED: | | | | | | | | | | | |
| JAN | 2,124 | 5,253 | 120 | 2 | 10 | 165 | 462 | 527 | 4 | 2,946 | 5,721 |
| FEB | 2,229 | 3,409 | 66 | 0 | 8 | 189 | 453 | 433 | 1 | 2,925 | 3,863 |
| MAR | 2,280 | 5,857 | 89 | 0 | 22 | 195 | 358 | 518 | 13 | 3,104 | 6,228 |
| APR | 3,200 | 4,404 | 93 | 0 | 6 | 189 | 303 | 54 | 1 | 3,542 | 4,708 |
| MAY | 1,961 | 4,771 | 65 | 0 | 6 | 529 | 421 | 72 | 0 | 2,633 | 5,192 |
| JUN | 2,424 | 4,113 | 86 | 0 | 6 | 258 | 309 | 156 | 1 | 2,930 | 4,423 |
| JUL | 1,866 | 4,180 | 62 | 0 | 13 | 218 | 473 | 161 | 0 | 2,320 | 4,653 |
| AUG | 1,783 | 4,002 | 63 | 0 | 8 | 275 | 487 | 113 | 0 | 2,242 | 4,489 |
| SEP | 1,706 | 4,188 | 99 | 1 | 8 | 263 | 418 | 102 | 6 | 2,178 | 4,613 |
| OCT | 2,044 | 4,507 | 97 | 6 | 16 | 295 | 593 | 456 | 6 | 2,908 | 5,112 |
| NOV | 1,936 | 4,175 | 65 | 7 | 9 | 282 | 336 | 368 | 1 | 2,660 | 4,519 |
| DEC | 2,203 | 4,300 | 61 | 4 | 9 | 150 | 406 | 477 | 1 | 2,900 | 4,711 |
| TOTAL 4/: | 25,764 | 53,165 | 975 | 26 | 128 | 3,014 | 5,026 | 3,444 | 38 | 33,325 | 58,255 |

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY
2/ WHOLE CARCASS TURKEYS WHICH HAVE BEEN INJECTED, BASTED, MARINATED, SMOKED, BARBEQUED, ECT, AND PACKAGED AS SUCH.
3/ INCLUDES WHOLE CARCASS TURKEYS. 4/ INDIVIDUAL MONTHS MAY NOT ADD TO TOTAL DUE TO ROUNDING OF MONTHLY DATA.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, JANUARY 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 197,196 | 1,726,775 | 1,077,702 | 22,316 | 145,842 | 66,510 | 167,279 | 219,748 | 35,610 | 203,288 | 3,862,266 |
| ALA | 58,192 | 235,883 | 199,232 | 2,334 | 24,672 | 7,017 | 22,129 | 22,154 | 4,549 | 7,408 | 583,570 |
| ARK | 19,307 | 266,939 | 174,632 | 8,360 | 30,960 | 13,523 | 22,030 | 34,972 | 5,895 | 15,949 | 592,567 |
| CALIF | 3,750 | 130,547 | 53,119 | 1,196 | 3,504 | 1,044 | 8,965 | 4,880 | 2,844 | 2,707 | 212,556 |
| DEL | 5,632 | 90,591 | 63,298 | 581 | 5,061 | 2,923 | 15,943 | 11,869 | 2,056 | 15,693 | 213,647 |
| FLA | 139 | 37,511 | 10,972 | 750 | 3,335 | 1,000 | 1,855 | 3,934 | 45 | 1,788 | 61,329 |
| GA | 18,117 | 208,755 | 179,292 | 1,272 | 23,587 | 8,601 | 31,626 | 49,500 | 4,328 | 17,946 | 543,024 |
| MD | 3,362 | 76,847 | 71,498 | 489 | 3,922 | 1,292 | 4,057 | 7,600 | 239 | 12,625 | 181,931 |
| MISS | 21,669 | 79,753 | 27,709 | 998 | 8,354 | 4,255 | 6,297 | 13,663 | 2,292 | 4,760 | 169,750 |
| MO | 25,873 | 28,270 | 18,180 | 1,589 | 1,690 | 1,386 | 3,760 | 3,379 | 2,821 | 458 | 87,406 |
| N CAR | 8,807 | 236,679 | 131,445 | 139 | 14,287 | 6,393 | 14,853 | 19,478 | 1,714 | 75,485 | 509,280 |
| PENN | 1,325 | 32,774 | 17,304 | 481 | 1,626 | 2,240 | 2,575 | 8,671 | 128 | 11,631 | 78,755 |
| S CAR | 571 | 37,627 | 18,637 | 149 | 3,189 | 1,916 | 5,985 | 4,108 | 1,573 | 5,928 | 79,683 |
| TENN | 2,085 | 24,219 | 6,069 | 125 | 2,151 | 915 | 3,822 | 3,862 | 411 | 3,024 | 46,683 |
| TEX | 8,246 | 73,227 | 21,258 | 982 | 5,992 | 4,903 | 6,634 | 7,902 | 2,896 | 500 | 132,540 |
| VA | 12,880 | 81,132 | 48,303 | 150 | 4,752 | 2,098 | 8,352 | 9,314 | 3,098 | 13,390 | 183,469 |

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, FEBRUARY 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 191,773 | 1,517,117 | 1,143,220 | 20,561 | 142,403 | 58,132 | 137,549 | 190,987 | 37,909 | 185,687 | 3,625,338 |
| ALA | 55,382 | 218,417 | 234,000 | 1,684 | 25,588 | 7,086 | 19,962 | 21,698 | 3,342 | 9,058 | 596,217 |
| ARK | 24,372 | 209,270 | 157,949 | 7,413 | 28,084 | 11,092 | 19,836 | 30,288 | 3,705 | 13,047 | 505,056 |
| CALIF | 2,309 | 89,599 | 46,594 | 976 | 3,135 | 714 | 6,065 | 3,827 | 7,118 | 1,827 | 162,164 |
| DEL | 6,331 | 83,572 | 67,483 | 549 | 4,782 | 2,235 | 9,305 | 10,141 | 1,442 | 15,157 | 200,997 |
| FLA | 111 | 21,653 | 7,945 | 535 | 2,930 | 822 | 1,620 | 2,734 | 19 | 506 | 38,875 |
| GA | 19,261 | 200,917 | 177,751 | 1,263 | 25,870 | 8,453 | 25,947 | 41,943 | 6,267 | 19,425 | 527,097 |
| MD | 4,482 | 64,990 | 74,677 | 440 | 4,341 | 1,205 | 3,181 | 6,187 | 223 | 11,753 | 171,479 |
| MISS | 35,924 | 87,253 | 41,386 | 892 | 7,293 | 4,060 | 8,154 | 11,559 | 2,731 | 6,700 | 205,952 |
| MO | 6,075 | 25,418 | 20,986 | 1,756 | 2,008 | 965 | 4,887 | 2,834 | 1,902 | 249 | 67,080 |
| N CAR | 11,621 | 198,588 | 119,426 | 256 | 11,644 | 5,157 | 8,501 | 16,022 | 2,072 | 46,475 | 419,762 |
| PENN | 2,025 | 25,611 | 19,611 | 221 | 1,483 | 1,419 | 2,156 | 8,047 | 0 | 9,050 | 69,623 |
| S CAR | 352 | 34,222 | 30,805 | 874 | 3,323 | 1,711 | 4,073 | 3,844 | 920 | 7,583 | 87,707 |
| TENN | 1,239 | 26,556 | 10,484 | 217 | 2,262 | 674 | 3,769 | 2,896 | 838 | 3,439 | 52,374 |
| TEX | 5,437 | 75,143 | 35,860 | 410 | 5,747 | 4,493 | 7,574 | 8,153 | 2,138 | 2,647 | 147,602 |
| VA | 12,197 | 70,493 | 63,192 | 165 | 4,995 | 1,596 | 5,130 | 7,158 | 919 | 27,245 | 193,090 |

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, MARCH 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 282,068 | 1,406,299 | 876,994 | 20,237 | 157,776 | 55,104 | 112,511 | 197,131 | 36,570 | 162,807 | 3,307,497 |
| ALA | 98,919 | 198,198 | 190,171 | 2,170 | 28,927 | 6,853 | 13,466 | 22,076 | 4,356 | 17,457 | 582,593 |
| ARK | 36,197 | 188,691 | 122,519 | 7,265 | 28,133 | 10,901 | 15,806 | 26,149 | 5,258 | 11,283 | 452,202 |
| CALIF | 2,349 | 84,062 | 26,919 | 970 | 3,633 | 490 | 5,279 | 3,190 | 1,710 | 2,908 | 131,510 |
| DEL | 8,751 | 84,454 | 58,434 | 565 | 5,212 | 2,564 | 11,852 | 11,574 | 1,465 | 13,839 | 198,710 |
| FLA | 125 | 23,542 | 6,727 | 555 | 3,223 | 979 | 1,743 | 2,871 | 330 | 449 | 40,544 |
| GA | 36,974 | 188,725 | 137,879 | 1,378 | 31,984 | 8,143 | 18,067 | 44,394 | 5,988 | 13,197 | 486,729 |
| MD | 8,747 | 61,240 | 62,226 | 414 | 5,219 | 1,102 | 4,143 | 8,651 | 1,079 | 10,419 | 163,240 |
| MISS | 31,902 | 80,876 | 41,281 | 812 | 7,234 | 3,808 | 5,978 | 10,611 | 2,131 | 3,510 | 188,143 |
| MO | 5,013 | 22,124 | 12,851 | 1,379 | 1,832 | 912 | 2,495 | 2,433 | 4,755 | 453 | 54,247 |
| N CAR | 7,946 | 194,871 | 93,066 | 244 | 13,146 | 5,256 | 8,026 | 18,017 | 2,052 | 25,721 | 368,345 |
| PENN | 1,045 | 22,880 | 12,372 | 299 | 1,603 | 1,411 | 1,648 | 9,263 | 203 | 8,445 | 59,169 |
| S CAR | 859 | 29,710 | 16,008 | 356 | 3,574 | 1,718 | 3,285 | 4,311 | 792 | 7,685 | 68,298 |
| TENN | 6,120 | 23,521 | 4,448 | 429 | 3,598 | 618 | 2,235 | 2,810 | 732 | 4,415 | 48,926 |
| TEX | 16,169 | 62,049 | 15,103 | 419 | 7,062 | 2,949 | 5,877 | 7,339 | 1,754 | 400 | 119,121 |
| VA | 11,025 | 62,991 | 48,237 | 174 | 4,644 | 1,829 | 4,945 | 10,610 | 1,906 | 29,533 | 175,894 |

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, APRIL 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 257,486 | 1,490,442 | 965,222 | 21,606 | 158,899 | 59,881 | 127,978 | 221,712 | 39,774 | 140,060 | 3,483,060 |
| ALA | 80,148 | 188,197 | 160,724 | 1,837 | 27,273 | 6,916 | 11,713 | 24,689 | 5,238 | 4,652 | 511,387 |
| ARK | 16,067 | 194,993 | 155,981 | 8,762 | 25,567 | 11,350 | 21,809 | 28,056 | 6,481 | 18,616 | 487,682 |
| CALIF | 2,447 | 80,192 | 40,037 | 852 | 3,907 | 490 | 7,189 | 3,872 | 3,627 | 2,836 | 145,449 |
| DEL | 10,116 | 92,943 | 66,419 | 606 | 4,956 | 2,347 | 12,028 | 13,458 | 1,921 | 13,813 | 218,607 |
| FLA | 209 | 32,966 | 6,967 | 542 | 3,782 | 1,325 | 1,880 | 5,224 | 78 | 255 | 53,228 |
| GA | 45,267 | 203,867 | 131,091 | 1,272 | 29,851 | 9,191 | 22,699 | 56,753 | 9,846 | 12,638 | 522,475 |
| MD | 11,263 | 67,645 | 66,235 | 504 | 4,693 | 2,279 | 3,458 | 9,341 | 558 | 10,788 | 176,764 |
| MISS | 30,154 | 89,117 | 86,003 | 930 | 8,426 | 4,073 | 6,283 | 10,619 | 3,129 | 6,529 | 245,263 |
| MO | 5,151 | 26,611 | 17,671 | 1,579 | 1,780 | 1,021 | 2,075 | 2,661 | 2,130 | 1,842 | 62,521 |
| N CAR | 9,398 | 217,507 | 95,825 | 172 | 17,375 | 5,472 | 11,153 | 18,096 | 1,447 | 23,121 | 399,566 |
| PENN | 859 | 29,251 | 18,530 | 310 | 1,359 | 1,755 | 1,999 | 6,997 | 107 | 9,674 | 70,841 |
| S CAR | 915 | 26,248 | 16,756 | 192 | 4,267 | 2,119 | 4,716 | 4,846 | 639 | 7,212 | 67,910 |
| TENN | 3,826 | 25,346 | 4,350 | 140 | 4,088 | 598 | 1,603 | 3,607 | 75 | 2,014 | 45,647 |
| TEX | 16,613 | 68,552 | 29,356 | 644 | 6,654 | 2,757 | 7,338 | 8,394 | 1,140 | 2,314 | 143,762 |
| VA | 17,898 | 63,066 | 41,506 | 216 | 6,399 | 1,815 | 5,852 | 9,126 | 2,138 | 9,339 | 157,355 |

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, MAY 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 217,986 | 1,361,964 | 701,082 | 23,559 | 158,355 | 55,187 | 136,162 | 223,584 | 39,786 | 130,761 | 3,048,426 |
| ALA | 45,502 | 157,089 | 128,104 | 1,722 | 29,128 | 6,541 | 12,679 | 23,082 | 3,059 | 5,757 | 412,663 |
| ARK | 13,864 | 181,537 | 113,794 | 7,016 | 24,759 | 10,483 | 19,923 | 29,611 | 6,517 | 17,167 | 424,671 |
| CALIF | 2,586 | 104,940 | 30,887 | 812 | 4,128 | 612 | 8,358 | 4,892 | 2,680 | 1,791 | 161,686 |
| DEL | 10,429 | 81,862 | 41,528 | 503 | 5,612 | 1,821 | 16,358 | 12,737 | 2,401 | 13,357 | 186,608 |
| FLA | 149 | 27,288 | 5,993 | 2,510 | 2,918 | 983 | 2,326 | 3,369 | 793 | 668 | 46,997 |
| GA | 36,452 | 176,097 | 75,886 | 1,005 | 27,161 | 9,453 | 22,028 | 56,030 | 8,841 | 7,957 | 420,910 |
| MD | 16,289 | 63,461 | 55,020 | 388 | 4,924 | 792 | 5,163 | 9,152 | 972 | 15,056 | 171,217 |
| MISS | 22,325 | 81,516 | 31,006 | 701 | 8,451 | 3,997 | 7,070 | 12,311 | 2,938 | 5,306 | 175,621 |
| MO | 4,031 | 20,986 | 13,969 | 1,140 | 1,941 | 840 | 1,992 | 2,687 | 1,388 | 2,017 | 50,991 |
| N CAR | 12,938 | 188,872 | 84,778 | 378 | 18,719 | 4,960 | 12,223 | 19,050 | 2,039 | 20,272 | 364,229 |
| PENN | 3,078 | 22,364 | 10,366 | 241 | 1,262 | 1,878 | 2,009 | 7,112 | 17 | 7,683 | 56,010 |
| S CAR | 977 | 29,248 | 14,574 | 146 | 4,971 | 2,068 | 3,146 | 5,759 | 2,814 | 9,269 | 72,972 |
| TENN | 2,031 | 21,706 | 1,989 | 113 | 3,811 | 587 | 1,784 | 4,218 | 663 | 2,045 | 38,947 |
| TEX | 25,261 | 62,096 | 29,393 | 596 | 6,443 | 2,561 | 7,583 | 7,710 | 1,220 | 1,088 | 143,951 |
| VA | 17,265 | 61,121 | 40,972 | 136 | 6,411 | 1,621 | 6,323 | 8,511 | 3,008 | 7,305 | 152,673 |

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, JUNE 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 133,549 | 1,245,455 | 654,378 | 31,131 | 126,745 | 56,627 | 136,640 | 222,620 | 37,584 | 122,835 | 2,767,564 |
| ALA | 13,605 | 143,777 | 117,377 | 2,054 | 23,416 | 7,067 | 15,638 | 23,043 | 5,313 | 4,037 | 355,327 |
| ARK | 7,163 | 164,320 | 97,763 | 8,384 | 20,173 | 9,903 | 15,140 | 26,571 | 4,627 | 15,997 | 370,041 |
| CALIF | 3,850 | 86,136 | 55,546 | 696 | 2,421 | 587 | 6,359 | 4,048 | 1,762 | 1,757 | 163,162 |
| DEL | 14,194 | 73,630 | 38,317 | 319 | 5,009 | 2,108 | 16,196 | 12,531 | 1,919 | 15,824 | 180,047 |
| FLA | 158 | 26,703 | 5,046 | 828 | 1,967 | 1,034 | 2,259 | 3,440 | 399 | 445 | 42,279 |
| GA | 17,658 | 167,074 | 69,698 | 1,031 | 22,068 | 10,297 | 23,152 | 55,770 | 5,474 | 11,013 | 383,235 |
| MD | 13,128 | 50,614 | 38,311 | 224 | 4,336 | 759 | 3,492 | 9,291 | 824 | 8,500 | 129,479 |
| MISS | 15,489 | 82,305 | 44,049 | 832 | 5,545 | 4,643 | 6,565 | 13,191 | 3,396 | 4,467 | 180,482 |
| MO | 3,012 | 26,598 | 13,804 | 12,393 | 1,561 | 1,255 | 3,430 | 4,894 | 2,619 | 261 | 69,827 |
| N CAR | 5,686 | 175,178 | 77,308 | 91 | 14,338 | 4,776 | 13,335 | 19,389 | 4,152 | 21,096 | 335,349 |
| PENN | 2,777 | 19,845 | 8,254 | 139 | 1,156 | 1,812 | 2,114 | 8,478 | 19 | 7,446 | 52,040 |
| S CAR | 487 | 26,604 | 19,431 | 115 | 3,764 | 1,826 | 5,178 | 6,029 | 2,073 | 8,190 | 73,697 |
| TENN | 923 | 21,011 | 1,992 | 153 | 4,162 | 595 | 1,853 | 3,398 | 659 | 1,922 | 36,668 |
| TEX | 10,197 | 45,458 | 16,849 | 495 | 4,060 | 1,798 | 6,369 | 7,100 | 568 | 664 | 93,558 |
| VA | 19,878 | 48,789 | 29,723 | 68 | 5,670 | 1,579 | 8,081 | 8,588 | 2,531 | 8,414 | 133,321 |

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, JULY 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 86577 | 1481812 | 836358 | 40081 | 129190 | 67351 | 147048 | 262172 | 48690 | 152809 | 3252088 |
| ALA | 5664 | 178349 | 164228 | 2517 | 26010 | 8106 | 15822 | 26404 | 7400 | 6308 | 440808 |
| ARK | 4113 | 199891 | 144610 | 7838 | 19019 | 11094 | 20923 | 31143 | 6888 | 16766 | 465285 |
| CALIF | 2640 | 95519 | 58937 | 1011 | 2841 | 573 | 6302 | 3984 | 2095 | 1118 | 175020 |
| DEL | 8035 | 77461 | 42895 | 356 | 4490 | 2521 | 16616 | 14454 | 4048 | 22700 | 193576 |
| FLA | 87 | 32493 | 9752 | 1118 | 2075 | 1387 | 3106 | 4201 | 840 | 0 | 55059 |
| GA | 13162 | 202769 | 100666 | 1439 | 22074 | 12019 | 26656 | 65389 | 7939 | 13314 | 465427 |
| MD | 7868 | 65015 | 46790 | 304 | 3376 | 885 | 3848 | 12474 | 829 | 9717 | 151106 |
| MISS | 12779 | 100160 | 49971 | 1115 | 6006 | 5739 | 6941 | 13830 | 5169 | 8632 | 210342 |
| MO | 843 | 30801 | 24386 | 18892 | 1443 | 1355 | 3060 | 4286 | 1407 | 0 | 86473 |
| N CAR | 5004 | 214699 | 92667 | 102 | 13935 | 5946 | 11827 | 21765 | 2047 | 27365 | 395357 |
| PENN | 6386 | 18535 | 4743 | 177 | 1212 | 2050 | 2233 | 9592 | 38 | 7470 | 52436 |
| S CAR | 110 | 34690 | 17752 | 161 | 3472 | 2689 | 4773 | 5902 | 0 | 9190 | 78739 |
| TENN | 421 | 21803 | 2775 | 229 | 5756 | 694 | 1935 | 3356 | 781 | 1140 | 38890 |
| TEX | 3139 | 54949 | 18198 | 728 | 4667 | 2108 | 7664 | 8648 | 2076 | 547 | 102724 |
| VA | 11076 | 60109 | 33238 | 189 | 5061 | 2159 | 7471 | 13594 | 2015 | 11329 | 146241 |

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, AUGUST 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 56297 | 1586689 | 917875 | 27970 | 116690 | 70787 | 155136 | 273899 | 45557 | 160543 | 3411443 |
| ALA | 3771 | 213791 | 172943 | 2557 | 22422 | 9194 | 14814 | 28637 | 5753 | 5504 | 479386 |
| ARK | 3744 | 209678 | 171561 | 9467 | 18518 | 10722 | 20485 | 35626 | 4435 | 13824 | 498060 |
| CALIF | 1483 | 98115 | 36790 | 1163 | 3802 | 590 | 5871 | 4252 | 3611 | 1522 | 157199 |
| DEL | 6514 | 88226 | 41729 | 341 | 3452 | 2788 | 19041 | 16117 | 2429 | 26187 | 206824 |
| FLA | 644 | 29766 | 8034 | 1137 | 2124 | 1257 | 2415 | 3441 | 122 | 217 | 49157 |
| GA | 8721 | 218033 | 155496 | 1632 | 18819 | 13665 | 26650 | 73318 | 9484 | 18694 | 544512 |
| MD | 4198 | 60439 | 37133 | 256 | 3161 | 1117 | 4813 | 9976 | 508 | 12445 | 134046 |
| MISS | 3292 | 120871 | 89537 | 1156 | 5966 | 6308 | 8887 | 15739 | 4537 | 9810 | 266103 |
| MO | 1338 | 29902 | 23231 | 3248 | 1701 | 1153 | 4383 | 3845 | 3371 | 209 | 72381 |
| N CAR | 2753 | 209502 | 89117 | 824 | 10847 | 5967 | 13655 | 22193 | 1714 | 27687 | 384259 |
| PENN | 9108 | 20234 | 5028 | 357 | 1100 | 2087 | 2022 | 7710 | 0 | 7231 | 54877 |
| S CAR | 141 | 44088 | 22079 | 139 | 3674 | 3025 | 6744 | 6315 | 2983 | 11136 | 100324 |
| TENN | 1030 | 22116 | 1722 | 136 | 4308 | 651 | 1655 | 3190 | 317 | 1195 | 36320 |
| TEX | 1307 | 65513 | 16513 | 1434 | 5174 | 2803 | 6347 | 11845 | 1285 | 2632 | 114853 |
| VA | 4416 | 58950 | 25567 | 58 | 4307 | 2138 | 9431 | 10765 | 3155 | 8672 | 127459 |

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, SEPTEMBER 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| J S | 40019 | 1465001 | 789245 | 24327 | 108557 | 58718 | 126854 | 263853 | 41732 | 160224 | 3078530 |
| ALA | 2423 | 198617 | 160099 | 2377 | 20634 | 7925 | 11799 | 26597 | 4940 | 7248 | 442659 |
| ARK | 3629 | 188704 | 138434 | 6301 | 17979 | 9247 | 17799 | 33272 | 6994 | 13666 | 436025 |
| CALIF | 1989 | 87719 | 31969 | 962 | 3360 | 444 | 4165 | 3018 | 4889 | 1332 | 139847 |
| DEL | 3632 | 86671 | 38327 | 374 | 3374 | 2571 | 13956 | 15266 | 4616 | 21295 | 190082 |
| FLA | 260 | 38400 | 19835 | 800 | 2153 | 1013 | 1759 | 3365 | 285 | 1007 | 68877 |
| GA | 4632 | 187709 | 90222 | 1495 | 17324 | 10930 | 26977 | 81624 | 5757 | 22760 | 449430 |
| MD | 2581 | 49418 | 28059 | 237 | 2385 | 915 | 3933 | 8127 | 305 | 8878 | 104838 |
| MISS | 1058 | 97871 | 58908 | 745 | 5421 | 4195 | 4996 | 13438 | 2169 | 15951 | 204752 |
| MO | 1022 | 33655 | 35855 | 5097 | 2128 | 1080 | 2298 | 5278 | 4482 | 197 | 91092 |
| N CAR | 2053 | 212081 | 102102 | 265 | 11360 | 4921 | 12862 | 21062 | 2494 | 25258 | 394456 |
| PENN | 6380 | 21093 | 5346 | 329 | 1274 | 2062 | 1611 | 5718 | 69 | 8158 | 52040 |
| S CAR | 34 | 40487 | 23155 | 127 | 3154 | 1898 | 5355 | 6073 | 1559 | 8578 | 90420 |
| TENN | 1084 | 21917 | 2549 | 162 | 5097 | 599 | 1579 | 3839 | 583 | 1273 | 38682 |
| TEX | 3505 | 54018 | 12432 | 855 | 5104 | 2278 | 6570 | 11708 | 547 | 1286 | 98303 |
| VA | 3408 | 57237 | 22022 | 209 | 2678 | 2287 | 5366 | 9474 | 1412 | 11027 | 115120 |

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, OCTOBER 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 83519 | 1710571 | 998801 | 20684 | 130515 | 62445 | 142590 | 263730 | 44777 | 188682 | 3646314 |
| ALA | 4055 | 217221 | 178636 | 2175 | 23741 | 8596 | 13645 | 28045 | 4858 | 14324 | 495296 |
| ARK | 6205 | 221357 | 178389 | 6340 | 17974 | 9820 | 19480 | 37845 | 5843 | 18768 | 522021 |
| CALIF | 2209 | 139356 | 62168 | 625 | 4286 | 652 | 6090 | 4157 | 2699 | 1949 | 224191 |
| DEL | 4746 | 114212 | 57597 | 460 | 4214 | 2914 | 14968 | 15419 | 4795 | 32029 | 251354 |
| FLA | 270 | 36413 | 15662 | 631 | 3329 | 986 | 1612 | 3940 | 213 | 251 | 63307 |
| GA | 4540 | 183014 | 97225 | 1210 | 19505 | 10388 | 28275 | 57155 | 5459 | 18962 | 425733 |
| MD | 4479 | 61583 | 42327 | 293 | 4173 | 1481 | 5540 | 11311 | 768 | 10177 | 142132 |
| MISS | 1064 | 98473 | 56722 | 627 | 6241 | 3801 | 5355 | 15408 | 2406 | 17671 | 207768 |
| MO | 1161 | 40066 | 63671 | 1833 | 2218 | 1232 | 2661 | 5451 | 7533 | 0 | 125826 |
| N CAR | 1588 | 230570 | 116445 | 266 | 14637 | 5686 | 13508 | 21680 | 690 | 27181 | 432251 |
| PENN | 20989 | 28977 | 16334 | 289 | 1962 | 2361 | 2486 | 9313 | 144 | 11227 | 94082 |
| S CAR | 300 | 60751 | 37386 | 147 | 3654 | 2170 | 4138 | 8006 | 2542 | 8478 | 127572 |
| TENN | 1081 | 29218 | 2698 | 151 | 6174 | 592 | 2163 | 4519 | 1933 | 1884 | 50413 |
| TEX | 22104 | 65524 | 14333 | 775 | 7145 | 2553 | 7009 | 13279 | 1753 | 2694 | 137169 |
| VA | 4483 | 59744 | 26785 | 404 | 3945 | 2116 | 4680 | 8549 | 1677 | 7995 | 120378 |

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, NOVEMBER 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 55853 | 1530861 | 1006234 | 19003 | 113046 | 54612 | 114581 | 208307 | 30220 | 158756 | 3291477 |
| ALA | 3781 | 205912 | 181852 | 2735 | 20358 | 8395 | 11951 | 26467 | 2853 | 10109 | 474413 |
| ARK | 5453 | 211841 | 185132 | 6646 | 15449 | 9449 | 19994 | 28024 | 4321 | 18702 | 505011 |
| CALIF | 2499 | 138630 | 60900 | 918 | 4057 | 477 | 5672 | 3917 | 2403 | 1903 | 221376 |
| DEL | 3675 | 97167 | 73647 | 274 | 3673 | 2279 | 12162 | 13414 | 3695 | 22122 | 232108 |
| FLA | 356 | 33504 | 25651 | 383 | 3631 | 870 | 1214 | 3786 | 111 | 24 | 69530 |
| GA | 3434 | 156924 | 97303 | 1124 | 16593 | 8676 | 18634 | 33858 | 3627 | 7431 | 347604 |
| MD | 7113 | 62494 | 55343 | 363 | 3883 | 1387 | 4331 | 11331 | 1025 | 9273 | 156543 |
| MISS | 1099 | 91839 | 61391 | 448 | 5286 | 3290 | 4338 | 14422 | 2214 | 30465 | 214792 |
| MO | 1209 | 36167 | 42344 | 1872 | 1664 | 1149 | 1932 | 3111 | 1475 | 158 | 91081 |
| N CAR | 1686 | 176885 | 89039 | 313 | 12172 | 4458 | 10497 | 15751 | 1936 | 16663 | 349400 |
| PENN | 953 | 21047 | 11299 | 229 | 2467 | 1551 | 2028 | 3288 | 32 | 10134 | 58028 |
| S CAR | 58 | 44946 | 32951 | 112 | 2745 | 1810 | 2516 | 8162 | 1084 | 12189 | 106573 |
| TENN | 1269 | 25160 | 3805 | 131 | 4796 | 608 | 1640 | 3621 | 0 | 1343 | 42373 |
| TEX | 16320 | 61180 | 18469 | 514 | 4950 | 2355 | 6872 | 10999 | 1829 | 1316 | 124804 |
| VA | 4495 | 55755 | 32626 | 95 | 5176 | 1911 | 2931 | 6047 | 1195 | 6707 | 116938 |

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, DECEMBER 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 68184 | 1873130 | 1363341 | 22782 | 138212 | 60253 | 142198 | 225284 | 34689 | 188247 | 4116320 |
| ALA | 3184 | 238842 | 216486 | 1920 | 23890 | 8563 | 18125 | 25268 | 3171 | 12894 | 552343 |
| ARK | 11115 | 283103 | 250709 | 8215 | 17764 | 10236 | 26385 | 30641 | 4263 | 19886 | 662317 |
| CALIF | 2791 | 126935 | 59012 | 743 | 3936 | 437 | 5154 | 3515 | 5937 | 1669 | 210129 |
| DEL | 5887 | 113349 | 86996 | 568 | 4391 | 3168 | 8245 | 14068 | 3264 | 30375 | 270811 |
| FLA | 209 | 44057 | 31217 | 443 | 6068 | 998 | 1501 | 4426 | 154 | 111 | 89184 |
| GA | 3763 | 186931 | 148411 | 1157 | 23049 | 9044 | 22810 | 38577 | 5922 | 9543 | 449307 |
| MD | 6332 | 79766 | 97337 | 633 | 4586 | 1528 | 4529 | 9975 | 560 | 12945 | 218191 |
| MISS | 3889 | 130543 | 99078 | 605 | 6680 | 3913 | 6430 | 13615 | 3637 | 18931 | 287321 |
| MO | 2975 | 39167 | 45218 | 2730 | 2164 | 1120 | 4749 | 2721 | 918 | 353 | 102115 |
| N CAR | 3226 | 237897 | 130711 | 153 | 16957 | 5188 | 12882 | 18283 | 1199 | 22095 | 448591 |
| PENN | 2854 | 26097 | 20012 | 185 | 2987 | 1607 | 1784 | 9888 | 0 | 13149 | 78563 |
| S CAR | 1821 | 53176 | 52575 | 1088 | 3134 | 1928 | 3017 | 9493 | 1515 | 10813 | 138560 |
| TENN | 448 | 28656 | 6502 | 129 | 4929 | 1001 | 3378 | 4442 | 63 | 2675 | 52223 |
| TEX | 11977 | 79395 | 23255 | 858 | 5125 | 2697 | 9181 | 14804 | 2257 | 2150 | 151699 |
| VA | 5219 | 82882 | 56446 | 75 | 4192 | 2111 | 3806 | 6927 | 414 | 19225 | 181297 |

YOUNG TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, JANUARY 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 89 | 51892 | 16497 | 6591 | 114 | 809 | 3522 | 4212 | 844 | 3890 | 88460 |
| ARK | 0 | 3025 | 870 | 777 | 0 | 149 | 190 | 497 | 0 | 0 | 5508 |
| CALIF | 0 | 5324 | 170 | 226 | 23 | 22 | 332 | 237 | 0 | 26 | 6360 |
| IA | 0 | 5618 | 6922 | 3133 | 15 | 31 | 102 | 274 | 95 | 392 | 16582 |
| MINN | 0 | 5766 | 3064 | 962 | 0 | 139 | 763 | 1084 | 437 | 186 | 12401 |
| N CAR | 0 | 2771 | 286 | 0 | 8 | 53 | 139 | 225 | 0 | 12 | 3494 |
| PENN | 0 | 2449 | 412 | 25 | 9 | 0 | 121 | 153 | 0 | 35 | 3204 |
| VA | 17 | 8472 | 1239 | 127 | 25 | 50 | 1437 | 964 | 0 | 2039 | 14370 |

YOUNG TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, FEBRUARY 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 72 | 54119 | 27546 | 5085 | 127 | 1180 | 3415 | 5593 | 413 | 4992 | 102542 |
| ARK | 0 | 5656 | 1479 | 218 | 0 | 309 | 379 | 1091 | 0 | 0 | 9132 |
| CALIF | 0 | 4945 | 101 | 162 | 18 | 13 | 189 | 154 | 0 | 0 | 5582 |
| IA | 0 | 3899 | 8599 | 1894 | 0 | 28 | 76 | 315 | 0 | 195 | 15006 |
| MINN | 0 | 7393 | 6785 | 1429 | 19 | 156 | 644 | 703 | 0 | 226 | 17355 |
| N CAR | 0 | 2879 | 290 | 0 | 0 | 50 | 84 | 190 | 0 | 16 | 3509 |
| PENN | 0 | 2445 | 296 | 0 | 0 | 0 | 141 | 94 | 0 | -- | 2976 |
| VA | 0 | 8670 | 2226 | 104 | 0 | 64 | 1493 | 2109 | 24 | 3098 | 17788 |

YOUNG TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, MARCH 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 632 | 72989 | 24641 | 6892 | 116 | 1269 | 3824 | 5449 | 349 | 4333 | 120494 |
| ARK | 0 | 7728 | 1740 | 745 | 23 | 323 | 163 | 1363 | 0 | 0 | 12085 |
| CALIF | 0 | 9693 | 115 | 556 | 0 | 10 | 90 | 135 | 0 | 0 | 10599 |
| IA | 0 | 4222 | 6054 | 1978 | 0 | 34 | 83 | 280 | 0 | 361 | 13012 |
| MINN | 0 | 7204 | 6310 | 1852 | 16 | 157 | 993 | 934 | 97 | 232 | 17795 |
| N CAR | 0 | 4708 | 431 | 0 | 25 | 98 | 114 | 280 | 0 | 56 | 5712 |
| PENN | 0 | 3982 | 536 | 0 | 0 | 0 | 74 | 0 | 0 | 0 | 4592 |
| VA | 8 | 6757 | 2504 | 84 | 0 | 26 | 1426 | 1262 | 29 | 1495 | 13591 |

YOUNG TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, APRIL 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CONTAM-CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 455 | 78995 | 11555 | 7376 | 168 | 1232 | 2855 | 5196 | 473 | 2941 | 111246 |
| ARK | 204 | 8771 | 610 | 1317 | 0 | 301 | 310 | 1289 | 0 | 0 | 12802 |
| CALIF | 0 | 14626 | 278 | 682 | 28 | 69 | 177 | 208 | 11 | 0 | 16079 |
| IA | 0 | 3878 | 2170 | 2227 | 0 | 31 | 46 | 303 | 0 | 213 | 8868 |
| MINN | 0 | 4953 | 1940 | 1315 | 30 | 110 | 505 | 780 | 0 | 138 | 9771 |
| N CAR | 0 | 4002 | 253 | 0 | 0 | 96 | 74 | 304 | 0 | 14 | 4743 |
| PENN | 0 | 2184 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2184 |
| VA | 0 | 7905 | 1799 | 87 | 0 | 38 | 780 | 1362 | 0 | 699 | 12670 |

YOUNG TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, MAY 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CONTAM-CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 230 | 73473 | 9924 | 12404 | 227 | 1774 | 3443 | 5428 | 776 | 3671 | 111350 |
| ARK | 0 | 9666 | 898 | 2866 | 23 | 309 | 325 | 1264 | 0 | 0 | 15351 |
| CALIF | 0 | 11180 | 258 | 425 | 86 | 44 | 249 | 271 | 0 | 15 | 12528 |
| IA | 0 | 3675 | 1724 | 2535 | 12 | 46 | 30 | 235 | 73 | 387 | 8717 |
| MINN | 0 | 6462 | 1917 | 2470 | 0 | 99 | 756 | 778 | 124 | 429 | 13035 |
| N CAR | 0 | 4516 | 582 | 0 | 0 | 90 | 87 | 287 | 0 | 24 | 5586 |
| PENN | 2400 | 468 | 0 | 0 | 38 | 0 | 113 | 0 | 0 | 0 | 3019 |
| VA | 0 | 6837 | 1084 | 78 | 0 | 32 | 1287 | 1268 | 136 | 452 | 11174 |

YOUNG TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, JUNE 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CONTAM-CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 376 | 77874 | 12181 | 13557 | 201 | 1741 | 4030 | 6106 | 1146 | 4950 | 122162 |
| ARK | 0 | 9842 | 1045 | 3561 | 16 | 306 | 257 | 1191 | 0 | 0 | 16218 |
| CALIF | 0 | 7922 | 126 | 236 | 42 | 30 | 124 | 281 | 353 | 0 | 9114 |
| IA | 0 | 5160 | 2629 | 3540 | 24 | 63 | 145 | 288 | 71 | 288 | 12208 |
| MINN | 5 | 10183 | 2401 | 3374 | 0 | 180 | 1068 | 1373 | 365 | 583 | 19532 |
| N CAR | 0 | 4135 | 956 | 0 | 0 | 91 | 138 | 445 | 0 | 0 | 5765 |
| VA | 0 | 5186 | 1149 | 89 | 0 | 40 | 1505 | 847 | 19 | 1024 | 9859 |

YOUNG TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, JULY 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | |
| U S | 198 | 93332 | 14273 | 20417 | 287 | 1869 | 5144 | 7388 | 1473 | 6610 | 150991 |
| ARK | 0 | 8029 | 1092 | 5039 | 25 | 279 | 305 | 1463 | 0 | 0 | 16232 |
| CALIF | 0 | 11793 | 1603 | 157 | 47 | 31 | 130 | 255 | 0 | 19 | 14035 |
| IA | 0 | 5326 | 1537 | 7210 | 38 | 81 | 156 | 444 | 74 | 504 | 15370 |
| MINN | 15 | 14267 | 2206 | 4260 | 11 | 215 | 1560 | 1785 | 347 | 665 | 25331 |
| N CAR | 0 | 5816 | 1184 | 0 | 52 | 127 | 176 | 358 | 0 | 0 | 7713 |
| PENN | 0 | 1798 | 184 | 24 | 0 | 0 | 164 | 95 | 0 | 55 | 2320 |
| VA | 0 | 9047 | 1756 | 146 | 0 | 32 | 1313 | 1013 | 21 | 1235 | 14536 |

YOUNG TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, AUGUST 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | |
| U S | 83 | 103170 | 34998 | 19021 | 500 | 1809 | 5355 | 7209 | 2446 | 6680 | 181271 |
| ARK | 0 | 9200 | 3771 | 2494 | 0 | 241 | 250 | 1080 | 0 | 0 | 17036 |
| CALIF | 0 | 11713 | 727 | 172 | 87 | 53 | 211 | 230 | 511 | 0 | 13704 |
| IA | 0 | 7531 | 2762 | 5692 | 20 | 76 | 256 | 412 | 202 | 395 | 17346 |
| MINN | 12 | 14928 | 2373 | 6075 | 31 | 264 | 1039 | 1560 | 527 | 496 | 27305 |
| N CAR | 0 | 5391 | 1136 | 0 | 0 | 101 | 148 | 338 | 0 | 43 | 7157 |
| PENN | 0 | 2879 | 576 | 11 | 0 | 0 | 306 | 106 | 0 | 0 | 3878 |
| VA | 6 | 10980 | 15868 | 83 | 0 | 41 | 1872 | 981 | 70 | 1121 | 31022 |

YOUNG TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, SEPTEMBER 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | |
| U S | 282 | 109631 | 20193 | 17579 | 278 | 1967 | 4509 | 7189 | 1018 | 7054 | 169700 |
| ARK | 0 | 10448 | 3391 | 2783 | 0 | 226 | 271 | 832 | 0 | 0 | 17951 |
| CALIF | 0 | 10012 | 709 | 270 | 119 | 49 | 331 | 177 | 142 | 0 | 11809 |
| IA | 0 | 7195 | 2071 | 5033 | 28 | 63 | 393 | 460 | 198 | 575 | 16016 |
| MINN | 5 | 16887 | 2189 | 4692 | 16 | 269 | 929 | 1480 | 197 | 777 | 27441 |
| N CAR | 0 | 5382 | 817 | 0 | 0 | 104 | 137 | 442 | 0 | 0 | 6882 |
| PENN | 0 | 3108 | 479 | 32 | 0 | 36 | 322 | 130 | 0 | 154 | 4261 |
| VA | 0 | 10078 | 1427 | 168 | 0 | 29 | 1013 | 1197 | 135 | 465 | 14512 |

YOUNG TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, OCTOBER 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 141 | 140314 | 14488 | 16863 | 401 | 2433 | 5514 | 7490 | 1378 | 4958 | 193980 |
| ARK | 0 | 7648 | 916 | 1297 | 0 | 158 | 256 | 360 | 0 | 0 | 10635 |
| CALIF | 8 | 15831 | 999 | 674 | 106 | 21 | 477 | 208 | 0 | 0 | 18324 |
| IA | 0 | 6732 | 1746 | 3735 | 77 | 57 | 290 | 484 | 29 | 560 | 13710 |
| MINN | 6 | 22674 | 2807 | 5574 | 45 | 393 | 1902 | 2170 | 711 | 882 | 37164 |
| N CAR | 0 | 10010 | 900 | 0 | 0 | 125 | 179 | 432 | 0 | 94 | 11740 |
| PENN | 0 | 4310 | 846 | 170 | 0 | 42 | 162 | 175 | 0 | 41 | 5746 |
| VA | 6 | 16248 | 984 | 64 | 0 | 59 | 1150 | 804 | 74 | 412 | 19801 |

YOUNG TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, NOVEMBER 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 318 | 115192 | 15855 | 13467 | 302 | 2146 | 4634 | 5453 | 675 | 8046 | 166088 |
| ARK | 0 | 3711 | 336 | 1357 | 0 | 63 | 56 | 191 | 0 | 0 | 5714 |
| CALIF | 62 | 16242 | 1499 | 287 | 107 | 34 | 353 | 265 | 126 | 0 | 18975 |
| IA | 0 | 6336 | 1026 | 3723 | 43 | 22 | 155 | 306 | 6 | 668 | 12285 |
| MINN | 47 | 21516 | 4541 | 4422 | 19 | 373 | 1554 | 1477 | 225 | 2567 | 36741 |
| N CAR | 50 | 5754 | 805 | 0 | 17 | 168 | 169 | 399 | 56 | 43 | 7461 |
| PENN | 10 | 5213 | 1155 | 331 | 6 | 44 | 130 | 172 | 0 | 54 | 7115 |
| VA | 0 | 12445 | 2643 | 234 | 0 | 65 | 1109 | 477 | 96 | 407 | 17476 |

YOUNG TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, U.S. AND SELECTED STATES, DECEMBER 1985

| STATE | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | WHOLE NUMBERS | | | | | | |
| U S | 365 | 104108 | 17644 | 10120 | 218 | 1943 | 3910 | 3959 | 823 | 3366 | 146456 |
| CALIF | 0 | 14524 | 1211 | 388 | 81 | 31 | 305 | 151 | 119 | 6 | 16816 |
| IA | 0 | 5552 | 3254 | 3290 | 0 | 45 | 184 | 288 | 0 | 283 | 12896 |
| MINN | 149 | 20560 | 4252 | 2821 | 39 | 386 | 1136 | 1163 | 479 | 1247 | 32232 |
| N CAR | 0 | 4668 | 726 | 0 | 0 | 123 | 149 | 303 | 0 | 31 | 6000 |
| PENN | 155 | 5495 | 817 | 388 | 4 | 25 | 231 | 150 | 0 | 47 | 7312 |
| VA | 10 | 11402 | 1936 | 197 | 0 | 66 | 960 | 204 | 0 | 332 | 15107 |

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, U.S. AND SELECTED STATES, 1985

| STATE | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | TOTAL 1/ |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | THOUSAND HEAD | | | | | | | | | | | | |
| U S | 375,131 | 325,431 | 355,018 | 387,763 | 396,518 | 361,451 | 399,428 | 398,826 | 354,690 | 406,178 | 325,845 | 352,589 | 4,438,868 |
| ALA | 47,901 | 42,242 | 45,441 | 50,153 | 50,778 | 47,045 | 50,617 | 52,327 | 47,034 | 52,924 | 44,734 | 46,494 | 577,690 |
| ARK | 65,582 | 56,136 | 61,761 | 66,888 | 67,340 | 60,159 | 64,325 | 64,136 | 59,629 | 65,261 | 53,090 | 57,157 | 741,464 |
| CALIF | 15,382 | 11,983 | 12,899 | 15,465 | 15,893 | 15,230 | 15,300 | 16,862 | 12,775 | 16,219 | 11,473 | 12,724 | 172,205 |
| DEL | 16,930 | 14,352 | 15,603 | 16,512 | 16,956 | 16,080 | 17,374 | 16,963 | 15,038 | 19,192 | 14,511 | 15,601 | 195,112 |
| FLA | 7,901 | 6,559 | 7,270 | 8,142 | 7,559 | 6,695 | 7,980 | 7,764 | 7,280 | 7,583 | 6,474 | 7,684 | 88,891 |
| GA | 54,718 | 50,284 | 54,069 | 58,244 | 58,441 | 54,893 | 62,437 | 60,703 | 53,419 | 58,286 | 47,821 | 51,692 | 665,007 |
| MD | 13,927 | 12,067 | 13,594 | 13,962 | 15,248 | 13,475 | 15,826 | 15,004 | 13,100 | 16,714 | 13,662 | 13,663 | 170,242 |
| MISS | 27,714 | 24,405 | 24,055 | 27,458 | 29,302 | 25,643 | 28,801 | 28,903 | 25,555 | 28,158 | 24,518 | 26,372 | 320,884 |
| MO | 6,856 | 5,745 | 6,405 | 6,708 | 7,083 | 6,898 | 7,275 | 7,793 | 7,203 | 8,145 | 6,466 | 7,173 | 83,750 |
| N CAR | 39,310 | 31,240 | 35,655 | 40,075 | 41,095 | 36,590 | 41,604 | 39,870 | 36,071 | 41,399 | 30,700 | 35,113 | 448,722 |
| PENN | 6,633 | 5,862 | 6,374 | 7,043 | 6,881 | 6,476 | 6,793 | 6,356 | 6,216 | 7,213 | 5,893 | 6,144 | 77,884 |
| S CAR | 7,184 | 6,376 | 7,272 | 7,320 | 8,031 | 6,568 | 7,601 | 8,546 | 6,919 | 8,140 | 6,430 | 6,783 | 87,170 |
| TENN | 6,581 | 5,773 | 6,900 | 7,625 | 7,536 | 6,762 | 7,940 | 7,677 | 7,179 | 7,924 | 6,948 | 6,764 | 85,609 |
| TEX | 18,972 | 17,812 | 19,485 | 20,673 | 21,902 | 18,597 | 21,051 | 22,403 | 19,276 | 22,491 | 16,890 | 19,423 | 238,975 |
| VA | 19,549 | 16,757 | 17,161 | 19,445 | 19,583 | 18,448 | 20,583 | 19,745 | 17,694 | 20,360 | 15,406 | 16,882 | 221,613 |

YOUNG TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, U.S. AND SELECTED STATES, 1985

| STATE | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | TOTAL 1/ |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | THOUSAND HEAD | | | | | | | | | | | | |
| U S | 8,979 | 8,895 | 10,872 | 10,744 | 13,153 | 14,640 | 16,508 | 17,878 | 17,643 | 20,435 | 17,270 | 12,576 | 169,593 |
| ARK | 663 | 728 | 813 | 954 | 1,430 | 1,431 | 1,348 | 1,425 | 1,448 | 1,045 | 552 | 0 | 11,837 |
| CALIF | 1,126 | 1,013 | 1,118 | 1,396 | 1,719 | 1,664 | 1,724 | 1,888 | 1,839 | 2,179 | 2,374 | 1,762 | 19,802 |
| IOWA | 739 | 543 | 682 | 625 | 749 | 1,025 | 1,161 | 1,326 | 1,301 | 1,414 | 1,182 | 879 | 11,626 |
| MINN | 960 | 1,149 | 1,472 | 1,033 | 1,516 | 2,322 | 3,043 | 3,173 | 3,288 | 4,150 | 2,858 | 1,801 | 26,765 |
| N CAR | 1,349 | 1,277 | 1,635 | 1,601 | 1,792 | 1,889 | 1,915 | 2,102 | 2,300 | 2,462 | 2,139 | 1,614 | 22,075 |
| PENN | 322 | 326 | 416 | 302 | 322 | 377 | 364 | 481 | 487 | 652 | 685 | 589 | 5,323 |
| VA | 1,514 | 1,536 | 1,655 | 1,629 | 1,818 | 1,671 | 1,956 | 2,109 | 1,743 | 2,120 | 1,869 | 1,605 | 21,225 |

1/ INDIVIDUAL MONTHS MAY NOT ADD TO TOTAL DUE TO ROUNDING OF MONTHLY DATA.

TOTAL POULTRY SLAUGHTERED (READY-TO-COOK WEIGHTS),
UNITED STATES, 1984 AND 1985

| YEAR | FEDERAL INSPECTION | NON-FEDERAL INSPECTION 1/ | TOTAL INSPECTION |
|---|---|---|---|
| 1984 | 16,088 | 83 | 16,170 |
| 1985 | 16,871 | 79 | 16,950 |

1/ EXCLUDES DUCKS AND OTHER MISCELLANEOUS POULTRY.

DEFINITIONS USED TO REPORT FEDERALLY INSPECTED SLAUGHTER:

YOUNG CHICKENS - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

MATURE CHICKENS - Fowl from breeder and market egg flocks and stags and cocks.

FRYER-ROASTER TURKEYS - Young immature birds, usually under 16 weeks of age.

YOUNG TURKEYS (MATURE) - Young birds grown to a matured market age, about 5 months.

OLD TURKEYS (BREEDERS) - Fully matured birds held for egg production, usually over 15 months of age.

DUCKS - Includes all ducks regardless of age and weight.

OTHER POULTRY - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

**********
* The data presented in this report were compiled by the Meat and Poultry *
* Inspection Program, Food Safety Inspection Service. Data for March 1986 *
* include reports available for summary in late April 1986. The degree of *
* incompleteness due to late reports will vary from month to month. *
* *
* Requests for a subscription order form covering all available reports *
* should be directed to Agricultural Statistics Board Publications, Room *
* 5829-South Building, USDA, Washington, D.C. 20250 (Phone (202) 447-4021).*
* *
* This report and other statistical, economic, marketing and news reports *
* are available as soon as possible following release through USDA's EDI *
* SERVICE. For more information, call or write: Russell Forte, (202) *
* 447-5505, OGPA, USDA, Washington, D.C. 20250. *
**********


*U.S. GOVERNMENT PRINTING OFFICE: 1986-490-916:40295/SRS

986/4

# Poultry Slaughter

Agricultural Statistics Board
National Agricultural Statistics Service

United States Department of Agriculture
Washington, D.C. 20250

NEWARK PUBLIC LIBRARY
JUN 18 1986
U. S. GOVT. PUBS.

RELEASED: June 2, 1986
3:00 P.M. ET

The preliminary total of LIVE WEIGHT POULTRY INSPECTIONS was 2.06 billion pounds (933 thousand metric tons) for April 1986.

Inspections included 1.71 billion pounds (774 thousand metric tons) of young chickens, 81.7 million pounds (37.1 thousand metric tons) of mature chickens, 256 million pounds (116 thousand metric tons) of turkeys and 12.7 million pounds (5770 metric tons) of ducks.

POULTRY CERTIFIED WHOLESOME during April 1986 was 1.50 billion pounds (682 thousand metric tons) ready to-cook weight. Updated totals for March 1986 show that 1.36 billion pounds (619 thousand metric tons) were certified.

ANTE-MORTEM CONDEMNATIONS during April 1986 totaled 5.93 million pounds (2690 metric tons). Condemnations were 0.28 percent of the live weight inspected, unchanged from April a year ago. POST-MORTEM CONDEMNATIONS, at 34.9 million pounds (15.8 thousand metric tons) (N.Y. Dressed Weight), were 1.89 percent of quantities inspected compared with 1.74 percent a year earlier.

FURTHER PROCESSED poultry totaled 423 million pounds (192 thousand metric tons) ready-to-cook weight. CUT-UP poultry totaled 764 million pounds (347 thousand metric tons).

**********

NOTICE

The data presented in this report were compiled by the Meat and Poultry Inspection Program, Food Safety Inspection Service. Data for April 1986 include reports available for summary in late May 1986. The degree of incompleteness due to late reports will vary from month to month.

AGENCY NAME CHANGE

The Statistical Reporting Service staff has been active during the past 3 years examining virtually every aspect of its work. One phase dealt with the Agency's identity within the agricultural and statistical communities. As a result of this study, the name of the Statistical Reporting Service has been changed to National Agricultural Statistics Service. This name more accurately reflects the purpose of the Agency, its broad agricultural focus, and the service aspect of its responsibility. In line with this change, the Agency's Crop Reporting Board has been renamed the Agricultural Statistics Board to better describe the scope of its output.

**********

Pou 2-1 (6-86)

For Information Call: (202) 447-2123

A 92.9/5:

## POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, APRIL 1986 WITH COMPARISONS

| | | CHICKENS | | | TURKEY | | | | DUCKS | OTHER POULTRY | TOTAL POULTRY |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | YOUNG | MATURE 1/ | TOTAL | FRYER-ROASTERS | YOUNG 2/ | OLD | TOTAL | | | |
| | | | | | | THOUSANDS | | | | | |
| NUMBER INSPECTED | | | | | | | | | | | |
| MARCH | 1986 | 359,671 | 17,505 | 377,176 | 355 | 12,038 | 54 | 12,447 | 1,626 | --- | --- |
| APRIL | 1985 | 387,763 | 17,334 | 405,097 | 331 | 10,744 | 93 | 11,168 | 1,821 | --- | --- |
| APRIL | 1986 | 395,666 | 18,139 | 413,805 | 319 | 12,466 | 67 | 12,854 | 1,904 | --- | --- |
| JAN-APR | 1985 | 1,443,344 | 72,450 | 1,515,794 | 954 | 39,491 | 382 | 40,827 | 6,463 | --- | --- |
| JAN-APR | 1986 | 1,494,312 | 67,646 | 1,561,958 | 1,219 | 45,544 | 274 | 47,037 | 6,865 | --- | --- |
| POUNDS INSPECTED | | | | | | | | | | | |
| MARCH | 1986 | 1,544,843 | 78,659 | 1,623,502 | 3,644 | 238,642 | 1,258 | 243,544 | 10,980 | 170 | 1,878,196 |
| APRIL | 1985 | 1,646,251 | 78,113 | 1,724,364 | 3,126 | 216,306 | 2,051 | 221,483 | 12,160 | 197 | 1,958,204 |
| APRIL | 1986 | 1,705,746 | 81,741 | 1,787,487 | 2,940 | 251,797 | 1,612 | 256,349 | 12,726 | 209 | 2,056,771 |
| JAN-APR | 1985 | 6,086,152 | 316,751 | 6,402,903 | 9,085 | 811,356 | 8,421 | 828,862 | 42,560 | 826 | 7,275,151 |
| JAN-APR | 1986 | 6,425,566 | 302,186 | 6,727,752 | 11,939 | 935,462 | 6,393 | 953,794 | 46,235 | 818 | 7,728,599 |
| AVERAGE LIVEWEIGHT | | | | | | POUNDS | | | | | |
| MARCH | 1986 | 4.29 | 4.49 | 4.30 | 10.25 | 19.82 | 23.13 | 19.56 | 6.74 | --- | --- |
| APRIL | 1985 | 4.24 | 4.50 | 4.25 | 9.43 | 20.13 | 21.93 | 19.83 | 6.67 | --- | --- |
| APRIL | 1986 | 4.31 | 4.50 | 4.31 | 9.20 | 20.19 | 23.98 | 19.94 | 6.68 | --- | --- |
| JAN-APR | 1985 | 4.21 | 4.37 | 4.22 | 9.52 | 20.54 | 21.99 | 20.30 | 6.58 | --- | --- |
| JAN-APR | 1986 | 4.30 | 4.46 | 4.30 | 9.79 | 20.53 | 23.30 | 20.27 | 6.73 | --- | --- |

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:
APRIL 1985: 3,515 APRIL 1986: 3,553
2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:
APRIL 1985: 091 APRIL 1986: 125

## POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), APRIL 1986 WITH COMPARISONS

| | | CHICKENS | | | TURKEY | | | | DUCKS | OTHER POULTRY | TOTAL POULTRY |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | YOUNG | MATURE | TOTAL | FRYER-ROASTERS | YOUNG | OLD | TOTAL | | | |
| | | | | | | THOUSANDS | | | | | |
| MARCH | 1986 | | | | | | | | | | |
| | CHILLED | 1,039,421 | 43,388 | 1,082,809 | 249 | 89,168 | 548 | 89,965 | 2,098 | 000 | 1,174,872 |
| | FROZEN | 75,070 | 5,485 | 80,555 | 2,606 | 100,613 | 349 | 103,618 | 5,552 | 090 | 189,815 |
| | TOTAL | 1,114,491 | 48,873 | 1,163,364 | 2,855 | 189,781 | 947 | 193,583 | 7,650 | 090 | 1,364,687 |
| APRIL | 1985 | | | | | | | | | | |
| | CHILLED | 1,117,467 | 43,613 | 1,161,080 | 1,931 | 71,964 | 1,305 | 75,200 | 1,803 | 000 | 1,238,083 |
| | FROZEN | 79,157 | 5,059 | 84,216 | 540 | 101,300 | 230 | 102,070 | 6,636 | 104 | 193,026 |
| | TOTAL | 1,196,624 | 48,672 | 1,245,296 | 2,471 | 173,264 | 1,535 | 177,270 | 8,439 | 104 | 1,431,109 |
| APRIL | 1986 | | | | | | | | | | |
| | CHILLED | 1,162,665 | 45,001 | 1,207,666 | 107 | 88,981 | 741 | 89,829 | 2,645 | 001 | 1,300,141 |
| | FROZEN | 78,219 | 5,879 | 84,098 | 2,174 | 111,422 | 502 | 114,098 | 6,186 | 110 | 204,492 |
| | TOTAL | 1,240,884 | 50,880 | 1,291,764 | 2,281 | 200,403 | 1,243 | 203,927 | 8,831 | 111 | 1,504,633 |
| JAN-APR | 1985 | | | | | | | | | | |
| | CHILLED | 4,132,944 | 174,882 | 4,307,826 | 4,741 | 265,849 | 4,745 | 275,335 | 7,840 | 004 | 4,591,005 |
| | FROZEN | 292,563 | 20,411 | 312,974 | 2,322 | 379,969 | 1,720 | 384,011 | 21,634 | 434 | 719,053 |
| | TOTAL | 4,425,507 | 195,293 | 4,620,800 | 7,063 | 645,818 | 6,465 | 659,346 | 29,474 | 438 | 5,310,058 |
| JAN-APR | 1986 | | | | | | | | | | |
| | CHILLED | 4,346,984 | 166,766 | 4,513,750 | 612 | 343,665 | 3,167 | 347,444 | 8,721 | 006 | 4,869,921 |
| | FROZEN | 306,721 | 20,419 | 327,140 | 8,655 | 402,180 | 1,759 | 412,594 | 23,476 | 431 | 763,641 |
| | TOTAL | 4,653,705 | 187,185 | 4,840,890 | 9,267 | 745,845 | 4,926 | 760,038 | 32,197 | 437 | 5,633,562 |

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, APRIL 1986 WITH COMPARISONS

| | | CHICKENS | | | TURKEY | | | | DUCKS | OTHER POULTRY | TOTAL POULTRY |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | YOUNG | MATURE | TOTAL | FRYER-ROASTERS | YOUNG | OLD | TOTAL | | | |
| ANTE-MORTEM | | | | | | | | | | | |
| 1,000 POUNDS (LIVEWEIGHT) | | | | | | | | | | | |
| MARCH | 1986 | 4,344 | 846 | 5,190 | 9 | 677 | 20 | 706 | 14 | | 5,910 |
| APRIL | 1985 | 4,181 | 820 | 5,001 | 3 | 552 | 20 | 575 | 14 | | 5,590 |
| APRIL | 1986 | 4,494 | 722 | 5,216 | 9 | 674 | 12 | 695 | 15 | | 5,926 |
| JAN-APR | 1985 | 20,287 | 4,351 | 24,638 | 32 | 2,261 | 58 | 2,351 | 55 | 1 | 27,045 |
| JAN-APR | 1986 | 19,844 | 3,576 | 23,420 | 51 | 2,729 | 55 | 2,835 | 64 | 1 | 26,320 |
| PERCENT 1/ | | | | | | | | | | | |
| APRIL | 1985 | .25 | 1.05 | .29 | .10 | .25 | .99 | .26 | .11 | .13 | .28 |
| APRIL | 1986 | .26 | .88 | .29 | .31 | .26 | .78 | .27 | .11 | .07 | .28 |
| POST-MORTEM | | | | | | | | | | | |
| 1,000 POUNDS (N.Y. DRESSED) | | | | | | | | | | | |
| MARCH | 1986 | 26,915 | 2,886 | 29,801 | 42 | 4,409 | 85 | 4,536 | 129 | 1 | 34,467 |
| APRIL | 1985 | 24,108 | 2,651 | 26,759 | 33 | 3,654 | 92 | 3,779 | 204 | 1 | 30,743 |
| APRIL | 1986 | 27,469 | 2,909 | 30,378 | 29 | 4,228 | 64 | 4,321 | 178 | 2 | 34,879 |
| JAN-APR | 1985 | 94,065 | 11,465 | 105,530 | 124 | 14,311 | 353 | 14,788 | 635 | 8 | 120,961 |
| JAN-APR | 1986 | 112,152 | 10,895 | 123,047 | 137 | 16,192 | 326 | 16,655 | 585 | 9 | 140,296 |
| PERCENT 2/ | | | | | | | | | | | |
| APRIL | 1985 | 1.63 | 3.81 | 1.72 | 1.22 | 1.88 | 5.08 | 1.90 | 1.87 | 1.25 | 1.74 |
| APRIL | 1986 | 1.79 | 3.99 | 1.89 | 1.10 | 1.87 | 4.50 | 1.87 | 1.56 | 1.56 | 1.89 |

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: FURTHER PROCESSED AND CUT-UP (READY-TO-COOK) UNDER FEDERAL INSPECTION, APRIL 1986 WITH COMPARISONS

| | | YOUNG CHICKENS | | MATURE CHICKENS | | TURKEYS | | | OTHER POULTRY 1/ | | TOTAL POULTRY | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | FURTHER PROCESSED | CUT-UP | FURTHER PROCESSED | CUT-UP | WHOLE CARCASS 2/ | FURTHER PROCESSED | CUT-UP | FURTHER PROCESSED | CUT-UP | FURTHER PROCESSED | CUT-UP |
| | | THOUSANDS | | | | | | | | | | |
| READY-TO-COOK WEIGHT | | | | | | | | | | | | |
| POUNDS USED | | | | | | | | | | | | |
| MARCH | 1986 | 228,898 | 599,312 | 43,208 | 920 | 41,140 | 118,261 | 79,858 | 25,182 | 3,049 | 456,689 | 683,139 |
| APRIL | 1985 | 205,564 | 615,296 | 46,804 | 2,791 | 38,262 | 101,679 | 62,179 | 32,984 | 748 | 425,313 | 681,014 |
| APRIL | 1986 | 210,953 | 694,082 | 45,191 | 745 | 39,214 | 103,676 | 66,270 | 24,078 | 3,391 | 423,112 | 764,488 |
| JAN-APR | 1985 | 754,539 | 2,326,687 | 192,684 | 11,457 | 142,829 | 377,391 | 238,763 | 129,597 | 2,771 | 1,597,040 | 2,579,678 |
| JAN-APR | 1986 | 887,572 | 2,574,937 | 188,354 | 4,691 | 150,433 | 430,403 | 312,354 | 105,664 | 9,071 | 1,762,426 | 2,901,053 |
| POUNDS CONDEMNED | | | | | | | | | | | | |
| MARCH | 1986 | 1,744 | 8,337 | 73 | --- | 29 | 174 | 656 | 200 | --- | 2,220 | 8,993 |
| APRIL | 1985 | 3,200 | 4,404 | 93 | --- | 6 | 189 | 303 | 54 | 1 | 3,542 | 4,708 |
| APRIL | 1986 | 3,172 | 3,260 | 81 | 86 | 3 | 236 | 386 | 75 | 2 | 3,567 | 3,734 |
| JAN-APR | 1985 | 9,834 | 18,925 | 369 | 4 | 49 | 740 | 1,578 | 1,535 | 20 | 12,527 | 20,527 |
| JAN-APR | 1986 | 12,153 | 25,236 | 238 | 98 | 52 | 748 | 2,299 | 940 | 5 | 14,131 | 27,638 |

1/ POULTRY PARTS AND FATS USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN 'OTHER POULTRY'.
2/ WHOLE CARCASS TURKEYS WHICH HAVE BEEN INJECTED, BASTED, MARINATED, SMOKED, BARBECUED, ETC., AND PACKED AS SUCH.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL AND SELECTED STATE(S), APRIL 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED 1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS: POUNDS (NYD) | | POST-MORTEM CONDEMNATIONS: PERCENT 2/ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | THOUSANDS | | POUNDS | | THOUSANDS | | THOUSANDS | | PERCENT | |
| UNITED STATES | 387,763 | 395,666 | 1,646,251 | 1,705,746 | 4.24 | 4.31 | 1,196,624 | 1,240,884 | 24,108 | 27,469 | 1.63 | 1.79 |
| ALABAMA | 50,153 | 49,910 | 197,688 | 203,999 | 3.94 | 4.08 | 144,744 | 147,043 | 3,246 | 3,085 | 1.82 | 1.68 |
| ARKANSAS | 64,054 | 61,963 | 263,150 | 259,667 | 4.10 | 4.19 | 189,221 | 185,327 | 3,652 | 3,763 | 1.55 | 1.61 |
| CALIFORNIA | 15,465 | 16,360 | 76,168 | 76,229 | 4.92 | 4.65 | 55,775 | 55,339 | 1,047 | 1,970 | 1.53 | 2.87 |
| DELAWARE | 16,512 | 17,144 | 83,099 | 85,992 | 5.03 | 5.01 | 59,798 | 62,253 | 1,594 | 2,279 | 2.14 | 2.95 |
| FLORIDA | 8,142 | 7,991 | 33,294 | 32,745 | 4.08 | 4.10 | 24,285 | 23,872 | 378 | 426 | 1.26 | 1.45 |
| GEORGIA | 56,069 | 57,221 | 235,823 | 242,550 | 4.20 | 4.24 | 174,011 | 181,252 | 3,410 | 3,249 | 1.61 | 1.49 |
| INDIANA 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MARYLAND | 13,962 | 16,059 | 57,142 | 67,740 | 4.09 | 4.22 | 40,241 | 47,109 | 999 | 2,016 | 1.95 | 3.31 |
| MISSISSIPPI | 27,458 | 28,646 | 115,746 | 120,982 | 4.21 | 4.22 | 85,463 | 92,659 | 1,669 | 1,344 | 1.60 | 1.23 |
| MISSOURI | 6,708 | 8,463 | 29,069 | 38,216 | 4.33 | 4.51 | 21,273 | 28,359 | 342 | 609 | 1.31 | 1.95 |
| NEW YORK | 735 | 796 | 3,217 | 3,491 | 4.37 | 4.38 | 1,902 | 2,186 | 46 | 61 | 1.63 | 1.45 |
| NORTH CAROLINA | 40,075 | 40,804 | 177,681 | 189,774 | 4.43 | 4.65 | 128,360 | 137,889 | 2,637 | 3,109 | 1.65 | 1.83 |
| OREGON | 1,320 | 1,396 | 5,898 | 6,737 | 4.46 | 4.82 | 4,102 | 4,702 | 124 | 165 | 2.34 | 2.74 |
| PENNSYLVANIA | 7,043 | 7,097 | 28,015 | 30,971 | 3.97 | 4.36 | 20,165 | 21,619 | 499 | 798 | 1.98 | 2.87 |
| SOUTH CAROLINA | 7,320 | 7,210 | 28,516 | 28,172 | 3.89 | 3.90 | 19,987 | 19,870 | 422 | 446 | 1.65 | 1.76 |
| TENNESSEE | 7,625 | 7,852 | 32,269 | 33,246 | 4.23 | 4.24 | 23,198 | 24,226 | 267 | 320 | .99 | 1.07 |
| TEXAS | 20,673 | 23,194 | 92,524 | 99,046 | 4.47 | 4.27 | 68,953 | 72,416 | 1,092 | 1,003 | 1.31 | 1.12 |
| VIRGINIA | 19,445 | 18,460 | 85,599 | 84,089 | 4.39 | 4.55 | 60,654 | 58,891 | 1,218 | 1,420 | 1.58 | 1.88 |
| WASHINGTON | 2,014 | 2,217 | 9,075 | 10,128 | 4.50 | 4.56 | 6,794 | 7,573 | 150 | 179 | 1.85 | 1.98 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA
3/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL AND SELECTED STATE(S), APRIL 1986

| STATE | TUBERCULOSIS | LEUKOSIS | SEPTICEMIA | AIRSACCULITIS | SYNOVITIS | TUMORS | BRUISES | CADAVER | CONTAMINATION | OVERSCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | 365,380 | 1,551,245 | 1,306,685 | 25,158 | 134,853 | 50,384 | 146,729 | 220,744 | 38,344 | 163,529 | 4,003,054 |
| ALABAMA | --- | 12,432 | 148,875 | 211,127 | 1,884 | 21,992 | 6,104 | 18,427 | 19,670 | 4,227 | 10,438 | 455,176 |
| ARKANSAS | --- | 37,165 | 211,798 | 142,853 | 10,400 | 16,974 | 8,746 | 20,621 | 24,591 | 3,869 | 15,678 | 492,335 |
| CALIFORNIA | --- | 3,180 | 125,999 | 119,484 | 914 | 3,949 | 453 | 6,772 | 5,974 | 3,874 | 5,954 | 274,553 |
| DELAWARE | --- | 105,189 | 103,215 | 106,788 | 529 | 6,148 | 2,440 | 11,965 | 11,854 | 4,615 | 19,791 | 372,534 |
| FLORIDA | --- | 153 | 38,804 | 21,458 | 586 | 7,113 | 848 | 2,699 | 3,596 | 72 | 49 | 75,378 |
| GEORGIA | --- | 24,156 | 157,569 | 134,901 | 812 | 21,564 | 7,092 | 23,877 | 29,260 | 3,574 | 5,529 | 408,334 |
| INDIANA | --- | --- | 4,344 | --- | 132 | --- | --- | 124 | 4,665 | 34 | --- | 9,299 |
| MARYLAND | --- | 46,900 | 82,955 | 157,990 | 554 | 3,343 | 2,178 | 6,068 | 12,444 | 741 | 28,864 | 342,105 |
| MISSISSIPPI | --- | 18,546 | 63,447 | 76,358 | 922 | 7,016 | 2,486 | 5,199 | 11,905 | 3,650 | 4,146 | 193,659 |
| MISSOURI | --- | 5,089 | 32,445 | 45,932 | 2,153 | 2,746 | 942 | 7,067 | 4,150 | 2,550 | 1,021 | 104,093 |
| NEW YORK | --- | --- | 2,240 | 2,657 | 14 | 161 | 413 | --- | 1,862 | --- | 3,502 | 10,869 |
| NORTH CAROLINA | --- | 24,739 | 252,914 | 139,541 | 132 | 20,015 | 4,327 | 11,991 | 16,709 | 3,469 | 24,237 | 498,074 |
| OREGON | --- | 22 | 11,928 | --- | --- | 1,123 | 895 | 912 | 984 | --- | 583 | 16,447 |
| PENNSYLVANIA | --- | 1,045 | 26,710 | 19,211 | 334 | 2,531 | 2,073 | 2,808 | 38,650 | 50 | 10,966 | 104,503 |
| SOUTH CAROLINA | --- | 446 | 37,878 | 25,926 | 200 | 3,229 | 1,689 | 3,867 | 7,705 | 1,205 | --- | 82,365 |
| TENNESSEE | --- | 680 | 21,475 | 2,703 | 214 | 3,793 | 671 | 2,586 | 7,248 | 855 | 2,975 | 43,200 |
| TEXAS | --- | 11,517 | 74,195 | 17,611 | 721 | 5,369 | 2,061 | 7,354 | 7,551 | 1,695 | 1,696 | 129,570 |
| VIRGINIA | --- | 61,104 | 75,531 | 49,977 | 49 | 3,291 | 1,952 | 7,370 | 5,510 | 1,976 | 5,736 | 212,298 |
| WASHINGTON | --- | 106 | 14,100 | 1,157 | 473 | 1,148 | 712 | 567 | 263 | --- | --- | 18,546 |

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL AND SELECTED STATE(S), APRIL 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED 1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | POUNDS (NYD) | | PERCENT 2/ | |
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | POUNDS | | | | THOUSANDS | | | | PERCENT | |
| UNITED STATES | 17,330 | 18,139 | 78,113 | 81,741 | 4.50 | 4.50 | 48,672 | 50,860 | 2,651 | 2,909 | 3.81 | 3.99 |
| CALIFORNIA | 2,105 | 1,964 | 8,240 | 8,016 | 3.91 | 4.07 | 4,886 | 4,746 | 346 | 350 | 4.71 | 4.90 |
| GEORGIA | 3,003 | 3,805 | 16,657 | 19,508 | 5.54 | 5.12 | 10,360 | 12,056 | 394 | 596 | 2.65 | 3.43 |
| NEW YORK 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA
3/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL AND SELECTED STATE(S), APRIL 1986

| STATE | TUBER-CULOSIS | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | 17,813 | 207,842 | 6,059 | 4,166 | 198,298 | 36,134 | 18,247 | 59,869 | 6,113 | 46,100 | 600,641 |
| CALIFORNIA | --- | 493 | 23,527 | 121 | 67 | 46,811 | 1,300 | 557 | 2,651 | 79 | 3,039 | 78,645 |
| GEORGIA | --- | 399 | 52,090 | 589 | 3,240 | 23,944 | 3,766 | 2,699 | 16,654 | 2,189 | 2,516 | 108,086 |

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL AND SELECTED STATE(S), APRIL 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS: POUNDS (NYD) | | POST-MORTEM CONDEMNATIONS: PERCENT 2/ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | THOUSANDS | | POUNDS | | THOUSANDS | | THOUSANDS | | PERCENT | |
| UNITED STATES | 10,744 | 12,468 | 216,306 | 251,797 | 20.13 | 20.19 | 173,264 | 200,403 | 3,654 | 4,228 | 1.88 | 1.87 |
| ARKANSAS 3/ | 954 | 1,175 | 17,292 | 22,097 | 18.11 | 18.80 | 14,494 | 17,886 | 410 | 451 | 2.64 | 2.26 |
| CALIFORNIA | 1,396 | 1,453 | 27,123 | 30,070 | 19.42 | 20.69 | 22,277 | 24,229 | 448 | 487 | 1.84 | 1.80 |
| INDIANA 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| IOWA | 625 | 655 | 14,984 | 15,649 | 23.96 | 23.88 | 11,771 | 12,216 | 327 | 331 | 2.44 | 2.36 |
| MINNESOTA | 1,033 | 1,301 | 18,584 | 23,013 | 17.98 | 17.68 | 14,870 | 18,230 | 304 | 510 | 1.62 | 2.47 |
| MISSOURI | 1,089 | 1,268 | 21,686 | 24,177 | 19.90 | 19.05 | 17,544 | 19,466 | 367 | 402 | 1.99 | 1.85 |
| NEW JERSEY 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| NEW YORK 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| NORTH CAROLINA | 1,601 | 2,031 | 31,310 | 39,337 | 19.54 | 19.36 | 25,650 | 32,182 | 269 | 431 | .95 | 1.22 |
| OHIO 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| PENNSYLVANIA | 302 | 266 | 5,532 | 5,281 | 18.30 | 19.84 | 4,397 | 4,140 | 81 | 130 | 1.66 | 2.75 |
| VIRGINIA | 1,629 | 1,883 | 30,352 | 34,682 | 18.62 | 18.41 | 23,442 | 27,049 | 370 | 445 | 1.36 | 1.43 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA
3/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL AND SELECTED STATE(S), APRIL 1986

| STATE | TUBERCULOSIS | LEUKOSIS | SEPTICEMIA | AIRSACCULITIS | SYNOVITIS | TUMORS | BRUISES | CADAVER | CONTAMINATION | OVERSCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | 97 | 90,538 | 15,354 | 7,993 | 383 | 1,279 | 3,159 | 5,838 | 711 | 4,860 | 128,192 |
| ARKANSAS | --- | --- | 7,824 | 1,176 | 834 | 57 | 253 | 256 | 1,095 | 73 | 2,722 | 14,290 |
| CALIFORNIA | --- | 14 | 11,624 | 162 | 318 | 66 | 30 | 238 | 203 | --- | --- | 12,655 |
| INDIANA | --- | --- | 1,633 | 659 | --- | --- | 14 | 4 | --- | --- | --- | 2,314 |
| IOWA | --- | --- | 4,126 | 2,112 | 2,471 | --- | 21 | 112 | 262 | --- | 134 | 9,238 |
| MINNESOTA | --- | --- | 8,670 | 4,351 | 2,587 | --- | 179 | 743 | 698 | 338 | 224 | 17,590 |
| MISSOURI | --- | --- | 12,700 | 751 | 65 | --- | 75 | 200 | 445 | --- | 151 | 14,387 |
| NORTH CAROLINA | --- | --- | 10,521 | 569 | --- | --- | 156 | 275 | 311 | --- | --- | 11,832 |
| OHIO | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| VIRGINIA | --- | --- | 11,776 | 644 | 47 | --- | 176 | 554 | 233 | 46 | 336 | 13,842 |

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL , APRIL 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS: POUNDS (NYD) | | POST-MORTEM CONDEMNATIONS: PERCENT 2/ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | -- POUNDS --- | | | | THOUSANDS | | | | -- PERCENT --- | |
| UNITED STATES | 331 | 319 | 3,126 | 2,940 | 9.43 | 9.20 | 2,471 | 2,281 | 33 | 29 | 1.22 | 1.10 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL , APRIL 1986

| STATE | TUBERCULOSIS | LEUKOSIS | SEPTICEMIA | AIRSACCULITIS | SYNOVITIS | TUMORS | BRUISES | CADAVER | CONTAMINATION | OVERSCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | --- | 1,225 | 92 | --- | --- | --- | 188 | 147 | --- | 92 | 1,744 |

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL , APRIL 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS: POUNDS (NYD) | | POST-MORTEM CONDEMNATIONS: PERCENT 2/ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | -- POUNDS --- | | | | THOUSANDS | | | | -- PERCENT --- | |
| UNITED STATES | 93 | 67 | 2,051 | 1,612 | 21.93 | 23.98 | 1,535 | 1,243 | 92 | 64 | 5.08 | 4.50 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL , APRIL 1986

| STATE | TUBERCULOSIS | LEUKOSIS | SEPTICEMIA | AIRSACCULITIS | SYNOVITIS | TUMORS | BRUISES | CADAVER | CONTAMINATION | OVERSCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | --- | 1,330 | 149 | 26 | 38 | 37 | 21 | 43 | --- | 57 | 1,701 |

DEFINITIONS USED TO REPORT FEDERALLY INSPECTED SLAUGHTER:

YOUNG CHICKENS - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

MATURE CHICKENS - Fowl from breeder and market egg flocks and stags and cocks.

FRYER-ROASTER TURKEYS - Young immature birds, usually under 16 weeks of age.

YOUNG TURKEYS (MATURE) - Young birds grown to a matured market age, about 5 months.

OLD TURKEYS (BREEDERS) - Fully matured birds held for egg production, usually over 15 months of age.

DUCKS - Includes all ducks regardless of age and weight.

OTHER POULTRY - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

**********
* The data presented in this report were compiled by the Meat and Poultry *
* Inspection Program, Food Safety Inspection Service. Data for April 1986 *
* include reports available for summary in late May 1986. The degree of *
* incompleteness due to late reports will vary from month to month. *
* *
* Requests for a subscription order form covering all available reports *
* should be directed to Agricultural Statistics Board Publications, Room *
* 5829-South Building, USDA, Washington, D.C. 20250 (Phone (202) 447-4021). *
* *
* This report and other statistical, economic, marketing and news reports *
* are available as soon as possible following release through USDA's EDI *
* SERVICE. For more information, call or write: Russell Forte, (202) *
* 447-5505, OGPA, USDA, Washington, D.C. 20250. *
**********

*U.S. GOVERNMENT PRINTING OFFICE: 1986- 490-916:40358/NASS

986/5

# Poultry Slaughter

Agricultural Statistics Board
National Agricultural Statistics Service

United States Department of Agriculture
Washington, D.C. 20250

NEWARK PUBLIC LIBRARY
AUG 11 1986
U. S. GOVT. PUBS.
DEPOSITORY 375

RELEASED: July 16, 1986
3:00 P.M. ET

The preliminary total of LIVE WEIGHT POULTRY INSPECTIONS was 2.07 billion pounds (938 thousand metric tons) for May 1986.

Inspections included 1.69 billion pounds (764 thousand metric tons) of young chickens, 74.6 million pounds (33.8 thousand metric tons) of mature chickens, 296 million pounds (134 thousand metric tons) of turkeys and 13.1 million pounds (5960 metric tons) of ducks.

POULTRY CERTIFIED WHOLESOME during May 1986 was 1.52 billion pounds (688 thousand metric tons) ready-to-cook weight. Updated totals for April 1986 show that 1.52 billion pounds (687 thousand metric tons) were certified.

ANTE-MORTEM CONDEMNATIONS during May 1986 totaled 6.09 million pounds (2760 metric tons). Condemnations were 0.29 percent of the live weight inspected, compared to 0.28 percent a year ago. POST-MORTEM CONDEMNATIONS, at 33.4 million pounds (15.1 thousand metric tons) (N.Y. Dressed Weight), were 1.79 percent of quantities inspected compared with 1.58 percent a year earlier.

FURTHER PROCESSED poultry totaled 486 million pounds (220 thousand metric tons) ready-to-cook weight. CUT-UP poultry totaled 783 million pounds (355 thousand metric tons).

**********
* NOTICE *
*
* The data presented in this report were compiled by the Meat and Poultry*
* Inspection Program, Food Safety Inspection Service. Data for May 1986 *
* include reports available for summary in late June 1986. The degree of*
* incompleteness due to late reports will vary from month to month. *
*
* Requests for a subscription order form covering all available reports *
* should be directed to Agricultural Statistics Board Publications, Room *
* 5829-South Building, USDA, Washington, D.C. 20250 (Phone (202) 447- *
* 4021). *
*
* This report and other statistical, economic, marketing and news reports*
* are available as soon as possible following release through USDA's EDI *
* SERVICE. For more information, call or write: Russell Forte, (202) *
* 447-5505, OGPA, USDA, Washington, D.C. 20250. *
**********

Pou 2-1 (7-86)

For Information Call: (202) 447-2123

A 92.9/5:

## POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, MAY 1986 WITH COMPARISONS

| | | CHICKENS | | | TURKEY | | | | | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | YOUNG | MATURE 1/ | TOTAL | FRYER-ROASTERS | YOUNG 2/ | OLD | TOTAL | DUCKS | POULTRY | POULTRY |
| | | | | | | THOUSANDS | | | | | |
| NUMBER INSPECTED | | | | | | | | | | | |
| APRIL | 1986 | 398,532 | 18,314 | 416,846 | 319 | 12,543 | 67 | 12,929 | 2,008 | --- | --- |
| MAY | 1985 | 396,518 | 15,630 | 412,148 | 339 | 13,153 | 127 | 13,619 | 1,826 | --- | --- |
| MAY | 1986 | 397,657 | 16,451 | 414,108 | 381 | 14,666 | 102 | 15,149 | 1,989 | --- | --- |
| JAN-MAY | 1985 | 1,839,863 | 88,080 | 1,927,943 | 1,294 | 52,645 | 510 | 54,449 | 8,290 | --- | --- |
| JAN-MAY | 1986 | 1,895,275 | 84,273 | 1,979,548 | 1,600 | 60,287 | 376 | 62,263 | 8,960 | --- | --- |
| POUNDS INSPECTED | | | | | | | | | | | |
| APRIL | 1986 | 1,717,411 | 82,400 | 1,799,811 | 2,940 | 253,421 | 1,612 | 257,973 | 13,433 | 209 | 2,071,426 |
| MAY | 1985 | 1,671,545 | 71,378 | 1,742,923 | 3,191 | 260,745 | 2,828 | 266,764 | 11,978 | 258 | 2,021,923 |
| MAY | 1986 | 1,685,000 | 74,586 | 1,759,586 | 3,455 | 289,843 | 2,261 | 295,559 | 13,129 | 219 | 2,068,493 |
| JAN-MAY | 1985 | 7,757,697 | 388,130 | 8,145,827 | 12,276 | 1,072,101 | 11,249 | 1,095,626 | 54,538 | 1,085 | 9,297,076 |
| JAN-MAY | 1986 | 8,123,949 | 377,431 | 8,501,380 | 15,395 | 1,226,961 | 8,654 | 1,251,010 | 60,071 | 1,037 | 9,813,498 |
| AVERAGE LIVEWEIGHT | | | | | | POUNDS | | | | | |
| APRIL | 1986 | 4.30 | 4.49 | 4.31 | 9.20 | 20.20 | 23.98 | 19.95 | 6.68 | --- | --- |
| MAY | 1985 | 4.21 | 4.56 | 4.22 | 9.39 | 19.82 | 22.14 | 19.58 | 6.55 | --- | --- |
| MAY | 1986 | 4.23 | 4.53 | 4.24 | 9.06 | 19.76 | 22.03 | 19.50 | 6.59 | --- | --- |
| JAN-MAY | 1985 | 4.21 | 4.40 | 4.22 | 9.48 | 20.36 | 22.03 | 20.12 | 6.57 | --- | --- |
| JAN-MAY | 1986 | 4.28 | 4.47 | 4.29 | 9.61 | 20.35 | 22.95 | 20.09 | 6.70 | --- | --- |

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:
MAY 1985: 3,294 MAY 1986: 3,174

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:
MAY 1985: 082 MAY 1986: 089



## POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), MAY 1986 WITH COMPARISONS

| | | CHICKENS | | | TURKEY | | | | | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | YOUNG | MATURE | TOTAL | FRYER-ROASTERS | YOUNG | OLD | TOTAL | DUCKS | POULTRY | POULTRY |
| | | | | | | THOUSANDS | | | | | |
| APRIL | 1986 | | | | | | | | | | |
| | CHILLED | 1,169,813 | 45,348 | 1,215,161 | 107 | 89,403 | 741 | 90,251 | 2,769 | 001 | 1,308,182 |
| | FROZEN | 79,766 | 5,901 | 85,667 | 2,174 | 112,277 | 502 | 114,953 | 6,585 | 110 | 207,315 |
| | TOTAL | 1,249,579 | 51,249 | 1,300,828 | 2,281 | 201,680 | 1,243 | 205,204 | 9,354 | 111 | 1,515,497 |
| MAY | 1985 | | | | | | | | | | |
| | CHILLED | 1,149,624 | 38,739 | 1,188,363 | 2,007 | 77,868 | 1,362 | 81,237 | 1,750 | 006 | 1,271,356 |
| | FROZEN | 71,880 | 5,507 | 77,387 | 482 | 129,970 | 812 | 131,264 | 6,553 | 132 | 215,336 |
| | TOTAL | 1,221,504 | 44,246 | 1,265,750 | 2,489 | 207,838 | 2,174 | 212,501 | 8,303 | 138 | 1,486,692 |
| MAY | 1986 | | | | | | | | | | |
| | CHILLED | 1,149,631 | 40,513 | 1,190,144 | 123 | 92,443 | 968 | 93,534 | 2,069 | 000 | 1,285,747 |
| | FROZEN | 75,903 | 5,599 | 81,502 | 2,582 | 139,206 | 765 | 142,553 | 7,094 | 120 | 231,269 |
| | TOTAL | 1,225,534 | 46,112 | 1,271,646 | 2,705 | 231,649 | 1,733 | 236,087 | 9,163 | 120 | 1,517,016 |
| JAN-MAY | 1985 | | | | | | | | | | |
| | CHILLED | 5,282,568 | 213,622 | 5,496,190 | 6,748 | 343,717 | 6,107 | 356,572 | 9,590 | 010 | 5,862,362 |
| | FROZEN | 364,444 | 25,919 | 390,363 | 2,804 | 509,940 | 2,532 | 515,276 | 28,188 | 566 | 934,393 |
| | TOTAL | 5,647,012 | 239,541 | 5,886,553 | 9,552 | 853,657 | 8,639 | 871,848 | 37,778 | 576 | 6,796,755 |
| JAN-MAY | 1986 | | | | | | | | | | |
| | CHILLED | 5,505,052 | 207,627 | 5,712,679 | 736 | 436,531 | 4,135 | 441,402 | 10,914 | 006 | 6,165,001 |
| | FROZEN | 384,171 | 26,041 | 410,212 | 11,237 | 542,265 | 2,524 | 556,026 | 30,969 | 551 | 997,758 |
| | TOTAL | 5,889,223 | 233,668 | 6,122,891 | 11,973 | 978,796 | 6,659 | 997,428 | 41,883 | 557 | 7,162,759 |

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, MAY 1986 WITH COMPARISONS

| | | CHICKENS | | | TURKEY | | | | DUCKS | OTHER POULTRY | TOTAL POULTRY |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | YOUNG | MATURE | TOTAL | FRYER-ROASTERS | YOUNG | OLD | TOTAL | | | |
| ANTE-MORTEM | | | | | | | | | | | |
| 1,000 POUNDS (LIVEWEIGHT) | | | | | | | | | | | |
| APRIL | 1986 | 4,515 | 725 | 5,240 | 9 | 682 | 12 | 703 | 17 | | 5,960 |
| MAY | 1985 | 4,427 | 776 | 5,203 | 4 | 560 | 36 | 600 | 11 | | 5,814 |
| MAY | 1986 | 4,494 | 735 | 5,229 | 9 | 810 | 22 | 841 | 17 | | 6,087 |
| JAN-MAY | 1985 | 24,714 | 5,127 | 29,841 | 36 | 2,821 | 94 | 2,951 | 67 | 1 | 32,860 |
| JAN-MAY | 1986 | 24,362 | 4,315 | 28,677 | 60 | 3,548 | 77 | 3,685 | 85 | 1 | 32,448 |
| PERCENT 1/ | | | | | | | | | | | |
| MAY | 1985 | .26 | 1.08 | .29 | .12 | .21 | 1.27 | .22 | .09 | .23 | .28 |
| MAY | 1986 | .26 | .98 | .29 | .27 | .27 | .99 | .28 | .13 | .13 | .29 |
| POST-MORTEM | | | | | | | | | | | |
| 1,000 POUNDS (N.Y. DRESSED) | | | | | | | | | | | |
| APRIL | 1986 | 27,597 | 2,930 | 30,527 | 29 | 4,255 | 64 | 4,348 | 184 | 2 | 35,061 |
| MAY | 1985 | 22,216 | 2,222 | 24,438 | 34 | 3,948 | 130 | 4,112 | 157 | 1 | 28,708 |
| MAY | 1986 | 25,954 | 2,688 | 28,642 | 32 | 4,400 | 115 | 4,547 | 175 | 3 | 33,367 |
| JAN-MAY | 1985 | 116,283 | 13,689 | 129,972 | 159 | 18,260 | 483 | 18,902 | 793 | 11 | 149,678 |
| JAN-MAY | 1986 | 138,252 | 13,605 | 151,857 | 169 | 20,622 | 442 | 21,233 | 767 | 14 | 173,871 |
| PERCENT 2/ | | | | | | | | | | | |
| MAY | 1985 | 1.48 | 3.49 | 1.56 | 1.22 | 1.68 | 5.18 | 1.71 | 1.47 | 1.29 | 1.58 |
| MAY | 1986 | 1.71 | 4.04 | 1.81 | 1.06 | 1.69 | 5.75 | 1.71 | 1.48 | 1.96 | 1.79 |

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: FURTHER PROCESSED AND CUT-UP (READY-TO-COOK) UNDER FEDERAL INSPECTION, MAY 1986 WITH COMPARISONS

| | | YOUNG CHICKENS | | MATURE CHICKENS | | TURKEYS | | | OTHER POULTRY 1/ | | TOTAL POULTRY | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | FURTHER PROCESSED | CUT-UP | FURTHER PROCESSED | CUT-UP | WHOLE CARCASS 2/ | FURTHER PROCESSED | CUT-UP | FURTHER PROCESSED | CUT-UP | FURTHER PROCESSED | CUT-UP |
| | | THOUSANDS | | | | | | | | | | |
| READY-TO-COOK WEIGHT | | | | | | | | | | | | |
| POUNDS USED | | | | | | | | | | | | |
| APRIL | 1986 | 238,720 | 712,717 | 51,940 | 746 | 47,657 | 117,567 | 80,658 | 27,275 | 3,815 | 483,159 | 797,936 |
| MAY | 1985 | 203,997 | 650,508 | 48,474 | 1,505 | 50,302 | 111,538 | 63,480 | 33,493 | 856 | 447,804 | 716,349 |
| MAY | 1986 | 235,177 | 694,175 | 43,094 | 850 | 57,309 | 123,821 | 86,405 | 26,581 | 1,346 | 485,982 | 782,776 |
| JAN-MAY | 1985 | 958,536 | 2,977,196 | 241,158 | 12,963 | 193,131 | 488,930 | 302,243 | 163,091 | 3,627 | 2,044,846 | 3,296,029 |
| JAN-MAY | 1986 | 1,157,369 | 3,292,310 | 239,997 | 13,322 | 216,186 | 568,804 | 413,253 | 135,846 | 11,179 | 2,318,202 | 3,730,064 |
| POUNDS CONDEMNED | | | | | | | | | | | | |
| APRIL | 1986 | 4,946 | 3,481 | 81 | 86 | 22 | 240 | 388 | 75 | 2 | 5,364 | 3,957 |
| MAY | 1985 | 1,961 | 4,771 | 65 | --- | 6 | 529 | 421 | 72 | --- | 2,633 | 5,192 |
| MAY | 1986 | 1,935 | 3,675 | 100 | --- | 4 | 356 | 455 | 2,590 | 11 | 4,985 | 4,141 |
| JAN-MAY | 1985 | 11,796 | 23,696 | 435 | 5 | 55 | 1,269 | 1,999 | 1,607 | 20 | 15,162 | 25,720 |
| JAN-MAY | 1986 | 15,865 | 29,140 | 340 | 98 | 74 | 1,109 | 2,757 | 3,531 | 16 | 20,919 | 32,011 |

1/ POULTRY PARTS AND FATS USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN 'OTHER POULTRY'.
2/ WHOLE CARCASS TURKEYS WHICH HAVE BEEN INJECTED, BASTED, MARINATED, SMOKED, BARBECUED, ETC., AND PACKED AS SUCH.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL AND SELECTED STATE(S), MAY 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED 1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS POUNDS (RYD) | | PERCENT 2/ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | | | POUNDS | | THOUSANDS | | | | PERCENT | |
| UNITED STATES | 396,518 | 397,657 | 1,671,585 | 1,685,000 | 4.21 | 4.23 | 1,221,504 | 1,225,534 | 22,216 | 25,954 | 1.48 | 1.71 |
| ALABAMA | 50,778 | 51,307 | 202,087 | 207,805 | 3.97 | 4.05 | 149,175 | 150,616 | 2,812 | 3,289 | 1.55 | 1.76 |
| ARKANSAS | 63,616 | 62,853 | 262,218 | 257,417 | 4.12 | 4.09 | 198,378 | 187,066 | 3,297 | 3,298 | 1.39 | 1.42 |
| CALIFORNIA | 15,893 | 15,291 | 77,830 | 71,850 | 4.89 | 4.69 | 57,390 | 52,597 | 1,327 | 1,328 | 1.90 | 2.05 |
| DELAWARE | 16,956 | 16,347 | 83,602 | 80,316 | 4.93 | 4.89 | 60,802 | 57,711 | 1,378 | 2,215 | 1.83 | 3.08 |
| FLORIDA | 7,559 | 8,110 | 29,646 | 32,705 | 3.92 | 4.03 | 21,473 | 24,044 | 284 | 400 | 1.07 | 1.36 |
| GEORGIA | 58,441 | 58,153 | 244,795 | 242,498 | 4.18 | 4.16 | 179,159 | 178,820 | 3,281 | 3,162 | 1.49 | 1.45 |
| INDIANA 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| LOUISIANA 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MARYLAND | 17,246 | 15,554 | 69,337 | 63,957 | 4.02 | 4.11 | 49,144 | 44,181 | 1,201 | 1,963 | 1.92 | 3.42 |
| MISSISSIPPI | 29,302 | 27,682 | 123,065 | 113,542 | 4.19 | 4.10 | 92,131 | 85,276 | 1,390 | 1,392 | 1.25 | 1.36 |
| MISSOURI | 7,083 | 9,148 | 29,414 | 39,565 | 4.22 | 4.32 | 21,904 | 28,924 | 323 | 667 | 1.20 | 1.88 |
| NEW YORK | 725 | 704 | 3,249 | 3,242 | 4.47 | 4.60 | 2,019 | 2,021 | 38 | 45 | 1.35 | 1.60 |
| NORTH CAROLINA | 41,095 | 40,467 | 179,469 | 183,789 | 4.36 | 4.54 | 130,709 | 135,700 | 2,347 | 2,871 | 1.45 | 1.74 |
| OREGON 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| PENNSYLVANIA | 6,881 | 6,693 | 28,237 | 27,925 | 4.10 | 4.17 | 19,931 | 19,578 | 445 | 670 | 1.75 | 2.67 |
| SOUTH CAROLINA | 8,031 | 8,004 | 29,810 | 31,233 | 3.71 | 3.90 | 20,877 | 21,750 | 404 | 477 | 1.51 | 1.70 |
| TENNESSEE | 7,556 | 7,698 | 31,563 | 32,256 | 4.18 | 4.19 | 22,967 | 23,701 | 272 | 275 | .96 | .95 |
| TEXAS | 22,968 | 22,658 | 99,112 | 95,041 | 4.32 | 4.19 | 74,041 | 69,983 | 1,095 | 956 | 1.23 | 1.12 |
| VIRGINIA | 19,583 | 19,684 | 85,677 | 89,134 | 4.37 | 4.52 | 61,520 | 61,302 | 1,142 | 1,366 | 1.48 | 1.70 |
| WASHINGTON | 2,248 | 2,444 | 9,678 | 11,038 | 4.30 | 4.51 | 7,191 | 8,248 | 176 | 189 | 2.04 | 1.92 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA
3/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL AND SELECTED STATE(S), MAY 1986

| STATE | TUBERCULOSIS | LEUKOSIS | SEPTICEMIA | ATRSAC-CULITIS | SYNOVITIS | TUMORS | BRUISES | CADAVER | CONTAMINATION | OVERSCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | 357,087 | 1,424,982 | 1,286,625 | 23,172 | 124,892 | 49,038 | 134,439 | 225,497 | 36,172 | 161,355 | 3,823,259 |
| ALABAMA | --- | 16,958 | 147,704 | 261,902 | 2,522 | 21,174 | 6,085 | 18,208 | 19,120 | 3,967 | 10,518 | 507,958 |
| ARKANSAS | --- | 30,177 | 179,109 | 121,866 | 8,232 | 15,399 | 8,086 | 19,304 | 22,865 | 2,764 | 12,770 | 420,572 |
| CALIFORNIA | --- | 1,265 | 96,443 | 69,793 | 831 | 3,399 | 582 | 10,118 | 3,105 | 4,286 | 3,127 | 192,749 |
| DELAWARE | --- | 91,019 | 87,707 | 109,759 | 391 | 4,264 | 2,535 | 9,833 | 11,611 | 3,772 | 23,758 | 344,649 |
| FLORIDA | --- | 307 | 36,505 | 16,710 | 496 | 6,962 | 882 | 2,685 | 3,405 | 33 | --- | 67,985 |
| GEORGIA | --- | 19,273 | 155,951 | 141,772 | 766 | 19,306 | 7,224 | 20,617 | 28,064 | 4,505 | 6,407 | 403,885 |
| INDIANA 1/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| LOUISIANA 1/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MARYLAND | --- | 47,275 | 70,747 | 133,228 | 518 | 3,270 | 1,756 | 5,576 | 12,748 | 872 | 28,635 | 304,625 |
| MISSISSIPPI | --- | 63,473 | 58,307 | 74,695 | 864 | 7,199 | 2,339 | 5,123 | 12,338 | 4,112 | 2,367 | 230,817 |
| MISSOURI | --- | 2,493 | 27,977 | 60,885 | 1,437 | 2,026 | 1,086 | 2,478 | 4,240 | 2,098 | --- | 104,320 |
| NEW YORK | --- | 11 | 1,665 | --- | 22 | 142 | 314 | --- | 1,078 | --- | 3,057 | 6,289 |
| NORTH CAROLINA | --- | 10,681 | 238,056 | 137,618 | 369 | 16,292 | 4,217 | 11,244 | 16,288 | 1,930 | 22,376 | 459,111 |
| OREGON 1/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| PENNSYLVANIA | --- | 1,555 | 24,306 | 14,668 | 356 | 2,121 | 1,896 | 2,056 | 46,783 | 293 | 10,703 | 104,737 |
| SOUTH CAROLINA | --- | 360 | 34,630 | 29,875 | 167 | 4,036 | 1,864 | 3,290 | 7,219 | 776 | 6,252 | 88,489 |
| TENNESSEE | --- | 1,098 | 21,548 | 2,062 | 149 | 3,009 | 571 | 2,622 | 6,112 | 1,166 | 2,192 | 40,529 |
| TEXAS | --- | 10,385 | 68,821 | 17,975 | 846 | 4,727 | 1,918 | 8,833 | 8,414 | 2,646 | 2,557 | 127,122 |
| VIRGINIA | --- | 44,214 | 70,636 | 59,387 | 41 | 4,424 | 1,787 | 4,353 | 6,363 | 1,323 | 4,994 | 197,522 |
| WASHINGTON | --- | 112 | 15,779 | 771 | 463 | 1,291 | 788 | 579 | 323 | 191 | 1,742 | 22,039 |

1/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL AND SELECTED STATE(S), MAY 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS: POUNDS (NYD) | | POST-MORTEM CONDEMNATIONS: PERCENT 2/ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | | | POUNDS | | THOUSANDS | | | | PERCENT | |
| UNITED STATES | 15,630 | 16,451 | 71,578 | 74,586 | 4.56 | 4.53 | 44,246 | 46,112 | 2,222 | 2,688 | 3.49 | 4.04 |
| CALIFORNIA | 1,477 | 1,678 | 6,238 | 6,270 | 4.22 | 3.73 | 3,812 | 3,585 | 205 | 264 | 3.69 | 4.71 |
| GEORGIA | 3,064 | 3,098 | 16,142 | 16,902 | 5.26 | 5.45 | 9,990 | 10,417 | 382 | 528 | 2.65 | 3.51 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL AND SELECTED STATE(S), MAY 1986

| STATE | TUBER-CULOSIS | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | 4 | 17,423 | 184,446 | 4,407 | 527 | 185,931 | 34,449 | 23,167 | 54,451 | 4,151 | 52,020 | 560,976 |
| CALIFORNIA | --- | 411 | 21,537 | --- | 36 | 36,681 | 474 | 289 | 1,901 | 68 | 1,946 | 63,343 |
| GEORGIA | --- | 474 | 42,714 | 478 | 43 | 23,821 | 2,649 | 2,905 | 14,087 | 394 | 2,062 | 89,627 |

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL AND SELECTED STATE(S), MAY 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED 1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | POUNDS (NYD) | | PERCENT 2/ | |
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | -- POUNDS --- | | | | THOUSANDS | | | | -- PERCENT --- | |
| UNITED STATES | 13,153 | 14,666 | 260,745 | 289,843 | 19.82 | 19.76 | 207,838 | 231,649 | 3,948 | 4,400 | 1.68 | 1.69 |
| ARKANSAS | 1,430 | 1,469 | 26,233 | 27,283 | 18.34 | 18.56 | 21,404 | 22,209 | 493 | 529 | 2.09 | 2.16 |
| CALIFORNIA | 1,719 | 1,586 | 33,585 | 32,756 | 19.53 | 20.64 | 26,968 | 26,591 | 479 | 541 | 1.58 | 1.84 |
| INDIANA | 435 | 545 | 8,281 | 11,437 | 18.99 | 20.97 | 6,659 | 9,183 | 113 | 162 | 1.52 | 1.58 |
| IOWA | 749 | 797 | 17,696 | 18,980 | 23.60 | 23.80 | 13,976 | 14,821 | 317 | 346 | 2.00 | 2.03 |
| MASSACHUSETTS 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MINNESOTA | 1,516 | 1,889 | 25,961 | 30,036 | 17.11 | 15.89 | 20,860 | 24,291 | 362 | 475 | 1.55 | 1.76 |
| MISSOURI | 1,103 | 1,155 | 21,002 | 22,462 | 19.03 | 19.43 | 16,880 | 18,403 | 321 | 324 | 1.70 | 1.61 |
| NEW YORK 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| NORTH CAROLINA | 1,792 | 2,411 | 33,195 | 43,770 | 18.52 | 18.15 | 27,081 | 35,432 | 300 | 440 | 1.00 | 1.12 |
| OHIO 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| PENNSYLVANIA | 322 | 347 | 6,488 | 6,992 | 20.15 | 20.09 | 5,109 | 5,668 | 105 | 133 | 1.81 | 2.13 |
| VIRGINIA | 1,818 | 2,006 | 33,597 | 37,740 | 18.36 | 18.80 | 26,263 | 29,644 | 352 | 407 | 1.17 | 1.20 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT R.T. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA
3/ DATA NOT PUBLISHED TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL AND SELECTED STATE(S), MAY 1986

| STATE | TUBER-CULOSIS | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | 206 | 94,539 | 9,461 | 14,224 | 288 | 1,267 | 3,426 | 4,219 | 786 | 3,810 | 132,228 |
| ARKANSAS | --- | --- | 9,496 | 958 | 4,123 | 19 | 288 | 195 | 1,129 | --- | --- | 16,208 |
| CALIFORNIA | --- | --- | 12,888 | 116 | 575 | 55 | 30 | 163 | 230 | --- | --- | 14,057 |
| INDIANA | --- | --- | 2,070 | 614 | 1,299 | --- | 30 | --- | --- | --- | --- | 4,013 |
| IOWA | --- | --- | 5,163 | 1,296 | 3,742 | --- | 15 | 95 | 286 | --- | 205 | 10,802 |
| MINNESOTA | --- | --- | 9,035 | 1,785 | 2,950 | 34 | 120 | 1,053 | 652 | 122 | 345 | 16,096 |
| MISSOURI | --- | --- | 9,632 | 347 | --- | --- | 102 | 300 | 410 | 30 | 63 | 10,884 |
| NORTH CAROLINA | --- | --- | 10,485 | 546 | --- | 25 | 173 | 595 | 486 | --- | 54 | 12,362 |
| OHIO | --- | --- | 2,530 | 481 | --- | --- | 6 | 72 | --- | --- | --- | 3,089 |
| PENNSYLVANIA | --- | --- | 2,984 | 1,306 | --- | 3 | --- | --- | --- | --- | --- | 4,293 |
| VIRGINIA | --- | --- | 9,574 | 343 | 106 | --- | --- | 362 | 205 | 63 | 292 | 10,745 |

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL — MAY — 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS: POUNDS (NYD) | | PERCENT 2/ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | -- POUNDS --- | | | | THOUSANDS | | | | -- PERCENT --- | |
| UNITED STATES | 339 | 381 | 5,191 | 3,455 | 9.39 | 9.06 | 2,489 | 2,705 | 34 | 52 | 1.22 | 1.06 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL — MAY — 1986

| STATE | TUBER-CULOSIS | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | --- | 1,264 | --- | 67 | --- | 18 | 165 | 248 | --- | 90 | 1,857 |

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES TOTAL — MAY — 1985 AND 1986

| STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED1/ | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS: POUNDS (NYD) | | PERCENT 2/ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 | 1985 | 1986 |
| | THOUSANDS | | -- POUNDS --- | | | | THOUSANDS | | | | -- PERCENT --- | |
| UNITED STATES | 127 | 102 | 2,828 | 2,261 | 22.18 | 22.03 | 2,174 | 1,733 | 130 | 115 | 5.18 | 5.75 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES TOTAL — MAY — 1986

| STATE | TUBER-CULOSIS | LEU-KOSIS | SEPTI-CEMIA | AIRSAC-CULITIS | SYNO-VITIS | TUMORS | BRUISES | CADAVER | CONTAM-INATION | OVER-SCALD | OTHER | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WHOLE NUMBERS | | | | | | | | | | | |
| UNITED STATES | --- | --- | 3,154 | 313 | 25 | 101 | 139 | 65 | 81 | --- | 61 | 3,939 |

DEFINITIONS USED TO REPORT FEDERALLY INSPECTED SLAUGHTER:

YOUNG CHICKENS - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

MATURE CHICKENS - Fowl from breeder and market egg flocks and stags and cocks.

FRYER-ROASTER TURKEYS - Young immature birds, usually under 16 weeks of age.

YOUNG TURKEYS (MATURE) - Young birds grown to a matured market age, about 5 months.

OLD TURKEYS (BREEDERS) - Fully matured birds held for egg production, usually over 15 months of age.

DUCKS - Includes all ducks regardless of age and weight.

OTHER POULTRY - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

*U.S. GOVERNMENT PRINTING OFFICE: 1986-490-916:40450/ES